

LÄHDELUETTELO

LUKU 1	Suhteellinen energiavaje urheilussa	2
LUKU 2	Liikunta, ruoka ja ruoansulatuskanavan ongelmat	6
LUKU 3	Liikunta, ruoka ja ylähengitystieinfektiot	27
LUKU 4	Kasvisruokavaliot, terveys ja suorituskyky	42
LUKU 5	Ikääntyvien liikkujien ja urheilijoiden ravitsemus	52
LUKU 6	Ruoka, terveys ja painonhallinta yleisessä väestössä	53
LUKU 7	Hiilihydraatit ja rasva urheilussa	73
LUKU 8	Proteiini – ravitsemus, suorituskyky ja harjoitusadaptaatio	80
LUKU 9	Ateriarytmia ja paastot	86
LUKU 10	Vitamiinit, kivennäisaineet ja fytokemikaalit	90
LUKU 11	Nestetasapaino, terveys ja suorituskyky	98
LUKU 12	Happo-emästasapaino liikunnassa ja urheilussa	107
LUKU 13	Ravintolisät ja suorituskyky	109
LUKU 15	Ravitsemusvalmennus osana kestävää elämäntapamuutosta	113

LUKU 1 Suhteellinen energiavaje urheilussa

- Ackerman, K. E., Cano Sokoloff, N., DE Nardo Maffazioli, G., ym. (2015). Fractures in Relation to Menstrual Status and Bone Parameters in Young Athletes. *Medicine and Science in Sports and Exercise*, 47(8), 1577-1586.
- Ackerman, K. E., Holtzman, B., Cooper, K. M., ym. (2018). Low energy availability surrogates correlate with health and performance consequences of Relative Energy Deficiency in Sport. *British Journal of Sports Medicine*
- Ackerman, K. E., & Misra, M. (2011). Bone health and the female athlete triad in adolescent athletes. *The Physician and Sportsmedicine*, 39(1), 131-141.
- Ackerman KE, Singhal V, Baskaran C, ym. Oestrogen replacement improves bone mineral density in oligo-menorrhoeic athletes: a randomised clinical trial. *Br J Sports Med*. 2019 Feb;53(4):229-236.
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., ym. (2000). Compendium of physical activities: an update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(9 Suppl), S498-504.
- Alemany, J. A., Nindl, B. C., Kellogg, M. D., ym. (2008). Effects of dietary protein content on IGF-I, testosterone, and body composition during 8 days of severe energy deficit and arduous physical activity. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 105(1), 58-64.
- Antonopoulos, A. S., & Antoniades, C. (2018). Mechanisms of testosterone deficiency-related endothelial dysfunction. *Hellenic Journal of Cardiology : HJC = Hellenike Kardiologike Epitheorese*
- Areta JL, Taylor HL, Koehler K. Low energy availability: history, definition and evidence of its endocrine, metabolic and physiological effects in prospective studies in females and males. *Eur J Appl Physiol*. 2021 Jan;121(1):1-21.
- Babatunde, O. O., Forsyth, J. J., & Gidlow, C. J. (2012). A meta-analysis of brief high-impact exercises for enhancing bone health in premenopausal women. *Osteoporosis International : A Journal Established as Result of Cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 23(1), 109-119.
- Barrack, M. T., Fredericson, M., Tenforde, A. S., ym. (2017a). Evidence of a cumulative effect for risk factors predicting low bone mass among male adolescent athletes. *British Journal of Sports Medicine*, 51(3), 200-205.
- Barrack, M. T., Fredericson, M., Tenforde, A. S., ym. (2017b). Evidence of a cumulative effect for risk factors predicting low bone mass among male adolescent athletes. *British Journal of Sports Medicine*, 51(3), 200-205.
- Barrack, M. T., Gibbs, J. C., De Souza, M. J., ym. (2014). Higher incidence of bone stress injuries with increasing female athlete triad-related risk factors: a prospective multisite study of exercising girls and women. *The American Journal of Sports Medicine*, 42(4), 949-958.
- Barrack, M. T., Rauh, M. J., Barkai, H. S., ym. (2008). Dietary restraint and low bone mass in female adolescent endurance runners. *The American Journal of Clinical Nutrition*, 87(1), 36-43.
- Barrack, M. T., Van Loan, M. D., Rauh, M. J., ym. (2011). Body mass, training, menses, and bone in adolescent runners: a 3-yr follow-up. *Medicine and Science in Sports and Exercise*, 43(6), 959-966.
- Barron, E., Cano Sokoloff, N., Maffazioli, G. D. N., ym. (2016). Diets High in Fiber and Vegetable Protein Are Associated with Low Lumbar Bone Mineral Density in Young Athletes with Oligoamenorrhea. *Journal of the Academy of Nutrition and Dietetics*, 116(3), 481-489.
- Bronson, F. H., & Manning, J. M. (1991). The energetic regulation of ovulation: a realistic role for body fat. *Biology of Reproduction*, 44(6), 945-950.
- Burke, L. M., Close, G. L., Lundy, B., ym. (2018a). Relative Energy Deficiency in Sport in Male Athletes: A Commentary on Its Presentation Among Selected Groups of Male Athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 364-374.
- Burke, L. M., Lundy, B., Fahrenholz, I. L., ym. (2018b). Pitfalls of Conducting and Interpreting Estimates of Energy Availability in Free-Living Athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 350-363.
- Cano Sokoloff, N., Eguiguren, M. L., Wargo, K., ym. (2015). Bone parameters in relation to attitudes and feelings associated with disordered eating in oligo-menorrhoeic athletes, eumenorrhoeic athletes, and nonathletes. *The International Journal of Eating Disorders*, 48(S), 522-526.
- Chatterton, J. M., & Petrie, T. A. (2013). Prevalence of disordered eating and pathogenic weight control behaviors among male collegiate athletes. *Eating Disorders*, 21(4), 328-341.
- Cialdella-Kam, L., Guebels, C. P., Maddalozzo, G. F., ym. (2014). Dietary intervention restored menses in female athletes with exercise-associated menstrual dysfunction with limited impact on bone and muscle health. *Nutrients*, 6(8), 3018-3039.
- Compher, C., Frankenfield, D., Keim, N., ym., & Evidence Analysis Working Group. (2006). Best practice methods to apply to measurement of resting metabolic rate in adults: a systematic review. *Journal of the American Dietetic Association*, 106(6), 881-903.
- Cotton, M. A., Ball, C., & Robinson, P. (2003). Four simple questions can help screen for eating disorders. *Journal of General Internal Medicine*, 18(1), 53-56.
- Drew, M., Vlahovich, N., Hughes, D., ym. (2018). Prevalence of illness, poor mental health and sleep quality and low energy availability prior to the 2016 Summer Olympic Games. *British Journal of Sports Medicine*, 52(1), 47-53.
- Dulloo, A. G., & Jacquet, J. (1998). Adaptive reduction in basal metabolic rate in response to food deprivation in humans: a role for feedback signals from fat stores. *The American Journal of Clinical Nutrition*, 68(3), 599-606.
- Duplanty, A. A., Levitt, D. E., Hill, D. W., ym. (2018). Resistance Training Is Associated With Higher Bone Mineral Density Among Young Adult Male Distance Runners Independent of Physiological Factors. *Journal of Strength and Conditioning Research*, 32(6), 1594-1600.
- Elliott-Sale, K. J., Tenforde, A. S., Parziale, A. L., ym. (2018). Endocrine Effects of Relative Energy Deficiency in Sport. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 335-349.
- Fagerberg, P. (2017). Negative Consequences of Low Energy Availability in Natural Male Bodybuilding: A Review. *International Journal of Sport Nutrition and Exercise Metabolism*, 1-31.
- Filaire, E., Rouveix, M., Pannafieu, C., ym. (2007). Eating Attitudes, Perfectionism and Body-esteem of Elite Male Judoists and Cyclists. *Journal of Sports Science & Medicine*, 6(1), 50-57.
- Fredericson, M., Ngo, J., & Cobb, K. (2005). Effects of ball sports on future risk of stress fracture in runners. *Clinical Journal of Sport Medicine : Official Journal of the Canadian Academy of Sport Medicine*, 15(3), 136-141.
- Friday, K. E., Drinkwater, B. L., Bruemmer, B., ym. (1993). Elevated plasma low-density lipoprotein and high-density lipoprotein cholesterol levels in amenorrhoeic athletes: effects of endogenous hormone status and nutrient intake. *The Journal of Clinical Endocrinology and Metabolism*, 77(6), 1605-1609.
- Fudge, B. W., Westerterp, K. R., Kiplamai, F. K., ym. (2006). Evidence of negative energy balance using doubly labelled water in elite Kenyan endurance runners prior to competition. *The British Journal of Nutrition*, 95(1), 59-66.
- Galgani, J., & Ravussin, E. (2008). Energy metabolism, fuel selection and body weight regulation. *International Journal of Obesity (2005)*, 32 Suppl 7, S109-19.
- Garthe, I., Raastad, T., Refsnes, P. E., ym. (2011). Effect of two different weight-loss rates on body composition and strength and power-related performance in elite athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 21(2), 97-104.

- Gibbs, J. C., Nattiv, A., Barrack, M. T.**, ym. (2014). Low bone density risk is higher in exercising women with multiple triad risk factors. *Medicine and Science in Sports and Exercise*, 46(1), 167-176.
- Gibbs, J. C., Williams, N. I., Scheid, J. L.**, ym. (2011). The association of a high drive for thinness with energy deficiency and severe menstrual disturbances: confirmation in a large population of exercising women. *International Journal of Sport Nutrition and Exercise Metabolism*, 21(4), 280-290.
- Gibson, J. H., Mitchell, A., Harries, M. G.**, ym. (2004). Nutritional and exercise-related determinants of bone density in elite female runners. *Osteoporosis International : A Journal Established as Result of Cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA*, 15(8), 611-618.
- Gomez-Merino, D., Chennaoui, M., Drogou, C.**, ym. (2002). Decrease in serum leptin after prolonged physical activity in men. *Medicine and Science in Sports and Exercise*, 34(10), 1594-1599.
- Hackney, A. C., Moore, A. W., & Brownlee, K. K.** (2005). Testosterone and endurance exercise: development of the "exercise-hypogonadal male condition". *Acta Physiologica Hungarica*, 92(2), 121-137.
- Hagmar, M., Hirschberg, A. L., Berglund, L.**, ym. (2008). Special attention to the weight-control strategies employed by Olympic athletes striving for leanness is required. *Clinical Journal of Sport Medicine : Official Journal of the Canadian Academy of Sport Medicine*, 18(1), 5-9.
- Halliday, T. M., Loenneke, J. P., & Davy, B. M.** (2016). Dietary Intake, Body Composition, and Menstrual Cycle Changes during Competition Preparation and Recovery in a Drug-Free Figure Competitor: A Case Study. *Nutrients*, 8(11), E740.
- Heikura, I. A., Usitalo, A. L. T., Stellingwerff, T.**, ym. (2018). Low Energy Availability Is Difficult to Assess but Outcomes Have Large Impact on Bone Injury Rates in Elite Distance Athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 403-411.
- Heikura IA, Quod M, Strobel N**, ym. Alternate-Day Low Energy Availability During Spring Classics in Professional Cyclists. *Int J Sports Physiol Perform*. 2019 Aug 26:1233-1243.
- Heikura, I.A., Stellingwerff, T. & Areta, J.L.** 2021. Low Energy Availability in Female Athletes: From the Lab to the Field. *Eur J Sport Sci*
- Heinemann, L. A., Saad, F., Heinemann, K.** ym. (2004). Can results of the Aging Males' Symptoms (AMS) scale predict those of screening scales for androgen deficiency? *The Aging Male : The Official Journal of the International Society for the Study of the Aging Male*, 7(3), 211-218.
- Hilton, L. K., & Loucks, A. B.** (2000). Low energy availability, not exercise stress, suppresses the diurnal rhythm of leptin in healthy young women. *American Journal of Physiology: Endocrinology and Metabolism*, 278(1), E43-9.
- Hind, K.** (2008). Recovery of bone mineral density and fertility in a former amenorrheic athlete. *Journal of Sports Science & Medicine*, 7(3), 415-418.
- Hooper, D., Tenforde, A., & Hackney, A.** (2018a). Treating exercise-associated low testosterone and its related symptoms. *The Physician and Sports-medicine*.
- Hooper, D. R., Kraemer, W. J., Stearns, R. L.**, ym. (2018b). Evidence of the Exercise Hypogonadal Male Condition at the 2011 Kona Ironman World Championships. *International Journal of Sports Physiology and Performance*, , 1-22.
- Hulmi, J. J., Isola, V., Suonpaa, M.**, ym. (2017). The Effects of Intensive Weight Reduction on Body Composition and Serum Hormones in Female Fitness Competitors. *Frontiers in Physiology*, 7, 689.
- Ihle, R., & Loucks, A. B.** (2004). Dose-response relationships between energy availability and bone turnover in young exercising women. *Journal of Bone and Mineral Research : The Official Journal of the American Society for Bone and Mineral Research*, 19(8), 1231-1240.
- Kim, B.** (2008). Thyroid hormone as a determinant of energy expenditure and the basal metabolic rate. *Thyroid : Official Journal of the American Thyroid Association*, 18(2), 141-144.
- Koehler, K., De Souza, M. J., & Williams, N. I.** (2017). Less-than-expected weight loss in normal-weight women undergoing caloric restriction and exercise is accompanied by preservation of fat-free mass and metabolic adaptations. *European Journal of Clinical Nutrition*, 71(3), 365-371.
- Koehler, K., Hoerner, N. R., Gibbs, J. C.**, ym. (2016). Low energy availability in exercising men is associated with reduced leptin and insulin but not with changes in other metabolic hormones. *Journal of Sports Sciences*, 1-9.
- Kroshus, E., DeFreese, J. D., & Kerr, Z. Y.** (2018). Collegiate Athletic Trainers' Knowledge of the Female Athlete Triad and Relative Energy Deficiency in Sport. *Journal of Athletic Training*, 53(1), 51-59.
- Kroshus, E., Fischer, A. N., & Nichols, J. F.** (2015). Assessing the Awareness and Behaviors of U.S. High School Nurses With Respect to the Female Athlete Triad. *The Journal of School Nursing : The Official Publication of the National Association of School Nurses*, 31(4), 272-279.
- Kuikman MA, Mountjoy M, Stellingwerff T**, ym. A Review of Nonpharmacological Strategies in the Treatment of Relative Energy Deficiency in Sport. *Int J Sport Nutr Exerc Metab*. 2021 Jan 19:1-8.
- Lieberman, J. L., DE Souza, M. J., Wagstaff, D. A.**, ym. (2018). Menstrual Disruption with Exercise Is Not Linked to an Energy Availability Threshold. *Medicine and Science in Sports and Exercise*, 50(3), 551-561.
- Ljungqvist, A., Jenoure, P. J., Engebretsen, L.**, ym. (2009). The International Olympic Committee (IOC) consensus statement on periodic health evaluation of elite athletes, March 2009. *Clinical Journal of Sport Medicine : Official Journal of the Canadian Academy of Sport Medicine*, 19(5), 347-365.
- Loucks, A. B.** (2003). Energy availability, not body fatness, regulates reproductive function in women. *Exercise and Sport Sciences Reviews*, 31(3), 144-148.
- Loucks, A. B.** (2006). The response of luteinizing hormone pulsatility to 5 days of low energy availability disappears by 14 years of gynecological age. *The Journal of Clinical Endocrinology and Metabolism*, 91(8), 3158-3164.
- Loucks, A. B., & Callister, R.** (1993). Induction and prevention of low-T3 syndrome in exercising women. *The American Journal of Physiology*, 264(5 Pt 2), R924-30.
- Loucks, A. B., & Heath, E. M.** (1994a). Dietary restriction reduces luteinizing hormone (LH) pulse frequency during waking hours and increases LH pulse amplitude during sleep in young menstruating women. *The Journal of Clinical Endocrinology and Metabolism*, 78(4), 910-915.
- Loucks, A. B., & Heath, E. M.** (1994b). Induction of low-T3 syndrome in exercising women occurs at a threshold of energy availability. *The American Journal of Physiology*, 266(3 Pt 2), R817-23.
- Loucks, A. B., Kiens, B., & Wright, H. H.** (2011). Energy availability in athletes. *Journal of Sports Sciences*, 29 Suppl 1, S7-15.
- Loucks, A. B., Mortola, J. F., Girton, L.**, ym. (1989). Alterations in the hypothalamic-pituitary-ovarian and the hypothalamic-pituitary-adrenal axes in athletic women. *The Journal of Clinical Endocrinology and Metabolism*, 68(2), 402-411.
- Loucks, A. B., & Thuma, J. R.** (2003). Luteinizing hormone pulsatility is disrupted at a threshold of energy availability in regularly menstruating women. *The Journal of Clinical Endocrinology and Metabolism*, 88(1), 297-311.
- Loucks, A. B., & Verdun, M.** (1998). Slow restoration of LH pulsatility by refeeding in energetically disrupted women. *The American Journal of Physiology*, 275(4 Pt 2), R1218-26.
- Loucks, A. B., Verdun, M., & Heath, E. M.** (1998). Low energy availability, not stress of exercise, alters LH pulsatility in exercising women. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 84(1), 37-46.
- Maestu, J., Eliakim, A., Jurimae, J.**, ym. (2010). Anabolic and catabolic hormones and energy balance of the male bodybuilders during the preparation for the competition. *Journal of Strength and Conditioning Research*, 24(4), 1074-1081.
- Martinsen, M., Bratland-Sanda, S., Eriksson, A. K.**, ym. (2010). Dieting to win or to be thin? A study of dieting and disordered eating among adolescent elite athletes and non-athlete controls. *British Journal of Sports Medicine*, 44(1), 70-76.

- Martinsen, M., Holme, I., Pensgaard, A. M.**, ym. (2014). The development of the brief eating disorder in athletes questionnaire. Medicine and Science in Sports and Exercise, 46(8), 1666-1675.
- Martinsen, M., & Sundgot-Borgen, J.** (2013). Higher prevalence of eating disorders among adolescent elite athletes than controls. Medicine and Science in Sports and Exercise, 45(6), 1188-1197.
- McKay AKA, Pyne DB, Burke LM**, ym. Iron Metabolism: Interactions with Energy and Carbohydrate Availability. Nutrients. 2020 Nov 30;12(12):3692.
- McNulty, K. Y., Adams, C. H., Anderson, J. M.**, ym. (2001). Development and validation of a screening tool to identify eating disorders in female athletes. Journal of the American Dietetic Association, 101(8), 886-92; quiz 893-4.
- Melin, A., Tornberg, A. B., Skouby, S.**, ym. (2014). The LEAF questionnaire: a screening tool for the identification of female athletes at risk for the female athlete triad. British Journal of Sports Medicine, 48(7), 540-545.
- Melin, A., Tornberg, A. B., Skouby, S.**, ym. (2016). Low-energy density and high fiber intake are dietary concerns in female endurance athletes. Scandinavian Journal of Medicine & Science in Sports, 26(9), 1060-1071.
- Melin, A., Tornberg, A. B., Skouby, S.**, ym. (2015). Energy availability and the female athlete triad in elite endurance athletes. Scandinavian Journal of Medicine & Science in Sports, 25(5), 610-622.
- Miller, S. M., Kukuljan, S., Turner, A. I.**, ym. (2012). Energy deficiency, menstrual disturbances, and low bone mass: what do exercising Australian women know about the female athlete triad? International Journal of Sport Nutrition and Exercise Metabolism, 22(2), 131-138.
- Misra, M., & Klipanski, A.** (2014). Endocrine consequences of anorexia nervosa. The Lancet Diabetes & Endocrinology, 2(7), 581-592.
- Moore, C. A., & Fry, A. C.** (2007). Nonfunctional overreaching during off-season training for skill position players in collegiate American football. Journal of Strength and Conditioning Research, 21(3), 793-800.
- Morley, J. E., Charlton, E., Patrick, P.**, ym (2000). Validation of a screening questionnaire for androgen deficiency in aging males. Metabolism: Clinical and Experimental, 49(9), 1239-1242.
- Mountjoy, M., Sundgot-Borgen, J., Burke, L.**, ym. (2014). The IOC consensus statement: beyond the Female Athlete Triad--Relative Energy Deficiency in Sport (RED-S). British Journal of Sports Medicine, 48(7), 491-497.
- Mountjoy, M., Sundgot-Borgen, J. K., Burke, L. M.**, ym. (2018). IOC consensus statement on relative energy deficiency in sport (RED-S): 2018 update. British Journal of Sports Medicine, 52(11), 687-697.
- Murphy C, Koehler K.** Caloric restriction induces anabolic resistance to resistance exercise. Eur J Appl Physiol. 2020 May;120(5):1155-1164.
- Myerson, M., Gutin, B., Warren, M. P.**, ym. (1991). Resting metabolic rate and energy balance in amenorrheic and eumenorrheic runners. Medicine and Science in Sports and Exercise, 23(1), 15-22.
- Nattiv, A., Kennedy, G., Barrack, M. T.**, ym. (2013). Correlation of MRI grading of bone stress injuries with clinical risk factors and return to play: a 5-year prospective study in collegiate track and field athletes. The American Journal of Sports Medicine, 41(8), 1930-1941.
- Nattiv, A., Loucks, A. B., Manore, M. M.**, ym. & American College of Sports Medicine. (2007). American College of Sports Medicine position stand. The female athlete triad. Medicine and Science in Sports and Exercise, 39(10), 1867-1882.
- Norris, M. L., Harrison, M. E., Isserlin, L.**, ym. (2016). Gastrointestinal complications associated with anorexia nervosa: A systematic review. The International Journal of Eating Disorders, 49(3), 216-237.
- O'Donnell, E., Goodman, J. M., & Harvey, P. J.** (2011). Clinical review: Cardiovascular consequences of ovarian disruption: a focus on functional hypothalamic amenorrhea in physically active women. The Journal of Clinical Endocrinology and Metabolism, 96(12), 3638-3648.
- O'Donnell, E., Goodman, J. M., Mak, S.**, ym. (2014). Impaired vascular function in physically active premenopausal women with functional hypothalamic amenorrhea is associated with low shear stress and increased vascular tone. The Journal of Clinical Endocrinology and Metabolism, 99(5), 1798-1806.
- O'Donnell, E., Goodman, J. M., Mak, S.**, ym. (2015). Discordant orthostatic reflex renin-angiotensin and sympathoneural responses in premenopausal exercising-hypoestrogenic women. Hypertension (Dallas, Tex.: 1979), 65(5), 1089-1095.
- Onywera, V. O., Kiplamai, F. K., Boit, M. K.**, ym. (2004). Food and macronutrient intake of elite kenyan distance runners. International Journal of Sport Nutrition and Exercise Metabolism, 14(6), 709-719.
- Pantano, K. J.** (2017). Knowledge, Attitude, and Skill of High School Coaches with Regard to the Female Athlete Triad. Journal of Pediatric and Adolescent Gynecology, 30(S), 540-545.
- Papageorgiou, M., Elliott-Sale, K. J., Parsons, A.**, ym. (2017). Effects of reduced energy availability on bone metabolism in women and men. Bone, 105, 191-199.
- Pardue, A., Trexler, E. T., & Sprod, L. K.** (2017). Case Study: Unfavorable But Transient Physiological Changes During Contest Preparation in a Drug-Free Male Bodybuilder. International Journal of Sport Nutrition and Exercise Metabolism, 27(6), 550-559.
- Petkus, D. L., Murray-Kob, L. E., & De Souza, M. J.** (2017). The Unexplored Crossroads of the Female Athlete Triad and Iron Deficiency: A Narrative Review. Sports Medicine (Auckland, N.Z.), 47(9), 1721-1737.
- Pollock, N., Grogan, C., Perry, M.**, ym. (2010). Bone-mineral density and other features of the female athlete triad in elite endurance runners: a longitudinal and cross-sectional observational study. International Journal of Sport Nutrition and Exercise Metabolism, 20(5), 418-426.
- Rankin, J. W., Ocel, J. V., & Craft, L. L.** (1996). Effect of weight loss and refeeding diet composition on anaerobic performance in wrestlers. Medicine and Science in Sports and Exercise, 28(10), 1292-1299.
- Rauh, M. J., Barrack, M., & Nichols, J. F.** (2014). Associations between the female athlete triad and injury among high school runners. International Journal of Sports Physical Therapy, 9(7), 948-958.
- Raysmith, B. P., & Drew, M. K.** (2016). Performance success or failure is influenced by weeks lost to injury and illness in elite Australian Track and Field athletes: a 5-year prospective study. Journal of Science and Medicine in Sport.
- Reale, R., Slater, G., & Burke, L. M.** (2017). Weight Management Practices of Australian Olympic Combat Sport Athletes. International Journal of Sports Physiology and Performance, 1-26.
- Reed, J. L., De Souza, M. J., Mallinson, R. J.**, ym. (2015). Energy availability discriminates clinical menstrual status in exercising women. Journal of the International Society of Sports Nutrition, 12, 11-015-0072-0. eCollection 2015.
- Rickenlund, A., Eriksson, M. J., Schenck-Gustafsson, K.**, ym. (2005). Amenorrhea in female athletes is associated with endothelial dysfunction and unfavorable lipid profile. The Journal of Clinical Endocrinology and Metabolism, 90(3), 1354-1359.
- Rohrig, B. J., Pettitt, R. W., Pettitt, C. D.**, ym. (2017). Psychophysiological Tracking of a Female Physique Competitor through Competition Preparation. International Journal of Exercise Science, 10(2), 301-311.
- Routh, V. H., Hao, L., Santiago, A. M.**, ym. (2014). Hypothalamic glucose sensing: making ends meet. Frontiers in Systems Neuroscience, 8, 236.
- Skolnick, A., Schulman, R. C., Galindo, R. J.**, ym. (2016). The Endocrinopathies of Male Anorexia Nervosa: Case Series. AACE Clinical Case Reports, 2(4), e351-e357.
- Spaulding-Barclay, M. A., Stern, J., & Mehler, P. S.** (2016). Cardiac changes in anorexia nervosa. Cardiology in the Young, 26(4), 623-628.
- Spector, I. P., Carey, M. P., & Steinberg, L.** (1996). The sexual desire inventory: development, factor structure, and evidence of reliability. Journal of Sex & Marital Therapy, 22(3), 175-190.

- Staal, S., Sjodin, A., Fahrenholz, I.**, ym. (2018). Low RMRratio as a Surrogate Marker for Energy Deficiency, the Choice of Predictive Equation Vital for Correctly Identifying Male and Female Ballet Dancers at Risk. International Journal of Sport Nutrition and Exercise Metabolism, 28(4), 412-418.
- Stellingwerff, T.** (2018). Case Study: Body Composition Periodization in an Olympic-Level Female Middle-Distance Runner Over a 9-Year Career. International Journal of Sport Nutrition and Exercise Metabolism, 28(4), 428-433.
- Stenqvist TB, Torstveit MK, Faber J**, ym. Impact of a 4-Week Intensified Endurance Training Intervention on Markers of Relative Energy Deficiency in Sport (RED-S) and Performance Among Well-Trained Male Cyclists. *Front Endocrinol (Lausanne)*. 2020 Sep 25;11:512365.
- Sundgot-Borgen, J., & Torstveit, M. K.** (2004). Prevalence of eating disorders in elite athletes is higher than in the general population. *Clinical Journal of Sport Medicine : Official Journal of the Canadian Academy of Sport Medicine*, 14(1), 25-32.
- Sygo, J., Coates, A. M., Sesbreno, E.**, ym. (2018). Prevalence of Indicators of Low Energy Availability in Elite Female Sprinters. *International Journal of Sport Nutrition and Exercise Metabolism*, , 1-2.
- Tenforde, A. S., Barrack, M. T., Nattiv, A.**, ym. (2016). Parallels with the Female Athlete Triad in Male Athletes. *Sports Medicine* (Auckland, N.Z.), 46(2), 171-182.
- Tenforde, A. S., Carlson, J. L., Chang, A.**, ym. (2017). Association of the Female Athlete Triad Risk Assessment Stratification to the Development of Bone Stress Injuries in Collegiate Athletes. *The American Journal of Sports Medicine*, 45(2), 302-310.
- Tenforde, A. S., Fredericson, M., Sayres, L. C., ym. (2015). Identifying sex-specific risk factors for low bone mineral density in adolescent runners. *The American Journal of Sports Medicine*, 43(6), 1494-1504.
- Thiebaud, R. S., Funk, M. D., Patton, J. C.**, ym. (2018). Validity of wrist-worn consumer products to measure heart rate and energy expenditure. *Digital Health*, 4, 2055207618770322.
- Thompson, J., Manore, M. M., & Skinner, J. S.** (1993). Resting metabolic rate and thermic effect of a meal in low- and adequate-energy intake male endurance athletes. *International Journal of Sport Nutrition*, 3(2), 194-206.
- Tipton, K. D.** (2015). Nutritional Support for Exercise-Induced Injuries. *Sports Medicine* (Auckland, N.Z.), 45 Suppl 1, S93-104.
- Tornberg, A. B., Melin, A., Koivula, F. M.**, ym. (2017). Reduced Neuromuscular Performance in Amenorrheic Elite Endurance Athletes. *Medicine and Science in Sports and Exercise*, 49(12), 2478-2485.
- Torstveit, M. K., & Sundgot-Borgen, J.** (2005). The female athlete triad: are elite athletes at increased risk? *Medicine and Science in Sports and Exercise*, 37(2), 184-193.
- Trexler, E. T., Smith-Ryan, A. E., & Norton, L. E.** (2014). Metabolic adaptation to weight loss: implications for the athlete. *Journal of the International Society of Sports Nutrition*, 11(1), 7-2783-11-7.
- Vanheest, J., Rodgers, C., Mahoney, C.**, ym. (2014). Ovarian Suppression Impairs Sport Performance in Junior Elite Female Swimmers. *Medicine & Science in Sports & Exercise*, 46(1), 156-166.
- Vogt, S., Heinrich, L., Schumacher, Y. O.**, ym. (2005). Energy intake and energy expenditure of elite cyclists during preseason training. *International Journal of Sports Medicine*, 26(8), 701-706.
- Wheeler, G. D., Wall, S. R., Belcastro, A. N.**, ym. (1984). Reduced serum testosterone and prolactin levels in male distance runners. *Jama*, 252(4), 514-516.
- Williams, N. I., Leidy, H. J., Hill, B. R.**, ym. (2015). Magnitude of daily energy deficit predicts frequency but not severity of menstrual disturbances associated with exercise and caloric restriction. *American Journal of Physiology. Endocrinology and Metabolism*, 308(1), E29-39.
- Wilson, G., Martin, D., Morton, J. P.**, ym. (2018). Male Flat Jockeys Do Not Display Deteriorations in Bone Density or Resting Metabolic Rate in Accordance With Race Riding Experience: Implications for RED-S. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 434-439.
- Woods, A. L., Garvican-Lewis, L. A., Lundy, B.**, ym. (2017). New approaches to determine fatigue in elite athletes during intensified training: Resting metabolic rate and pacing profile. *PloS One*, 12(3), e0173807.
- Ziegler, P., Nelson, J. A., Barratt-Fornell, A.**, ym. (2001). Energy and macronutrient intakes of elite figure skaters. *Journal of the American Dietetic Association*, 101(3), 319-325.

LUKU 2 Liikunta, ruoka ja ruoansulatuskanavan ongelmat

- Aaltonen K, Laurikka P, Huhtala H, ym. The Long-Term Consumption of Oats in Celiac Disease Patients Is Safe: A Large Cross-Sectional Study. Nutrients. 2017;9(6):611.
- Abbring S, Blokhuis BRJ, Miltenburg JL, ym. Direct Inhibition of the Allergic Effector Response by Raw Cow's Milk-An Extensive In Vitro Assessment. Cells. 2020;9(5):1258.
- Abenavoli L, Scarpellini E, Colica C, ym. Gut Microbiota and Obesity: A Role for Probiotics. Nutrients. 2019 Nov 7;11(11):2690.
- Abraham BP, Quigley EMM. Probiotics in Inflammatory Bowel Disease. Gastroenterol Clin North Am. 2017 Dec;46(4):769-782.
- Agnoli C, Baroni L, Bertini I, ym. Position paper on vegetarian diets from the working group of the Italian Society of Human Nutrition. Nutr Metab Cardiovasc Dis. 2017 Dec;27(12):1037-1052.
- Agrawal A, Whorwell PJ, Houghton LA. Is abdominal distension related to delayed small and large bowel transit in patients with constipation predominant irritable bowel syndrome. Gastroenterology 2006; 130(Suppl. 2): A93.
- Agrawal A, Whorwell PJ. Review article: abdominal bloating and distension in functional gastrointestinal disorders--epidemiology and exploration of possible mechanisms. Aliment Pharmacol Ther. 2008;27(1):2-10.
- Agrawal A, Houghton LA, Lea R, ym. Bloating and distention in irritable bowel syndrome: the role of visceral sensation. Gastroenterology. 2008;134(7):1882-1889.
- Agus A, Planchais J, Sokol H. Gut Microbiota Regulation of Tryptophan Metabolism in Health and Disease. Cell Host Microbe. 2018 Jun 13;23(6):716-724.
- Ahmadi A.R., Rayyani E., Bahreini M., ym. The effect of glutamine supplementation on athletic performance, body composition, and immune function: A systematic review and a meta-analysis of clinical trials. Clin. Nutr. 2019;38:1076-1091.
- Airola K. Ihokelaikia. Lääkärikirja Duodecim 29.4.2020. www.terveyskirjasto.fi
- Ait-Belgnaoui A, Payard I, Rolland C, ym. Bifidobacterium longum and Lactobacillus helveticus Synergistically Suppress Stress-related Visceral Hypersensitivity Through Hypothalamic-Pituitary-Adrenal Axis Modulation. J Neurogastroenterol Motil. 2018;24(1):138-146.
- Akter S, Park JH, Jung HK. Potential Health-Promoting Benefits of Paraprobiotics, Inactivated Probiotic Cells. J Microbiol Biotechnol. 2020;30(4):477-481.
- Alcantara JMA, Sanchez-Delgado G, Martinez-Tellez B, ym. Impact of cow's milk intake on exercise performance and recovery of muscle function: a systematic review. J Int Soc Sports Nutr. 2019;16(1):22.
- Alhassan E, Yadav A, Kelly CP, ym. Novel Nondietary Therapies for Celiac Disease. Cell Mol Gastroenterol Hepatol. 2019;8(3):335-345.
- Almond CS, Shin AY, Fortescue EB, ym. Hyponatremia among runners in the Boston Marathon. N Engl J Med. 2005;352(15):1550-1556.
- Almquist E, Törnblom H, Simrén M. Practical management of irritable bowel syndrome: a clinical review. Minerva Gastroenterol Dietol. 2016 Mar;62(1):30-48.
- Al-Toma A, Volta U, Auricchio R, ym. European Society for the Study of Coeliac Disease (ESSCD) guideline for coeliac disease and other gluten-related disorders. United European Gastroenterol J. 2019;7(5):S83-613.
- Altobelli E, Del Negro V, Angeletti PM, ym. Low-FODMAP Diet Improves Irritable Bowel Syndrome Symptoms: A Meta-Analysis. Nutrients. 2017;9(9):940.
- Anastasiou CA, Kavouras SA, Arnaoutis G, ym. Sodium replacement and plasma sodium drop during exercise in the heat when fluid intake matches fluid loss. J Athl Train. 2009;44(2):117-123.
- Anderson JR, Carroll I, Azcarate-Peril MA, ym. A preliminary examination of gut microbiota, sleep, and cognitive flexibility in healthy older adults. Sleep Med. 2017 Oct; 38():104-107.
- Andrén Aronsson C, Lee HS, Koletzko S, ym. Effects of Gluten Intake on Risk of Celiac Disease: A Case-Control Study on a Swedish Birth Cohort. Clin Gastroenterol Hepatol. 2016;14(3):403-409.e3.
- Andresen V, Gschossman J, Layer P. Heat-inactivated Bifidobacterium bifidum MIMBb75 (SYN-HI-001) in the treatment of irritable bowel syndrome: a multicentre, randomised, double-blind, placebo-controlled clinical trial. Lancet Gastroenterol Hepatol. 2020;5(7):658-666.
- Antoni S. Ph.D. Thesis. University of Helsinki; Helsinki, Finland: 2009. Cow's Milk Related Gastrointestinal Symptoms in Adults.
- Aparicio Vizuete A, Rodríguez-Rodríguez E, Lorenzo Mora AM, ym. Mitos y falacias en relación al consumo de productos lácteos [Myths and fallacies in relation to the consumption of dairy products]. Nutr Hosp. 2019;36(Spec No3):20-24.
- Armstrong LE, Lee EC, Armstrong EM. Interactions of Gut Microbiota, Endotoxemia, Immune Function, and Diet in Exertional Heatstroke. J Sports Med (Hindawi Publ Corp) 2018;2018:5724575.
- Ashton T, Young IS, Davison GW, ym. Exercise-induced endotoxemia: the effect of ascorbic acid supplementation. Free Radic Biol Med 2003; 35: 284-91.
- Aslam H, Ruusunen A, Berk M, ym. Unravelled facets of milk derived opioid peptides: a focus on gut physiology, fractures and obesity. Int J Food Sci Nutr. 2020;71(1):36-49.
- Aune D, Lau R, Chan DS, ym. Dairy products and colorectal cancer risk: a systematic review and meta-analysis of cohort studies. Ann Oncol. 2012;23(1):37-45.
- Azcarate-Peril MA, Ritter AJ, Savaiano D, ym. Impact of short-chain galactooligosaccharides on the gut microbiome of lactose-intolerant individuals. Proc Natl Acad Sci U S A. 2017 Jan 17;114(3):E367-E375.
- Aziz I, Hadjivassiliou M, Sanders DS. The spectrum of noncoeliac gluten sensitivity. Nat Rev Gastroenterol Hepatol. 2015;12(9):516-526.
- Backer HD, Shope E, Collins SL, ym. Exertional heat illness and hyponatremia in hikers. Am J Emerg Med. 1999 Oct;17(6):532-9.
- Bailowitz Z, Grams R 2nd, Teeple D, ym. Exercise-Associated Hyponatremia in a Lactating Female. Clin J Sport Med. 2017 Jul;27(4):e55-e57
- Barbara G, Grover M, Bercik P, ym. Rome Foundation Working Team Report on Post-Infection Irritable Bowel Syndrome. Gastroenterology. 2019 Jan;156(1):46-58.e7.
- Barone M, Gemello E, Viggiani MT, ym. Evaluation of Non-Celiac Gluten Sensitivity in Patients with Previous Diagnosis of Irritable Bowel Syndrome: A Randomized Double-Blind Placebo-Controlled Crossover Trial. Nutrients. 2020;12(3):705.
- Barrett JS, Gearry RB, Muir JG, ym. Dietary poorly absorbed, short-chain carbohydrates increase delivery of water and fermentable substrates to the proximal colon. Aliment Pharmacol Ther 2010; 31:874-882.
- Barro F, Ichisa JC, Giménez MJ, ym. Targeting of prolamins by RNAi in bread wheat: effectiveness of seven silencing-fragment combinations for obtaining lines devoid of coeliac disease epitopes from highly immunogenic gliadins. Plant Biotechnol J. 2016;14(3):986-996.
- Barry PW, Pollard AJ. Altitude illness. BMJ. 2003;326:915-919.
- Baur DA, Toney HR, Saunders MJ, ym. Carbohydrate hydrogel beverage provides no additional cycling performance benefit versus carbohydrate alone. Eur J Appl Physiol. 2019 Dec;119(11-12):2599-2608.
- Bayless TM, Brown E, Paige DM. Lactase Non-persistence and Lactose Intolerance. Curr Gastroenterol Rep. 2017;19(5):23.

- Beaumont AC, Teare JP.** Subtotal colectomy following marathon running in a female patient. *J R Soc Med* 1991; 84: 439–40.
- Begtrup LM, de Muckadell OB, Kjeldsen J,** ym. Long-term treatment with probiotics in primary care patients with irritable bowel syndrome--a randomised, double-blind, placebo controlled trial. *Scand J Gastroenterol*. 2013;48(10):1127-1135.
- Beja-Pereira A, Luikart G, England PR,** ym. Gene-culture coevolution between cattle milk protein genes and human lactase genes. *Nat Genet*. 2003;35(4):311-313.
- Belkacem N, Serafini N, Wheeler R,** ym. Lactobacillus paracasei feeding improves immune control of influenza infection in mice. *PLoS One*. 2017 Sep 20;12(9):e0184976.
- Bellini M, Tonarelli S, Nagy AG,** ym. Low FODMAP Diet: Evidence, Doubts, and Hopes. *Nutrients*. 2020;12(1):148.
- Bellono NW, Bayrer JR, Leitch DB,** ym. Enterochromaffin Cells Are Gut Chemosensors that Couple to Sensory Neural Pathways. *Cell*. 2017 Jun 29;170(1):185-198.e16.
- Bennet SMP, Böhn L, Störsrud S,** ym. Multivariate modelling of faecal bacterial profiles of patients with IBS predicts responsiveness to a diet low in FODMAPs. *Gut*. 2018 May; 67(5):872-881.
- Berg LK, Fagerli E, Martinussen M** ym. Effect of fructose-reduced diet in patients with irritable bowel syndrome, and its correlation to a standard fructose breath test. *Scand J Gastroenterol*. 2013;48(8):936-943.
- Bermon S, Castell L.M., Calder P.C.**, ym. Consensus Statement Immunonutrition and Exercise. *Exerc. Immunol. Rev*. 2017;23:8–50.
- Bertiaux-Vandaële N, Youmba SB, Belmonte L,** ym. The expression and the cellular distribution of the tight junction proteins are altered in irritable bowel syndrome patients with differences according to the disease subtype. *Am J Gastroenterol*. 2011 Dec;106(12):2165-73.
- Bertrand J, Ghouzali I, Guérin C,** ym. Glutamine Restores Tight Junction Protein Claudin-1 Expression in Colonic Mucosa of Patients With Diarrhea-Predominant Irritable Bowel Syndrome. *JPNEN* J Parenter Enteral Nutr. 2016 Nov;40(8):1170-1176.
- Bethune MT, Khosla C.** Parallels between pathogens and gluten peptides in celiac sprue. *PLoS Pathog*. 2008;4(2):e34.
- Bhattarai Y, Muniz Pedredo DA,** ym. Irritable bowel syndrome: a gut microbiota-related disorder? *Am J Physiol Gastrointest Liver Physiol*. 2017 Jan 1;312(1):G52-G62.
- Biesiekierski JR, Rosella O, Rose R,** ym. Quantification of Fructans, Galacto-Oligosaccharides and Other Short-Chain Carbohydrates in Processed Grains and Cereals. *J Hum Nutr Diet*. 2011 Apr;24(2):154-76.
- Biesiekierski JR, Peters SL, Newham ED,** ym. No effects of gluten in patients with self-reported non-celiac gluten sensitivity after dietary reduction of fermentable, poorly absorbed, short-chain carbohydrates. *Gastroenterology*. 2013;145(2):320-8.e83.
- Biesiekierski JR, Iven J.** Non-coeliac gluten sensitivity: piecing the puzzle together. *United European Gastroenterol J*. 2015;3(2):160-165.
- Biesiekierski JR.** What is gluten?. *J Gastroenterol Hepatol*. 2017;32 Suppl 1:78-81.
- Bijkerk CJ, de Wit NJ, Muris JW,** ym. Soluble or insoluble fibre in irritable bowel syndrome in primary care? Randomised placebo controlled trial. *BMJ*. 2009 Aug 27;339:b3154.
- Bilski J, Mazur-Bialy A, Brzozowski B,** ym. Can exercise affect the course of inflammatory bowel disease? Experimental and clinical evidence. *Pharmacol Rep*. 2016;68:827-836.
- Bilski J, Mazur-Bialy A, Magierowski M,** ym. Exploiting Significance of Physical Exercise in Prevention of Gastrointestinal Disorders. *Curr Pharm Des*. 2018;24(18):1916-1925.
- Bilski J, Wojcik D, Danielak A,** ym. Alternative Therapy in the Prevention of Experimental and Clinical Inflammatory Bowel Disease. Impact of Regular Physical Activity, Intestinal Alkaline Phosphatase and Herbal Products. *Curr Pharm Des*. 2020;26(25):2936-2950.
- Binienda A, Storr M, Fichna J,** ym. Efficacy and safety of serotonin receptor ligands in the treatment of irritable bowel syndrome: a review. *Curr Drug Targets*. 2017; 19
- Bjarnason I, Takeuchi K.** Intestinal permeability in the pathogenesis of NSAID-induced enteropathy. *J Gastroenterol* 2009; 44(Suppl. 19): 23–9.
- Blacher E,** ym. Microbiome-modulated metabolites at the interface of host immunity. *J. Immunol*. 2017; 198: 572-580.
- Black CJ, Yuan Y, Selinger CP,** ym. Efficacy of soluble fibre, antispasmodic drugs, and gut-brain neuromodulators in irritable bowel syndrome: a systematic review and network meta-analysis. *Lancet Gastroenterol Hepatol*. 2020;5(2):117-131.
- Bliss DZ, Jung HJ, Savik K,** ym. Supplementation with dietary fiber improves fecal incontinence. *Nurs Res*. 2001 Jul-Aug;50(4):203-13.
- Bonaz B, Bazin T, Pellissier S.** The Vagus Nerve at the Interface of the Microbiota-Gut-Brain Axis. *Front Neurosci*. 2018 Feb 7;12:49.
- Bonnema AL, Kolberg LW, Thomas W,** ym. Gastrointestinal tolerance of chicory inulin products. *J Am Diet Assoc*. 2010;110(6):865-868.
- Bortolotti M, Porta S.** Effect of red pepper on symptoms of irritable bowel syndrome: preliminary study. *Dig Dis Sci*. 2011 Nov;56(11):3288-95.
- Bosenberg AT, Brock-Utne JG, Gaffin SL,** ym. Strenuous exercise causes systemic endotoxemia. *J Appl Physiol* 1988; 65: 106–8.
- Bouchama A, Knochel JP.** Heat stroke. *N Engl J Med* 2002; 346:1978–1988.
- Bouri S, Hart A.** Fecal microbial transplantation: an update. *Curr Opin Clin Nutr Metab Care*. 2018;21(5):405-410.
- Bove P, Russo P, Capozzi V,** ym. Lactobacillus plantarum passage through an oro-gastro-intestinal tract simulator: Carrier matrix effect and transcriptional analysis of genes associated to stress and probiosis. *Microbiol. Res*. 2013;168:351–359.
- Bradford K, Shih W, Vide lock EJ,** ym. Association between early adverse life events and irritable bowel syndrome. *Clin Gastroenterol Hepatol*. 2012 Apr; 10(4):385-90.e1-3.
- Brar P, Kwon GY, Egbuna II,** ym. Lack of correlation of degree of villous atrophy with severity of clinical presentation of coeliac disease. *Dig Liver Dis*. 2007;39(1):26-32.
- Briet F, Pochart P, Marteau P,** ym. Improved clinical tolerance to chronic lactose ingestion in subjects with lactose intolerance: a placebo effect?. *Gut*. 1997;41(5):632-635.
- Brock-Utne JG, Gaffin SL, Wells MT,** ym. Endotoxaemia in exhausted runners after a long-distance race. *South Afr Med J*. 1988;73:533–6.
- Brooke-Taylor S, Dwyer K, Woodford K,** ym. Systematic Review of the Gastrointestinal Effects of A1 Compared with A2 β -Casein. *Adv Nutr*. 2017 Sep 15;8(5):739-748.
- Brouns F, Beckers E.** Is the gut an athletic organ? Digestion, absorption and exercise. *Sports Med*. 1993;15:242–257.
- Brouns F.** Gastric emptying as a regulatory factor in fluid uptake. *Int J Sports Med* 1998; 19(Suppl. 2): S125–8.
- Bucci C, Zingone F, Russo I,** ym. Gliadin does not induce mucosal inflammation or basophil activation in patients with nonceliac gluten sensitivity. *Clin Gastroenterol Hepatol*. 2013;11(10):1294-1299.e1.
- Buckley JD, Butler RN, Southcott E,** ym. Bovine colostrum supplementation during running training increases intestinal permeability. *Nutrients*. 2009;1:224-234.
- Bulka CM, Davis MA, Karagas MR,** ym. The Unintended Consequences of a Gluten-free Diet. *Epidemiology*. 2017;28(3):e24-e25.
- Burke LM.** Practical considerations for bicarbonate loading and sports performance. *Nestle Nutr Inst Workshop Ser*. 2013;75:15-26.
- Burta O, Iacobescu C, Mateescu RB,** ym. Efficacy and safety of APT036 versus simethicone in the treatment of functional bloating: a multicentre, randomised, double-blind, parallel group, clinical study. *Transl Gastroenterol Hepatol*. 2018 Sep 25;3:72.
- Buscail C, Sabate JM, Bouchoucha M,** ym. Association between self-reported vegetarian diet and the irritable bowel syndrome in the French NutriNet cohort. *PLoS One*. 2017 Aug 25;12(8):e0183039. (a)

- Buscail C, Sabate JM, Bouchoucha M**, ym. Western Dietary Pattern Is Associated with Irritable Bowel Syndrome in the French NutriNet Cohort. *Nutrients*. 2017 Sep;9(9):986.
- Böhn L, Störsrud S, Törnblom H**, ym. Self-reported food-related gastrointestinal symptoms in IBS are common and associated with more severe symptoms and reduced quality of life. *Am J Gastroenterol* 2013;108:634–41.
- Böhn L, Störsrud S, Liljebo T**, ym. Diet low in FODMAPs reduces symptoms of irritable bowel syndrome as well as traditional dietary advice: a randomized controlled trial. *Gastroenterology*. 2015 Nov;149(6):1399-1407.e2.
- Caio G, Volta U, Sapone A**, ym. Celiac disease: a comprehensive current review. *BMC Med*. 2019;17(1):142.
- Calasso M, Francavilla R, Cristofori F**, ym. New Protocol for Production of Reduced-Gluten Wheat Bread and Pasta and Clinical Effect in Patients with Irritable Bowel Syndrome: A randomised, Double-Blind, Cross-Over Study. *Nutrients*. 2018;10(12):1873.
- Camilleri M, Boeckxstaens G**. Dietary and pharmacological treatment of abdominal pain in IBS. *Gut*. 2017 May; 66(5):966-974.
- Camilleri M**. Management Options for Irritable Bowel Syndrome. *Mayo Clin Proc*. 2018 Dec;93(12):1858-1872.
- Camilleri M**. Leaky gut: mechanisms, measurement and clinical implications in humans. *Gut*. 2019;68(8):1516-1526.
- Camus G, Nys M, Poortmans JR**, ym. Endotoxaemia, production of tumour necrosis factor alpha and polymorphonuclear neutrophil activation following strenuous exercise in humans. *Eur J Appl Physiol Occup Physiol* 1998; 79: 62–8.
- Canakis A, Haroon M, Weber HC**. Irritable bowel syndrome and gut microbiota. *Curr Opin Endocrinol Diabetes Obes*. 2020;27(1):28-35.
- Cândido FG, Valente FX, Grzeskowiak LM**, ym. Impact of dietary fat on gut microbiota and low-grade systemic inflammation: mechanisms and clinical implications on obesity. *Int J Food Sci Nutr*. 2018;69(2):125-143.
- Cangemi DJ, Lacy BE**. Management of irritable bowel syndrome with diarrhea: a review of nonpharmacological and pharmacological interventions. *Therap Adv Gastroenterol*. 2019;12:1756284819878950.
- Carlson JL, Erickson JM, Hess JM**, ym. Prebiotic Dietary Fiber and Gut Health: Comparing the in Vitro Fermentations of Beta-Glucan, Inulin and Xylooligosaccharide. *Nutrients*. 2017 Dec 15;9(12):1361.
- Caruso R, Pallone F, Stasi E**, ym. Appropriate nutrient supplementation in celiac disease. *Ann Med*. 2013;45(8):522-531.
- Casa DJ, DeMartini JK, Bergeron MF**, ym. National Athletic Trainers' Association Position Statement: Exertional Heat Illnesses. *J Athl Train*. 2015 Sep;50(9):986-1000.
- Casey E, Mistry DJ, MacKnight JM**. Training room management of medical conditions: sports gastroenterology. *Clin Sports Med* 2005; 24:525–540.
- Catassi C, Elli L, Bonaz B**, ym. Diagnosis of Non-Celiac Gluten Sensitivity (NCGS): The Salerno Experts' Criteria. *Nutrients*. 2015;7(6):4966-4977.
- Chan D, Robbins H, Rogers S**, ym. Inflammatory bowel disease and exercise: results of a Crohn's and Colitis UK survey. *Frontline Gastroenterol*. 2014 Jan;5(1):44-48.
- Chang L, Sundaresan S, Elliott J**, ym. Dysregulation of the hypothalamic-pituitary-adrenal (HPA) axis in irritable bowel syndrome. *Neurogastroenterol Motil*. 2009;21:149–159.
- Chang WP, Peng YX**. Does the Oral Administration of Ginger Reduce Chemotherapy-Induced Nausea and Vomiting?: A Meta-analysis of 10 Randomized Controlled Trials. *Cancer Nurs*. 2019 Nov/Dec;42(6):E14-E23.
- Chey W, Sandborn W, Ritter AJ**, ym. Galacto-Oligosaccharide RP-G28 Improves Multiple Clinical Outcomes in Lactose-Intolerant Patients. *Nutrients*. 2020;12(4):1058.
- Chibbar R, Dieleman LA**. The Gut Microbiota in Celiac Disease and probiotics. *Nutrients*. 2019;11(10):2375.
- Choi SC, Yoo KH, Kim TH**, ym. Effect of graded running on esophageal motility and gastroesophageal reflux in fed volunteers. *J Korean Med Sci*. 2001 Apr;16(2):183-7.
- Choi YK, Johlin FC, Jr, Summers RW**, ym. Fructose intolerance: an under-recognized problem. *Am J Gastroenterol*. 2003;98:1348–1353.
- Christmas DM, Badawy AA, Hince D**, et al. Increased serum free tryptophan in patients with diarrhea-predominant irritable bowel syndrome. *Nutr Res*. 2010;30(10):678-688.
- Chua AS, Keeling PW**. Cholecystokinin hyperresponsiveness in functional dyspepsia. *World J. Gastroenterol*. 2006;12:2688–2693.
- Chumpitazi BP**. The gut microbiome as a predictor of low fermentable oligosaccharides disaccharides monosaccharides and polyols diet efficacy in functional bowel disorders. *Curr Opin Gastroenterol*. 2020 Mar;36(2):147-154.
- Chutkan R, Fahey G, Wright WL**, ym. Viscous versus nonviscous soluble fiber supplements: mechanisms and evidence for fiber-specific health benefits. *J Am Acad Nurse Pract*. 2012;24(8):476-487.
- Cialdella-Kam L, Kulpins D, Manore MM**. Vegetarian, Gluten-Free, and Energy Restricted Diets in Female Athletes. *Sports (Basel)*. 2016;4(4):50.
- Ciccone A, Gabrieli D, Cardinale R**, ym. Metabolic Alterations in Celiac Disease Occurring after Following a Gluten-Free Diet. *Digestion*. 2019;100(4):262-268.
- Cieslińska A, Kostyra E, Kostyra H**, ym. Milk from cows of different β -casein genotypes as a source of β -casomorphin-7. *Int J Food Sci Nutr*. 2012;63(4):426-430.
- Clark MJ, Robien K, Slavin JL**. Effect of prebiotics on biomarkers of colorectal cancer in humans: a systematic review. *Nutr Rev*. 2012 Aug;70(8):436-43.
- Clausen MR, Jørgensen J, Mortensen PB**. Comparison of diarrhea induced by ingestion of fructooligosaccharide Idolax and disaccharide lactulose: role of osmolarity versus fermentation of malabsorbed carbohydrate. *Dig Dis Sci*. 1998 Dec;43(12):2696-707.
- Clegg ME**. Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *Int J Food Sci Nutr*. 2010 Nov;61(7):653-79.
- Cloetens L, Broekaert WF, Delaedit Y**, ym. Tolerance of arabinoxylan-oligosaccharides and their prebiotic activity in healthy subjects: a randomised, placebo-controlled cross-over study. *Br J Nutr*. 2010 Mar;103(5):703-13.
- Cohen S, Janicki-Deverts D, Doyle WJ**, et al. Chronic stress, glucocorticoid receptor resistance, inflammation, and disease risk. *Proc Natl Acad Sci U S A*. 2012;109(16):5995-5999.
- Collings KL, Pierce PF, Rodriguez-Stanley S**, ym. Esophageal reflux in conditioned runners, cyclists, and weightlifters. *Med Sci Sports Exerc* 2003; 35: 730–5.
- Collins SM**. A role for the gut microbiota in IBS. *Nat Rev Gastroenterol Hepatol*. 2014 Aug;11(8):497-505.
- Colomba MS, Gregorini A**. Are ancient durum wheats less toxic to celiac patients? A study of α -gliadin from Graziella Ra and Kamut. *ScientificWorld-Journal*. 2012;2012:837416.
- Colombel JF, Shin A, Gibson PR**. AGA Clinical Practice Update on Functional Gastrointestinal Symptoms in Patients With Inflammatory Bowel Disease: Expert Review. *Clin Gastroenterol Hepatol*. 2019 Feb;17(3):380-390.e1.
- Comino I, Moreno Mde L, Sousa C**. Role of oats in celiac disease. *World J Gastroenterol*. 2015;21(41):11825-11831.
- Coqueiro AY, Rogero MM, Tirapegui J**. Glutamine as an Anti-Fatigue Amino Acid in Sports Nutrition. *Nutrients*. 2019 Apr 17;11(4):863.
- Costa RJ, Teixeira A, Rama L**, ym. Water and sodium intake habits and status of ultra-endurance runners during a multi-stage ultra-marathon conducted in a hot ambient environment: an observational field based study. *Nutr J*. 2013 Jan 15;12:13.

- Costa RJS, Snipe R, Camões-Costa V**, ym. The impact of gastrointestinal symptoms and dermatological injuries on nutritional intake and hydration status during ultramarathon events. *Sports Med- Open*. 2016;2:1-14.
- Costa RJS, Snipe RMJ, Kitic CM**, ym. Systematic review: exercise-induced gastrointestinal syndrome-implications for health and intestinal disease. *Aliment Pharmacol Ther*. 2017 Aug;46(3):246-265.
- Costa RJS, Miali A, Khoo A**, ym. Gut-training: the impact of two weeks repetitive gut-challenge during exercise on gastrointestinal status, glucose availability, fuel kinetics, and running performance. *Appl Physiol Nutr Metab*. 2017 May;42(5):547-557. (a)
- Costa RJS, Camões-Costa V, Snipe RMJ**, ym. Impact of exercise-induced hypohydration on gastrointestinal integrity, function, symptoms, and systemic endotoxin and inflammatory profile. *J Appl Physiol* (1985). 2019 May 1;126(5):1281-1291.
- Cox GR, Clark SA, Cox AJ**, ym. Daily training with high carbohydrate availability increases exogenous carbohydrate oxidation during endurance cycling. *J Appl Physiol* (1985). 2010 Jul; 109(1):126-34.
- Cozma-Petrău A, Loghin F, Miere D**, ym. Diet in irritable bowel syndrome: What to recommend, not what to forbid to patients! *World J Gastroenterol*. 2017 Jun 7;23(21):3771-3783.
- Cramer MN, Jay O**. Biophysical aspects of human thermoregulation during heat stress. *Auton Neurosci*. 2016 Apr;196:3-13.
- Creed F**. Review article: the incidence and risk factors for irritable bowel syndrome in population-based studies. *Aliment Pharmacol Ther*. 2019;50(5):507-516.
- Cristofori F, Indrio F, Minnello VL**, ym. Probiotics in Celiac Disease. *Nutrients*. 2018;10(12):1824.
- Crouzet L, Gaultier E, Del'Homme C**, ym. The hypersensitivity to colonic distension of IBS patients can be transferred to rats through their fecal microbiota. *Neurogastroenterol Motil*. 2013 Apr;25(4):e272-82.
- Cryan JF, O'Riordan KJ, Cowan CSM**, ym. The Microbiota-Gut-Brain Axis. *Physiol Rev*. 2019;99(4):1877-2013.
- Cuomo R, Andreozzi P, Zito FP**, ym. Irritable bowel syndrome and food interaction. *World J Gastroenterol*. 2014 Jul 21; 20(27):8837-45.
- Dainese R, Casellas F, Mariné-Barjoan E**, ym. Perception of lactose intolerance in irritable bowel syndrome patients. *Eur J Gastroenterol Hepatol*. 2014;26(10):1167-1175.
- Dalakouras A, Wassenegger M, Dadami E**, ym. Modified Organism-Free RNA Interference: Exogenous Application of RNA Molecules in Plants. *Plant Physiol*. 2020;182(1):38-50.
- Dale HF, Rasmussen SH, Asiller ÖÖ**, ym. Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. *Nutrients*. 2019 Sep 2;11(9).
- Dale HF, Biesiekierski JR, Lied GA**. Non-coeliac gluten sensitivity and the spectrum of gluten-related disorders: an updated overview. *Nutr Rev*. 2019;32(1):28-37.
- Daulatzai MA**. Non-coeliac gluten sensitivity triggers gut dysbiosis, neuroinflammation, gut-brain axis dysfunction, and vulnerability for dementia. *CNS Neurol Disord Drug Targets*. 2015;14(1):110-131.
- Davison G, Marchbank T, March DS**, ym. Zinc carnosine works with bovine colostrum in truncating heavy exercise-induced increase in gut permeability in healthy volunteers. *Am J Clin Nutr*. 2016 Aug;104(2):526-36.
- Davison G, Jones AW, Marchbank T**, ym. Oral bovine colostrum supplementation does not increase circulating insulin-like growth factor-1 concentration in healthy adults: results from short- and long-term administration studies. *Eur J Nutr*. 2020 Jun;59(4):1473-1479.
- Deehan EC, Walter J**. The Fiber Gap and the Disappearing Gut Microbiome: Implications for Human Nutrition. *Trends Endocrinol Metab*. 2016;27(5):239-242.
- Delaney B, Goodman RE, Ladics GS**. Food and Feed Safety of Genetically Engineered Food Crops. *Toxicol Sci*. 2018 Apr 1;162(2):361-371.
- Deng Y, Misselwitz B, Dai N**, ym. Lactose Intolerance in Adults: Biological Mechanism and Dietary Management. *Nutrients*. 2015;7(9):8020-8035. Published 2015 Sep 18.
- De Noni RJ, Fitzgerald HJT, Korhonen Y**, ym. Scientific Report of EFSA prepared by a DATEX Working Group on the potential health impact of β -casomorphins and related peptides. *EFSA Sci. Rep*. 2009;231:1-107.
- De Noni I, Cattaneo S**. Occurrence of β -casomorphins 5 and 7 in commercial dairy products and in their digests following in vitro simulated gastrointestinal digestion. *Food Chem*. 2010;119:560-566.
- de Oliveira EP, Burini RC**. The impact of physical exercise on the gastrointestinal tract. *Curr Opin Clin Nutr Metab Care*. 2009;12:533-538.
- de Oliveira EP, Burini RC**. Food-dependent, exercise-induced gastrointestinal distress. *J Int Soc Sports Nutr*. 2011 Sep 28;8:12.
- de Oliveira EP, Burini RC, Jeukendrup A**. Gastrointestinal complaints during exercise: prevalence, etiology, and nutritional recommendations. *Sports Med*. 2014 May;44 Suppl 1:S79-85.
- de Oliveira EP**. Runner's diarrhea: what is it, what causes it, and how can it be prevented? *Curr Opin Gastroenterol*. 2017 Jan;33(1):41-46.
- de Oliveira Otto MC, Anderson CAM, Dearborn JL**, ym. Dietary Diversity: Implications for Obesity Prevention in Adult Populations: A Science Advisory From the American Heart Association [published correction appears in Circulation. 2018 Nov 20;138(21):e712]. *Circulation*. 2018;138(11):e160-e168.
- Derrien M, van Hylckama Vlieg JE**. Fate, activity, and impact of ingested bacteria within the human gut microbiota. *Trends Microbiol*. 2015 Jun; 23(6):354-66.
- Desmond CP, Roberts SK**. Exercise-related abdominal pain as a manifestation of the median arcuate ligament syndrome. *Scand J Gastroenterol* 2004; 39: 1310-3.
- de Sousa Moraes LF, Grzeskowiak LM, de Sales Teixeira TF**, ym. Intestinal microbiota and probiotics in celiac disease. *Clin Microbiol Rev*. 2014;27(3):482-489.
- de Souza MC, Deschênes ME, Laurencelle S**, ym. Pure Oats as Part of the Canadian Gluten-Free Diet in Celiac Disease: The Need to Revisit the Issue. *Can J Gastroenterol Hepatol*. 2016;2016:1576360.
- Di Costanzo M, Berni Canani R**. Lactose Intolerance: Common Misunderstandings. *Ann Nutr Metab*. 2018;73 Suppl 4:30-37.
- Didari T, Mozaffari S, Nikfar S**, ym. Effectiveness of probiotics in irritable bowel syndrome: Updated systematic review with meta-analysis. *World J Gastroenterol*. 2015 Mar 14;21(10):3072-84.
- Diduch BK**. Gastrointestinal Conditions in the Female Athlete. *Clin Sports Med*. 2017 Oct;36(4):655-669.
- Diez-Sampedro A, Olenick M, Maltseva T**, ym. A Gluten-Free Diet, Not an Appropriate Choice without a Medical Diagnosis. *J Nutr Metab*. 2019 Jul 1;2019:2438934.
- Dimidi E, Rossi M, Whelan K**. Irritable bowel syndrome and diet: where are we in 2018?. *Curr Opin Clin Nutr Metab Care*. 2017;20(6):456-463.
- Dinan TG, Cryan JF**. Regulation of the stress response by the gut microbiota: implications for psychoneuroendocrinology. *Psychoneuroendocrinology*. 2012 Sep;37(9):1369-78.
- Dinan TG, Quigley EM, Ahmed SM**, ym. Hypothalamic-pituitary-gut axis dysregulation in irritable bowel syndrome: plasma cytokines as a potential biomarker? *Gastroenterology*. 2006;130:304-311.
- Di Nardo G, Oliva S, Ferrari F**, ym. Efficacy and tolerability of α -galactosidase in treating gas-related symptoms in children: a randomized, double-blind, placebo controlled trial. *BMC Gastroenterol*. 2013;13:142. Published 2013 Sep 24.
- DiNicolantonio JJ, Lucan SC**. Is fructose malabsorption a cause of irritable bowel syndrome?. *Med Hypotheses*. 2015;85(3):295-297.

- Dionne J, Ford AC, Yuan Y**, ym. A Systematic Review and Meta-Analysis Evaluating the Efficacy of a Gluten-Free Diet and a Low FODMAPs Diet in Treating Symptoms of Irritable Bowel Syndrome. *Am J Gastroenterol.* 2018 Sep;113(9):1290-1300.
- Di Pierro F, Bergomas F, Marraccini P**, ym. L. Pilot study on non-celiac gluten sensitivity: effects of *Bifidobacterium longum* ES1 co-administered with a gluten-free diet. *Minerva Gastroenterol Dietol.* 2020;10.
- Di Stefano M, Miceli E, Gotti S**, ym. The effect of oral alpha-galactosidase on intestinal gas production and gas-related symptoms. *Dig Dis Sci.* 2007;52(1):78-83.
- do Carmo MM, Walker JC, Novello D**, ym. Polydextrose: Physiological Function, and Effects on Health. *Nutrients.* 2016 Sep 8;8(9):553.
- Dokladny K, Zuhl MN, Moseley PL**. Intestinal epithelial barrier function and tight junction proteins with heat and exercise. *J Appl Physiol.* 2016;120:692-701.
- Domenger D, Cudennec B, Kouach M**, ym. Food-Derived Hemorphins Cross Intestinal and Blood-Brain Barriers In Vitro. *Front Endocrinol (Lausanne).* 2018;9:159.
- Dorn SD, Palsson OS, Thiwan SI**, ym. Increased colonic pain sensitivity in irritable bowel syndrome is the result of an increased tendency to report pain rather than increased neurosensory sensitivity. *Gut.* 2007 Sep;56(9):1202-9.
- Dreher ML**. Whole Fruits and Fruit Fiber Emerging Health Effects. *Nutrients.* 2018;10(12):1833. Published 2018 Nov 28.
- Drobnić F, Fonts S, García-Alday I**, ym. A pilot study on the efficacy of a rational combination of artichoke and ginger extracts with simethicone in the treatment of gastrointestinal symptoms in endurance athletes. *Minerva Gastroenterol Dietol.* 2020 Jan 28.
- Drossman DA**. Functional Gastrointestinal Disorders: History, Pathophysiology, Clinical Features and Rome IV. *Gastroenterology.* 2016;150:1262-1279.
- Drouin-Chartier JP, Brassard D, Tessier-Grenier M**, ym. Systematic Review of the Association between Dairy Product Consumption and Risk of Cardiovascular-Related Clinical Outcomes. *Adv Nutr.* 2016;7(6):1026-1040. Published 2016 Nov 15.
- D'Silva A, MacQueen G, Nasser Y**, ym. Yoga as a Therapy for Irritable Bowel Syndrome. *Dig Dis Sci.* 2019 Dec 12.
- Duquette PP, Bissonnette P, Lapointe JY**. Local osmotic gradients drive the water flux associated with Na(+) /glucose cotransport. *Proc Natl Acad Sci U S A.* 2001 Mar 27;98(7):3796-801.
- Durk RP, Castillo E, Márquez-Magaña L**, ym. Gut Microbiota Composition Is Related to Cardiorespiratory Fitness in Healthy Young Adults. *Int J Sport Nutr Exerc Metab.* 2019 May 1;29(3):249-253.
- Dyndsborg Sander S, Hansen AV**, ym. Mode of delivery is not associated with celiac disease. *Clin Epidemiol.* 2018;10:323-332.
- Eales J, Gibson P, Whorwell P**, ym. Systematic review and meta-analysis: the effects of fermented milk with *Bifidobacterium lactis* CNCM I-2494 and lactic acid bacteria on gastrointestinal discomfort in the general adult population. *Therap Adv Gastroenterol.* 2017 Jan;10(1):74-88.
- Earhart EL, Weiss EP, Rahman R**, ym. Effects of oral sodium supplementation on indices of thermoregulation in trained, endurance athletes. *J. Sports Sci. Med.* 2015;14:172-178.
- Ebrahim IO, Shapiro CM, Williams AJ**, ym. Alcohol and sleep I: effects on normal sleep. *Alcohol Clin Exp Res.* 2013;37(4):539-549.
- EFSA (2016)**. Update of the list of Qps-recommended biological agents intentionally added to food or feed as notified to EFSA 4: suitability of taxonomic units notified to EFSA until March 2016. *EFSA J.* 14:e04522.
- Eichner ER**. Stitich in the side: causes, workup, and solutions. *Curr Sports Med Rep.* 2006 Dec;5(6):289-92.
- Elli L, Tomba C, Branchi F**, ym. Evidence for the Presence of Non-Celiac Gluten Sensitivity in Patients with Functional Gastrointestinal Symptoms: Results from a Multicenter Randomized Double-Blind Placebo-Controlled Gluten Challenge. *Nutrients.* 2016 Feb 8; 8(2):84.
- El-Salhy M, Ystad SO, Mazzawi T**, ym. Dietary fiber in irritable bowel syndrome (Review). *Int J Mol Med.* 2017;40(3):607-613.
- El-Salhy M, Mazzawi T**. Fecal Microbiota Transplantation for Managing Irritable Bowel Syndrome. *Expert Rev Gastroenterol Hepatol.* 2018 May;12(5):439-445.
- El-Salhy M, Hatlebakk JG, Hausken T**. Diet in Irritable Bowel Syndrome (IBS): Interaction with Gut Microbiota and Gut Hormones. *Nutrients.* 2019;11(8):1824.
- Enattah NS, Sahi T, Sivilahti E**, ym. Identification of a variant associated with adult-type hypolactasia. *Nat Genet.* 2002;30(2):233-237.
- Engen PA, Green SJ, Voigt RM**, ym. The Gastrointestinal Microbiome: Alcohol Effects on the Composition of Intestinal Microbiota. *Alcohol Res.* 2015;37(2):223-236.
- Eskelinen S**. Laktoosi-intoleranssin DNA-testi (B-Lakt-D). Laboratorioutukimusten tulkinta 10.8.2016. www.terveyskirjasto.fi.
- Eswaran S, Tack J, Chey WD**. Food: the forgotten factor in the irritable bowel syndrome. *Gastroenterol Clin North Am.* 2011 Mar; 40(1):141-62.
- Eswaran SL, Chey WD, Han-Markey T**, ym. A Randomized Controlled Trial Comparing the Low FODMAP Diet vs. Modified NICE Guidelines in US Adults with IBS-D. *Am J Gastroenterol.* 2016 Dec;111(12):1824-1832.
- Evans GH, Watson P, Shirreffs SM**, ym. Effect of Exercise Intensity on Subsequent Gastric Emptying Rate in Humans. *Int J Sport Nutr Exerc Metab.* 2016 Apr;26(2):128-34.
- Evans M, Cogan KE, Egan B**. Metabolism of ketone bodies during exercise and training: physiological basis for exogenous supplementation. *J Physiol.* 2017 May 1;595(9):2857-2871.
- Evans M, Patchett E, Nally R**, ym. Effect of acute ingestion of β -hydroxybutyrate salts on the response to graded exercise in trained cyclists. *Eur J Sport Sci.* 2018 Apr;18(3):376-386.
- Everitt HA, Landau S, O'Reilly G**, ym. ACTIB trial group. Assessing telephone-delivered cognitive-behavioural therapy (CBT) and web-delivered CBT versus treatment as usual in irritable bowel syndrome (ACTIB): a multicentre randomised trial. *Gut.* 2019 Sep;68(9):1613-1623. (a)
- Everitt HA, Landau S, O'Reilly G**, ym. Cognitive behavioural therapy for irritable bowel syndrome: 24-month follow-up of participants in the ACTIB randomised trial. *Lancet Gastroenterol Hepatol.* 2019 Nov;4(11):863-872. (b)
- Fassio F, Facioni MS, Guagnini F**. Lactose Malabsorption, Malabsorption, and Intolerance: A Comprehensive Review with a Focus on Current Management and Future Perspectives. *Nutrients.* 2018;10(11):1599.
- Fehlbaum S, Prudence K, Kieboom J**, ym. In Vitro Fermentation of Selected Prebiotics and Their Effects on the Composition and Activity of the Adult Gut Microbiota. *Int J Mol Sci.* 2018;19(10):3097.
- Ferraris RP, Choe JY, Patel CR**. Intestinal Absorption of Fructose. *Annu Rev Nutr.* 2018;38:41-67.
- Ferreira AI, Garrido M, Castro-Poças F**. Irritable Bowel Syndrome: News from an Old Disorder. *GE Port J Gastroenterol.* 2020 Jul;27(4):255-268.
- Ford AC, Moayyedi P, Lacy BE**, ym. Task Force on the Management of Functional Bowel Disorders. American College of Gastroenterology monograph on the management of irritable bowel syndrome and chronic idiopathic constipation. *Am J Gastroenterol.* 2014 Aug; 109 Suppl 1():S2-26; quiz S27.
- Ford AC, Harris LA, Lacy BE**, ym. Systematic review with meta-analysis: the efficacy of prebiotics, probiotics, synbiotics and antibiotics in irritable bowel syndrome. *Aliment Pharmacol Ther.* 2018 Nov;48(10):1044-1060.
- Ford AC, Gibson PR**. Efficacy of glutamine in postinfection IBS. *Gut.* 2019 Oct;68(10):1905-1906.
- Forsgård RA**. Lactose digestion in humans: intestinal lactase appears to be constitutive whereas the colonic microbiome is adaptable. *Am J Clin Nutr.* 2019;110(2):273-279.
- Francavilla R, De Angelis M, Rizzello GG**, ym. Selected probiotic lactobacilli have the capacity to hydrolyze gluten peptides during simulated gastrointestinal digestion. *Appl Environ Microbiol.* 2017;83 e00376-17.

- Francavilla R, Piccolo M, Francavilla A**, ym. Clinical and Microbiological Effect of a Multispecies Probiotic Supplementation in Celiac Patients With Persistent IBS-type Symptoms: A Randomized, Double-Blind, Placebo-controlled, Multicenter Trial. *J Clin Gastroenterol.* 2019;53(3):e117-e125.
- Francis CY, Whorwell PJ**. Bran and irritable bowel syndrome: time for reappraisal. *Lancet* 1994; 344: 39–40.
- Freis T, Hecksteden A, Such U**, ym. Effect of sodium bicarbonate on prolonged running performance: A randomized, double-blind, cross-over study. *PLoS ONE.* 2017;12:e0182158.
- Fuke N, Nagata N, Suganuma H**, ym. Regulation of Gut Microbiota and Metabolic Endotoxemia with Dietary Factors. *Nutrients.* 2019;11(10):2277.
- Ganiats TG, Norcross WA, Halverson AL**, ym. Does Beano prevent gas? A double-blind crossover study of oral alpha-galactosidase to treat dietary oligosaccharide intolerance. *J Fam Pract.* 1994;39(5):441-445.
- García-Molina MD, Giménez MJ, Sánchez-León S**, ym. Gluten Free Wheat: Are We There?. *Nutrients.* 2019;11(3):487.
- Garth AK, Burke LM**. What do athletes drink during competitive sporting activities? *Sports Med.* 2013;43(7):539-564.
- Gaskell SK, Costa RJS**. Applying a Low-FODMAP Dietary Intervention to a Female Ultraendurance Runner With Irritable Bowel Syndrome During a Multistage Ultramarathon. *Int J Sport Nutr Exerc Metab.* 2019 Jan 1;29(1):61-67.
- Gaskell SK, Taylor B, Muir J**, ym. Impact of 24-h high and low fermentable oligo-, di-, monosaccharide, and polyol diets on markers of exercise-induced gastrointestinal syndrome in response to exertional heat stress. *Appl Physiol Nutr Metab.* 2020 Jun;45(6):569-580.
- Gatt K, Schembri J, Katsanos KH**, ym. Inflammatory Bowel Disease [IBD] and Physical Activity: A Study on the Impact of Diagnosis on the Level of Exercise Amongst Patients With IBD. *J Crohns Colitis.* 2019 May 27;13(6):686-692.
- Geiker NRW, Molgaard C, Iuliano S**, ym. Impact of whole dairy matrix on musculoskeletal health and aging-current knowledge and research gaps. *Osteoporos Int.* 2020;31(4):601-615.
- Geng T, Qi L, Huang T**. Effects of Dairy Products Consumption on Body Weight and Body Composition Among Adults: An Updated Meta-Analysis of 37 Randomized Control Trials. *Mol Nutr Food Res.* 2018 Jan;62(1).
- Gentle HL, Love TD, Howe AS**, ym. A randomised trial of pre-exercise meal composition on performance and muscle damage in well-trained basketball players. *J. Int. Soc. Sports Nutr.* 2014;11:33.
- Ghoshal UC, Singh R**. Frequency and risk factors of functional gastro-intestinal disorders in a rural Indian population. *J Gastroenterol Hepatol.* 2017 Feb;32(2):378-387.
- Ghoshal UC, Shukla R, Ghoshal U**. Small Intestinal Bacterial Overgrowth and Irritable Bowel Syndrome: A Bridge between Functional Organic Dichotomy. *Gut Liver.* 2017 Mar 15;11(2):196-208.
- Giacosa A, Guido D, Grassi M**, ym. The Effect of Ginger (*Zingiber officinalis*) and Artichoke (*Cynara cardunculus*) Extract Supplementation on Functional Dyspepsia: A Randomised, Double-Blind, and Placebo-Controlled Clinical Trial. *Evid Based Complement Alternat Med.* 2015;2015:915087.
- Giacosa A, Morazzoni P, Bombardelli E**, ym. Can nausea and vomiting be treated with ginger extract? *Eur Rev Med Pharmacol Sci.* 2015 Apr;19(7):1291-6. PMID: 25912592. (a)
- Giannini EG, Mansi C, Dulbecco P**, ym. Role of partially hydrolyzed guar gum in the treatment of irritable bowel syndrome. *Nutrition.* 2006;22(3):334-342.
- Gibson GR, Hutkins R, Sanders ME**, ym. Expert consensus document: The International Scientific Association for Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of prebiotics. *Nat Rev Gastroenterol Hepatol.* 2017;14(8):491-502.
- Gibson PR**. The evidence base for efficacy of the low FODMAP diet in irritable bowel syndrome: is it ready for prime time as a first-line therapy? *J Gastroenterol Hepatol.* 2017 Mar; 32 Suppl 1():32-35.
- Gibson PR, Halmos EP, Muir JG**. Review article: FODMAPS, prebiotics and gut health-the FODMAP hypothesis revisited. *Aliment Pharmacol Ther.* 2020 Jul;52(2):233-246.
- Gil-Humanez J, Pistón F, TollesfSEN S**, ym. Effective shutdown in the expression of celiac disease-related wheat gliadin T-cell epitopes by RNA interference. *Proc Natl Acad Sci U S A.* 2010;107(39):17023-17028.
- Gil-Humanez J, Pistón F, Altamirano-Fortoul R**, ym. Reduced-gliadin wheat bread: an alternative to the gluten-free diet for consumers suffering gluten-related pathologies. *PLoS One.* 2014;9(3):e90898.
- Gilissen LJWJ, van der Meer IM, Smulders MJM**. Why Oats Are Safe and Healthy for Celiac Disease Patients. *Med Sci (Basel).* 2016 Nov 26; 2016;4(4):21.
- Gill SK, Hankey J, Wright A**, ym. The impact of a 24-hour ultra-marathon on circulatory endotoxin and cytokine profile. *Int J Sports Med.* 2015;36:688-695.
- Gill SK, Teixeira A, Rama L**, ym. Circulatory endotoxin concentration and cytokine profile in response to exertional-heat stress during a multi-stage ultra-marathon competition. *Exerc Immunol Rev.* 2015;21:114-128. (a)
- Gill SK, Allerton DM, Ansley-Robson P**, ym. Does acute high dose probiotic supplementation containing *Lactobacillus casei* attenuate exertional-heat stress induced endotoxaemia and cytokinaemia? *Int J Sports Nutr Exerc Metab.* 2016;26:268-275.
- Gleeson M**. Dosing and efficacy of glutamine supplementation in human exercise and sport training. *J. Nutr.* 2008;138:2045S–2049S.
- Goedecke JH, Clark VR, Noakes TD**, ym. The effects of medium-chain triacylglycerol and carbohydrate ingestion on ultra-endurance exercise performance. *Int. J. Sport Nutr. Exerc. Metab.* 2005;15:15–27.
- Goldenberg JZ, Yap C, Lytvyn L**, ym. Probiotics for the prevention of *Clostridium difficile*-associated diarrhea in adults and children. *Cochrane Database Syst Rev.* 2017 Dec 19;12(12):CD006095.
- Gonlachanvit S, Mahayosmond A, Kullavanijaya P**. Effects of chili on postprandial gastrointestinal symptoms in diarrhoea predominant irritable bowel syndrome: evidence for capsaicin-sensitive visceral nociception hypersensitivity. *Neurogastroenterol Motil.* 2009 Jan;21(1):23-32.
- Gonzalez JT, Fuchs CJ, Betts JA**, ym. Glucose Plus Fructose Ingestion for Post-Exercise Recovery-Greater than the Sum of Its Parts?. *Nutrients.* 2017;9(4):344. Published 2017 Mar 30.
- Goodrich JK, Waters JL, Poole AC**, ym. Human genetics shape the gut microbiome. *Cell.* 2014 Nov 6;159(4):789-99.
- Gorski T, Cadore EL, Pinto SS**, ym. Use of NSAIDs in triathletes: prevalence, level of awareness and reasons for use. *Br J Sports Med.* 2011; 45: 85–90.
- Gnessi L, Bacarea V, Marusteri M**, ym. Xyloglucan for the treatment of acute diarrhea: results of a randomized, controlled, open-label, parallel group, multicentre, national clinical trial. *BMC Gastroenterol.* 2015 Oct 30;15:153.
- Grabitske HA, Slavin JL**. Gastrointestinal effects of low-digestible carbohydrates. *Crit Rev Food Sci Nutr.* 2009;49(4):327-360.
- Greco L, Gobbetti M, Auricchio R**, ym. Safety for patients with celiac disease of baked goods made of wheat flour hydrolyzed during food processing. *Clin Gastroenterol Hepatol.* 2011;9(1):24-29.
- Guarino MPL, Altomare A, Emerenziani S**, ym. Mechanisms of Action of Prebiotics and Their Effects on Gastro-Intestinal Disorders in Adults. *Nutrients.* 2020;12(4):1037.
- Guerreiro MM, Santos Z, Caroline E**, ym. Effectiveness of Two Dietary Approaches on the Quality of Life and Gastrointestinal Symptoms of Individuals with Irritable Bowel Syndrome. *J Clin Med.* 2020 Jan 2;9(1):125.
- Guglielmetti S, Mora D, Gschwendter M**, ym. Randomised clinical trial: *Bifidobacterium bifidum* MIMBb75 significantly alleviates irritable bowel syndrome and improves quality of life-a double-blind, placebo-controlled study. *Aliment Pharmacol Ther.* 2011;33(10):1123-1132.

- Guillochon M, Rowlands DS.** Solid, Gel, and Liquid Carbohydrate Format Effects on Gut Comfort and Performance. *Int J Sport Nutr Exerc Metab.* 2017 Jun;27(3):247-254.
- Gupta RK, Gangoliya SS, Singh NK.** Reduction of phytic acid and enhancement of bioavailable micronutrients in food grains. *J Food Sci Technol.* 2015;52(2):676-684.
- Gutiérrez S, Pérez-Andrés J, Martínez-Blanco H,** ym. The human digestive tract has proteases capable of gluten hydrolysis. *Mol Metab.* 2017;6(7):693-702.
- Guy JH, Vincent GE.** Nutrition and Supplementation Considerations to Limit Endotoxemia When Exercising in the Heat. *Sports (Basel).* 2018 Feb 6;6(1).
- Guyonnet D, Schlumberger A, Mhamdi L,** ym. Fermented milk containing *Bifidobacterium lactis* DN-173 010 improves gastrointestinal well-being and digestive symptoms in women reporting minor digestive symptoms: a randomised, double-blind, parallel, controlled study. *Br J Nutr.* 2009;102(11):1654-1662.
- Tunturi S.** Haavainen paksusuolitulehdus (colitis ulcerosa). *Lääkärikirja Duodecim* 1.7.2020 (viittattu 13.10.2020). www.terveyskirjasto.fi
- Halmos EP, Power VA, Shepherd SJ,** ym. A diet low in FODMAPs reduces symptoms of irritable bowel syndrome. *Gastroenterology.* 2014;146(1):67-75.e5.
- Halmos EP, Christoffersen CT, Bird AR,** ym. Diets that differ in their FODMAP content alter the colonic luminal microenvironment. *Gut.* 2015;64:93-100.
- Halmos EP.** When the low FODMAP diet does not work. *J Gastroenterol Hepatol.* 2017;32 Suppl 1:69-72.
- Halmos EP, Gibson PR.** Controversies and reality of the FODMAP diet for patients with irritable bowel syndrome. *J Gastroenterol Hepatol.* 2019 Jul;34(7):1134-1142.
- Halasa M, Maciejewska D, Baśkiewicz-Halasa M** ym. Oral Supplementation with Bovine Colostrum Decreases Intestinal Permeability and Stool Concentrations of Zonulin in Athletes. *Nutrients.* 2017 Apr 8;9(4). pii: E370.
- Hall AB, Tolonen AC, Xavier RJ.** Human genetic variation and the gut microbiome in disease. *Nat Rev Genet.* 2017 Nov;18(11):690-699.
- Halson SL, Martin DT.** Lying to win-placebos and sport science. *Int J Sports Physiol Perform.* 2013;8(6):597-599.
- Hanif Palla A, Gilani AH.** Dual effectiveness of Flaxseed in constipation and diarrhea: Possible mechanism. *J Ethnopharmacol.* 2015 Jul 1;169:60-8.
- Haro C, Villatoro M, Vaquero L** ym. Dietary Intervention of Transgenic Low-Gliadin Wheat Bread in Patients with Non-Celiac Gluten Sensitivity (NCGS) Showed No Differences with Gluten Free Diet (GFD) but Provides Better Gut Microbiota Profile. *Nutrients.* 2018;10(12):1964.
- Harris LA, Baffy N.** Modulation of the gut microbiota: a focus on treatments for irritable bowel syndrome. *Postgrad Med.* 2017 Nov;129(8):872-888.
- Harvie RM, Chisholm AW, Bisanz JE,** ym. Long-term irritable bowel syndrome symptom control with reintroduction of selected FODMAPs. *World J Gastroenterol.* 2017 Jul 7;23(25):4632-4643.
- Hayes PA, Fraher MH, Quigley EM.** Irritable bowel syndrome: the role of food in pathogenesis and management. *Gastroenterol Hepatol (N Y).* 2014 Mar; 10(3):164-74.
- He M, Sun J, Jiang ZQ,** ym. Effects of cow's milk beta-casein variants on symptoms of milk intolerance in Chinese adults: a multicentre, randomised controlled study. *Nutr J.* 2017;16(1):72.
- Heizer WD, Southern S, McGovern S.** The role of diet in symptoms of irritable bowel syndrome in adults: a narrative review. *J Am Diet Assoc.* 2009 Jul; 109(7):1204-14.
- Hertzler SR, Savaiano DA.** Colonic adaptation to daily lactose feeding in lactose maldigesters reduces lactose intolerance. *Am J Clin Nutr.* 1996;64(2):232-236.
- Hew-Butler T, Rosner MH, Fowkes-Godek S,** ym. Statement of the 3rd international exercise-associated hyponatremia consensus development conference, Carlsbad, California, 2015. *Br J Sports Med.* 2015;49:1432-1446.
- Hew-Butler T, Loi V, Pani A,** ym. Exercise-Associated Hyponatremia: 2017 Update. *Front Med (Lausanne).* 2017 Mar 3;4:21.
- Hew-Butler T.** Exercise-Associated Hyponatremia. *Front Horm Res.* 2019;52:178-189.
- Hiel S, Bindels LB, Pachikian BD,** ym. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. *Am J Clin Nutr.* 2019 Jun 1;109(6):1683-1695.
- Hill C, Guarner F, Reid G,** ym. Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol.* 2014 Aug; 11(8):506-14.
- Hill D, Sugrue I, Tobin C,** ym. The Lactobacillus casei Group: History and Health Related Applications. *Front Microbiol.* 2018;9:2107. Published 2018 Sep 10.
- Hillilä M, Färkkilä MA, Sipponen T,** ym. Does oral α-galactosidase relieve irritable bowel symptoms?. *Scand J Gastroenterol.* 2016;51(1):16-21.
- Ho KS, Tan CY, Mohd Daud MA,** ym. Stopping or reducing dietary fiber intake reduces constipation and its associated symptoms. *World J Gastroenterol.* 2012;18(33):4593-4596.
- Hoffman MD, Pasternak A, Rogers IR,** ym. Medical services at ultra-endurance food races in remote environments: medical issues and consensus guidelines. *Sports Med.* 2014;44:105-1069.
- Hoffman MD, Stuempfle KJ, Valentino T.** Sodium intake during an ultramarathon does not prevent muscle cramping, dehydration, hyponatremia, or nausea. *Sports Med. Open.* 2015;1:39.
- Hoffman MD, Myers TM.** Case Study: Symptomatic Exercise-Associated Hyponatremia in an Endurance Runner Despite Sodium Supplementation. *Int J Sport Nutr Exerc Metab.* 2015 Dec;25(6):603-6.
- Hoffman MD, Bross TL 3rd, Hamilton RT.** Are we being drowned by overhydration advice on the Internet? *Phys Sportsmed.* 2016 Nov;44(4):343-348.
- Holland JJ, Skinner TL, Irwin CG,** ym. The Influence of Drinking Fluid on Endurance Cycling Performance: A Meta-Analysis. *Sports Med.* 2017 Nov;47(11):2269-2284.
- Holtmann GJ, Ford AC, Talley NJ.** Pathophysiology of irritable bowel syndrome. *Lancet Gastroenterol Hepatol.* 2016 Oct; 1(2):133-146.
- Horner KM, Schubert MM, Desbrow B,** ym. Acute exercise and gastric emptying: a meta-analysis and implications for appetite control. *Sports Med.* 2015 May;45(5):659-78.
- Horowitz M, Cunningham KM, Wishart JM,** ym. The effect of short-term dietary supplementation with glucose on gastric emptying of glucose and fructose and oral glucose tolerance in normal subjects. *Diabetologia.* 1996;39:481-486.
- Houben E, De Preter V, Billen J,** ym. Additional value of CH₄ measurement in a combined ¹³C/H₂ lactose malabsorption breath test: a retrospective analysis. *Nutrients.* 2015;7:7469-85.
- Howe AS, Boden BP.** Heat-related illness in athletes. *Am J Sports Med.* 2007 Aug;35(8):1384-95.
- Huang R, Wang K, Hu J.** Effect of Probiotics on Depression: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients.* 2016;8(8):483.
- Huang HL, Chen HT, Luo QL,** ym. Relief of irritable bowel syndrome by fecal microbiota transplantation is associated with changes in diversity and composition of the gut microbiota. *J Dig Dis.* 2019;20(8):401-408.
- Hungin APS, Mitchell CR, Whorwell P,** ym. Systematic review: probiotics in the management of lower gastrointestinal symptoms - an updated evidence-based international consensus. *Aliment Pharmacol Ther.* 2018;47(8):1054-1070.

- Ianiro G, Pecere S, Giorgio V**, ym. Digestive enzyme supplementation in gastrointestinal diseases. *Curr Drug Metab* 2016;17:187–93.
- Ibba I, Gilli A, Boi MF**, ym. Effects of exogenous lactase administration on hydrogen breath excretion and intestinal symptoms in patients presenting lactose malabsorption and intolerance. *Biomed Res Int*. 2014;2014:680196.
- Ido H, Matsubara H, Kuroda M**, ym. Combination of Gluten-Digesting Enzymes Improved Symptoms of Non-Celiac Gluten Sensitivity: A Randomized Single-blind, Placebo-controlled Crossover Study. *Clin Transl Gastroenterol*. 2018;9(9):181.
- Igbinedion SO, Ansari J, Vasikaran A**, ym. Non-celiac gluten sensitivity: All wheat attack is not celiac. *World J Gastroenterol*. 2017;23(40):7201-7210. doi:10.3748/wjg.v23.i40.7201
- Ireton-Jones C**. The low FODMAP diet: fundamental therapy in the management of irritable bowel syndrome. *Curr Opin Clin Nutr Metab Care*. 2017;20(5):414-419.
- Ishaque SM, Khosruzzaman SM, Ahmed DS**, ym. A randomized placebo-controlled clinical trial of a multi-strain probiotic formulation (Bio-Kult®) in the management of diarrhea-predominant irritable bowel syndrome. *BMC Gastroenterol*. 2018 May 25;18(1):71.
- Issa B, Wafaie NA, Whorwell PJ**. Abdominal bloating and distension: what is the role of the microbiota. *Dig Dis Sci*. 2012;57(1):4-8.
- Itan Y, Jones BL, Ingram CJ**, ym. A worldwide correlation of lactase persistence phenotype and genotypes. *BMC Evol Biol*. 2010;10:36.
- Jafari E, Vahedi H, Merat S**, ym. Therapeutic effects, tolerability and safety of a multi-strain probiotic in Iranian adults with irritable bowel syndrome and bloating. *Arch Iran Med*. 2014;17(7):466-470.
- Jalanka-Tuovinen J, Salonen A, Nikkila J**, ym. Intestinal microbiota in healthy adults: temporal analysis reveals individual and common core and relation to intestinal symptoms. *PLoS One* 2011; 6: e23035.
- Jalanka-Tuovinen J, Salojärvi J, Salonen A**, ym. Effect of Probiotics on Depression: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients*. 2016 Aug 6;8(8).
- Jalanka J, Major G, Murray K**, ym. The Effect of Psyllium Husk on Intestinal Microbiota in Constipated Patients and Healthy Controls. *Int J Mol Sci*. 2019 Jan 20;20(2):433.
- James LJ, Stevenson EJ, Rumbold PLS**, ym. Cow's milk as a post-exercise recovery drink: implications for performance and health. *Eur J Sport Sci*. 2019;19(1):40-48.
- Jefferson A, Adolphus K**. The Effects of Intact Cereal Grain Fibers, Including Wheat Bran on the Gut Microbiota Composition of Healthy Adults: A Systematic Review. *Front Nutr*. 2019;6:33.
- Jentjens RL, Jeukendrup AE**. High rates of exogenous carbohydrate oxidation from a mixture of glucose and fructose ingested during prolonged cycling exercise. *Br J Nutr*. 2005 Apr;93(4):485-92.
- Jeukendrup AE**. Carbohydrate intake during exercise and performance. *Nutrition* 2004; 20: 669–77.
- Jeukendrup AE**. Carbohydrate and exercise performance: the role of multiple transportable carbohydrates. *Curr Opin Clin Nutr Metab Care*. 2010 Jul;13(4):452-7.
- Jeukendrup AE**. Nutrition and endurance sports: running, cycling, triathlon. *J Sports Sci*. 2011;29:S91–S99.
- Jeukendrup AE**. <http://www.nutritionworks.com.au/wp-content/uploads/2011/11/Carbohydrate.blends.pdf> (a)
- Jeukendrup AE**. Training the Gut for Athletes. *Sports Med*. 2017 Mar;47(Suppl 1):101-110.
- Jeukendrup AE, Saris WH, Wagenmakers AJ**. Fat metabolism during exercise: a review--part III: effects of nutritional interventions. *Int J Sports Med*. 1998 Aug;19(6):371-9. Review.
- Jeukendrup AE, Vet-Joop K, Sturk A**, ym. Relationship between gastro-intestinal complaints and endotoxaemia, cytokine release and the acute-phase reaction during and after a long-distance triathlon in highly trained men. *Clin Sci (Lond)* 2000;98:47–55.
- Jeukendrup AE, Jentjens R**. Oxidation of carbohydrate feedings during prolonged exercise: current thoughts, guidelines and directions for future research. *Sports Med*. 2000 Jun;29(6):407-24.
- Jeukendrup AE, Jentjens RL, Moseley L**. Nutritional considerations in triathlon. *Sports Med*. 2005;35(2):163-81. Review.
- Jeukendrup AE, Currell K, Clarke J**, ym. Effect of beverage glucose and sodium content on fluid delivery. *Nutr Metab (Lond)*. 2009 Feb 20;6:9.
- Jeukendrup AE, Moseley L**. Multiple transportable carbohydrates enhance gastric emptying and fluid delivery. *Scand J Med Sci Sports*. 2010 Feb;20(1):112-21.
- Jeukendrup AE, McLaughlin J**. Carbohydrate ingestion during exercise: effects on performance, training adaptations and trainability of the gut. *Nestle Nutr Inst Workshop Ser*. 2011;69:1-12; discussion 13-7.
- Johnson AC, Tran L, Schulkin J**, ym. Importance of stress receptor-mediated mechanisms in the amygdala on visceral pain perception in an intrinsically anxious rat. *Neurogastroenterol Motil*. 2012 May; 24(5):479-86, e219.
- Jones BL, O'Hara JP, Till K**, ym. Dehydration and hyponatraemia in professional rugby union players: a cohort study observing english premiership rugby union players during match play, field, and gym training in cool environmental conditions. *J Strength Cond Res*. 2015 Jan;29(1):107-15.
- Jonvik KL, Lenaerts K, Smeets JSJ**, ym. Sucrose but Not Nitrate Ingestion Reduces Strenuous Cycling-induced Intestinal Injury. *Med Sci Sports Exerc*. 2019 Mar;51(3):436-444.
- Johannesson E, Simrén M, Strid H**, ym. Physical activity improves symptoms in irritable bowel syndrome: a randomized controlled trial. *Am J Gastroenterol*. 2011;106:915-922.
- Johannesson E, Jakobssonung E, Sadik R**, ym. Experiences of the effects of physical activity in persons with irritable bowel syndrome (IBS): a qualitative content analysis. *Scand J Gastroenterol*. 2018 Oct - Nov;53(10-11):1194-1200.
- Johnson RJ, Murray R**. Fructose, exercise, and health. *Curr Sports Med Rep*. 2010 Jul-Aug;9(4):253-8.
- Jouanin A, Schaart JG, Boyd LA**, et al. Outlook for coeliac disease patients: towards bread wheat with hypoimmunogenic gluten by gene editing of α - and γ -gliadin gene families. *BMC Plant Biol*. 2019;19(1):333.
- Jung KW, Seo M, Cho YH**, ym. Prevalence of Fructose Malabsorption in Patients With Irritable Bowel Syndrome After Excluding Small Intestinal Bacterial Overgrowth. *J Neurogastroenterol Motil*. 2018;24(2):307-316
- Jungersen M, Wind A, Johansen E**, ym. The Science behind the Probiotic Strain *Bifidobacterium animalis* subsp. *lactis* BB-12^(®). *Microorganisms*. 2014;2(2):92-110.
- Junker Y, Zeissig S, Kim SJ**, ym. Wheat amylase trypsin inhibitors drive intestinal inflammation via activation of toll-like receptor 4. *J Exp Med*. 2012;209(13):2395-2408.
- Jäger R, Mohr AE, Carpenter KC**, ym. International Society of Sports Nutrition Position Stand: Probiotics. *J Int Soc Sports Nutr*. 2019;16(1):62.
- Kajander K, Hatakka K, Poussa T**, ym. A probiotic mixture alleviates symptoms in irritable bowel syndrome patients: a controlled 6-month intervention. *Aliment Pharmacol Ther*. 2005;22(5):387-394.
- Kanuchi O, Andoh A, AbuBakar S**, ym. Probiotics and Paraprobiotics in Viral Infection: Clinical Application and Effects on the Innate and Acquired Immune Systems. *Curr Pharm Des*. 2018;24(6):710-717.
- Kanuri N, Cassell B, Bruce SE**, ym. The impact of abuse and mood on bowel symptoms and health-related quality of life in irritable bowel syndrome (IBS). *Neurogastroenterol Motil*. 2016;28(10):1508-1517.

- Kaplan GB, Greenblatt DJ, Ehrenberg BL**, ym. Dose-dependent pharmacokinetics and psychomotor effects of caffeine in humans. *J. Clin. Pharmacol.* 1997;37:693–703.
- Kapoor MP, Sugita M, Fukuzawa Y**, ym. Impact of partially hydrolyzed guar gum (PHGG) on constipation prevention: A systematic review and meta-analysis. *J. Funct. Foods.* 2017;33:52–66.
- Karhu E, Forsgård RA, Alanko L**, ym. Exercise and gastrointestinal symptoms: running-induced changes in intestinal permeability and markers of gastrointestinal function in asymptomatic and symptomatic runners. *Eur J Appl Physiol.* 2017 Dec;117(12):2519–2526.
- Kassininen A, Krogjus-Kurikka L, Mäki vuokko H**, ym. The fecal microbiota of irritable bowel syndrome patients differs significantly from that of healthy subjects. *Gastroenterology.* 2007 Jul; 133(1):24–33.
- Keliakia.** Käypä hoito -suositus. Suomalaisen Lääkäriseuran Duodecimin ja Suomen Gastroenterologiayhdistys ry:n asettama työryhmä. Helsinki: Suomalainen Lääkäriseura Duodecim, 2018 (viittattu 18.8.2020). Saatavilla internetissä: www.kaypahoito.fi
- Kelly JR, Minuto C, Cryan JF**, ym. Cross Talk: The Microbiota and Neurodevelopmental Disorders. *Front Neurosci.* 2017 Sep 15;11:490.
- Kemppainen KM, Lynch KE, Liu E**, ym. Factors That Increase Risk of Celiac Disease Autoimmunity After a Gastrointestinal Infection in Early Life. *Clin Gastroenterol Hepatol.* 2017;15(5):694–702.e5.
- Keneffick RW.** Drinking Strategies: Planned Drinking Versus Drinking to Thirst. *Sports Med.* 2018;48(Suppl 1):31–37.
- Kenney WL, Ho CW.** Age alters regional distribution of blood flow during moderate-intensity exercise. *J Appl Physiol.* (1985). 1995 Oct;79(4):1112–9.
- Kerber M, Oberkanins C, Kriegshäuser G**, ym. Hydrogen breath testing versus LCT genotyping for the diagnosis of lactose intolerance: a matter of age?. *Clin Chim Acta.* 2007;383(1-2):91–96.
- Keum N, Bao Y, Smith-Warner SA**, ym. Association of Physical Activity by Type and Intensity With Digestive System Cancer Risk. *JAMA Oncol.* 2016 Sep 1;2(9):1146–53.
- Khan I, Ullah N, Zha L**, ym. Alteration of Gut Microbiota in Inflammatory Bowel Disease (IBD): Cause or Consequence? IBD Treatment Targeting the Gut Microbiome. *Pathogens.* 2019 Aug 13;8(3):126.
- Khanna R, MacDonald JK, Levesque BG.** Peppermint oil for the treatment of irritable bowel syndrome: a systematic review and meta-analysis. *J Clin Gastroenterol.* 2014;48(6):505–512.
- Khayyam U, Sachdeva P, Gomez J**, ym. Assessment of symptoms during gastric emptying scintigraphy to correlate symptoms to delayed gastric emptying. *Neurogastroenterol Motil.* 2010;22:539–545.
- Killian LA, Lee SY.** Irritable bowel syndrome is underdiagnosed and ineffectively managed among endurance athletes. *Appl Physiol Nutr Metab.* 2019;44(12):1329–1338.
- Kim MS, Chey WD, Owyang CH**, ym. Role of plasma vasopressin as a mediator of nausea and gastric slow wave dysrhythmias in motion sickness. *Am. J. Physiol.* 1997;272:G853–G862.
- Kim DY, Camilleri M.** Serotonin: a mediator of the brain-gut connection. *Am J Gastroenterol.* 2000;95(10):2698–2709.
- Kim HJ, Vazquez Roque MI, Camilleri M**, ym. A randomized controlled trial of a probiotic combination VSL# 3 and placebo in irritable bowel syndrome with bloating. *Neurogastroenterol Motil.* 2005;17(5):687–696.
- Kim MH, Kim H.** The Roles of Glutamine in the Intestine and Its Implication in Intestinal Diseases. *Int J Mol Sci.* 2017 May 12;18(5):1051.
- Kim Y, Choi CH.** Role of Fructose Malabsorption in Patients With Irritable Bowel Syndrome. *J Neurogastroenterol Motil.* 2018;24(2):161–163.
- King TS, Elia M, Hunter JO.** Abnormal colonic fermentation in irritable bowel syndrome. *Lancet.* 1998;352(9135):1187–1189.
- Kipps C, Sharma S, Tunstall Pedoe D.** The incidence of exercise-associated hyponatraemia in the London marathon. *Br J Sports Med.* 2011 Jan;45(1):14–9.
- Klare P, Nigg J, Nold J**, ym. The impact of a ten-week physical exercise program on health-related quality of life in patients with inflammatory bowel disease: a prospective randomized controlled trial. *Digest.* 2015;91:239–247.
- Klem F, Wadhwa A, Prokop LJ**, ym. Prevalence, Risk Factors, and Outcomes of Irritable Bowel Syndrome After Infectious Enteritis: A Systematic Review and Meta-analysis. *Gastroenterology.* 2017;152(5):1042–1054.e1.
- Klümpen W, Qaim M.** A meta-analysis of the impacts of genetically modified crops. *PLoS One.* 2014;9(11):e111629.
- Knechtle B, Senn O, Imoberdorf R**, ym. Maintained total body water content and serum sodium concentrations despite body mass loss in female ultra-runners drinking ad libitum during a 100 km race. *Asia Pac J Clin Nutr.* 2010;19(1):83–90.
- Knechtle B, Chlibková D, Papadopoulou S**, ym. Exercise-Associated Hyponatremia in Endurance and Ultra-Endurance Performance-Aspects of Sex, Race Location, Ambient Temperature, Sports Discipline, and Length of Performance: A Narrative Review. *Medicina (Kaunas).* 2019 Aug 26;55(9).
- Koenders EE, Franken CPG, Cotter JD**, ym. Restricting dietary sodium reduces plasma sodium response to exercise in the heat. *Scand J Med Sci Sports.* 2017 Nov;27(11):1213–1220.
- Kok CR, Hutchins R.** Yogurt and other fermented foods as sources of health-promoting bacteria. *Nutr Rev.* 2018;76(Suppl 1):4–15.
- Konturek PC, Brzozowski T, Konturek SJ.** Stress and the gut: pathophysiology, clinical consequences, diagnostic approach and treatment options. *J Physiol Pharmacol.* 2011;62(6):591–599.
- Korczak R, Kocher M, Swanson KS.** Effects of oats on gastrointestinal health as assessed by in vitro, animal, and human studies. *Nutr Rev.* 2020;78(5):343–363.
- Kraus BB, Sinclair JW, Castell DO.** Gastroesophageal reflux in runners. Characteristics and treatment. *Ann Intern Med.* 1990; 112: 429–33.
- Kravchenko J, Abernethy AP, Fawzy M**, ym. Minimization of heatwave morbidity and mortality. *Am J Prev Med.* 2013 Mar;44(3):274–82.
- Krishnareddy S, Stier K, Recanati M**, ym. Commercially available glutenases: a potential hazard in coeliac disease. *Therap Adv Gastroenterol.* 2017;10(6):473–481.
- Kriss M, Hazleton KZ, Nusbacher NM**, ym. Low diversity gut microbiota dysbiosis: drivers, functional implications and recovery. *Curr Opin Microbiol.* 2018 Aug;44:34–40.
- Kristjánsson G, Venge P, Häggren R.** Mucosal reactivity to cow's milk protein in coeliac disease. *Clin Exp Immunol.* 2007 Mar;147(3):449–55.
- Krogsbøll LR, Engsbro AL, Bytzer P.** Antibiotics: a risk factor for irritable bowel syndrome in a population-based cohort. *Scand J Gastroenterol.* 2018 Sep;53(9):1027–1030.
- Krueger JM, Opp MR.** Sleep and Microbes. *Int Rev Neurobiol.* 2016; 131():207–225.
- Kumar V, Wijmenga C, Withoff S.** From genome-wide association studies to disease mechanisms: celiac disease as a model for autoimmune diseases. *Semin Immunopathol.* 2012;34(4):567–580.
- Küllenberg de Gaudry D, Lohner S, Schmucker C**, ym. Milk A1 β -casein and health-related outcomes in humans: a systematic review. *Nutr Rev.* 2019;77(5):278–306.
- Kunimoto M, Nishi M, Sasaki K.** The relation between irregular bowel movement and the lifestyle of working women. *Hepato-Gastroenterology* 1998; 45: 956–960.
- Kurokawa S, Kishimoto T, Mizuno S**, ym. The effect of fecal microbiota transplantation on psychiatric symptoms among patients with irritable bowel syndrome, functional diarrhea and functional constipation: An open-label observational study. *J Affect Disord.* 2018;235:506–512.

- Laatikainen R, Koskenpalo J, Hongisto SM**, ym. Randomised clinical trial: low-FODMAP rye bread vs. regular rye bread to relieve the symptoms of irritable bowel syndrome. *Aliment Pharmacol Ther.* 2016 Sep;44(5):460-70.
- Laatikainen R, Jalanka J, Loponen J**, ym. Randomised clinical trial: effect of low-FODMAP rye bread versus regular rye bread on the intestinal microbiota of irritable bowel syndrome patients: association with individual symptom variation. *BMC Nutr.* 2019 Mar 6;5:12.
- Laatikainen R, Salmenkari H, Sibakov T**, ym. Randomised Controlled Trial: Partial Hydrolysation of Casein Protein in Milk Decreases Gastrointestinal Symptoms in Subjects with Functional Gastrointestinal Disorders. *Nutrients.* 2020;12(7):2140.
- Lacy BE, Cangemi D, Vazquez-Roque M.** Management of Chronic Abdominal Distension and Bloating. *Clin Gastroenterol Hepatol.* 2020;S1542-3565(20)30433-X.
- Lackner JM, Jaccard J, Radziwon CD**, ym. Durability and Decay of Treatment Benefit of Cognitive Behavioral Therapy for Irritable Bowel Syndrome: 12-Month Follow-Up. *Am J Gastroenterol.* 2019 Feb;114(2):330-338.
- Laitinen K, Mokkala K.** Overall Dietary Quality Relates to Gut Microbiota Diversity and Abundance. *Int J Mol Sci.* 2019;20(8):1835.
- lambeau KV, McRorie JW Jr.** Fiber supplements and clinically proven health benefits: How to recognize and recommend an effective fiber therapy. *J Am Assoc Nurse Pract.* 2017;29(4):216-223.
- Lambert GP, Chang RT, Xia T**, ym. Absorption from different intestinal segments during exercise. *J Appl Physiol* 1997; 83: 204–12.
- Lambert GP, Broussard LJ, Mason BL**, ym. Gastrointestinal permeability during exercise: effects of aspirin and energy-containing beverages. *J Appl Physiol* 2001; 90: 2075–80.
- Lambert GP, Boylan M, Laventure JP**, ym. Effect of aspirin and ibuprofen on GI permeability during exercise. *Int J Sports Med* 2007; 28: 722–6.
- Lambert GP, Lang J, Bull A**, ym. Fluid restriction during running increases GI permeability. *Int J Sports Med* 2008; 29: 194–8. (a)
- Lambert GP, Lang J, Bull A**, ym. Fluid tolerance while running: effect of repeated trials. *Int J Sports Med.* 2008;29:878–882. (b)
- Lamprecht M, Bogner S, Schipplinger G**, ym. Probiotic supplementation affects markers of intestinal barrier, oxidation, and inflammation in trained men; a randomized, double-blinded, placebo-controlled trial. *J Int Soc Sports Nutr.* 2012;9:45.
- Lange K, Buerger M, Stallmach A** ym. Effects of Antibiotics on Gut Microbiota. *Dig Dis.* 2016;34(3):260-8.
- Laxminarayan S, Reifman J, Edwards SS**, ym. Bolus Estimation–Rethinking the Effect of Meal Fat Content. *Diabetes Technol Ther.* 2015;17(12):860-866.
- Lazzini S, Polinelli W, Riva A, Morazzoni P**, ym. The effect of ginger (*Zingiber officinalis*) and artichoke (*Cynara cardunculus*) extract supplementation on gastric motility: a pilot randomized study in healthy volunteers. *Eur Rev Med Pharmacol Sci.* 2016;20(1):146-9.
- Lea R, Houghton LA, Reilly B**, ym. Is abdominal bloating related to physical distension in patients with irritable bowel syndrome (IBS)? *Gastroenterology.* 2003;124:A14.
- Lea R, Whorwell PJ.** Expert commentary--bloating, distension, and the irritable bowel syndrome. *MedGenMed.* 2005;7(1):18. Published 2005 Jan 10.
- Leckey Jill J.** ym. Ketone Diester Ingestion Impairs Time-Trial Performance in Professional Cyclists *Front Physiol.* 2017; 8: 806.
- Lee T, Clavel T, Smirnov K**, ym. Oral versus intravenous iron replacement therapy distinctly alters the gut microbiota and metabolome in patients with IBD. *Gut.* 2017;66:863-871.
- Lee C, Doo E, Choi JM**, ym. The Increased Level of Depression and Anxiety in Irritable Bowel Syndrome Patients Compared with Healthy Controls: Systematic Review and Meta-analysis. *J Neurogastroenterol Motil.* 2017;23(3):349-362. (a)
- Leiper JB., Broad N.P., Maughan R.J.** (2001) Effect of intermittent high-intensity exercise on gastric emptying in man. *Medicine and Science in Sports and Exercise* 33, 1270-1278.
- Leiper JB, Nicholas CW, Ali A**, ym. The effect of intermittent high-intensity running on gastric emptying of fluids in man. *Med Sci Sports Exerc.* 2005 Feb;37(2):240-7.
- Leis R, de Castro MJ, de Lamas C**, ym. Effects of Prebiotic and Probiotic Supplementation on Lactase Deficiency and Lactose Intolerance: A Systematic Review of Controlled Trials. *Nutrients.* 2020;12(5):1487.
- Lenhart A, Chey WD.** A Systematic Review of the Effects of Polyols on Gastrointestinal Health and Irritable Bowel Syndrome. *Adv Nutr.* 2017 Jul; 8(4):587-596.
- Lenhart A, Ferch C, Shaw M**, ym. Use of Dietary Management in Irritable Bowel Syndrome: Results of a Survey of Over 1500 United States Gastroenterologists. *J Neurogastroenterol Motil.* 2018 Jul 30;24(3):437-451.
- Lerner A, Matthias T.** Gluten free diet - tough alley in torrid time. *Int J Celiac Dis.* (2017) 5:50–5.
- Lerner A, Shoenfeld Y, Matthias T.** Probiotics: If It Does Not Help It Does Not Do Any Harm. Really?. *Microorganisms.* 2019;7(4):104. Published 2019 Apr 11.
- Levine B, Weisman S.** Enzyme replacement as an effective treatment for the common symptoms of complex carbohydrate intolerance. *Nutr Clin Care.* 2004;7(2):75-81.
- Levitt MD, Furne J, Olsson S.** The relation of passage of gas and abdominal bloating to colonic gas production. *Ann Intern Med.* 1996;124(4):422-424.
- Lewis JD, Abreu MT.** Diet as a Trigger or Therapy for Inflammatory Bowel Diseases. *Gastroenterology.* 2017 Feb;152(2):398-414.e6.
- Li YT, Xu H, Ye JZ**, ym. Efficacy of *Lactobacillus rhamnosus* GG in treatment of acute pediatric diarrhea: A systematic review with meta-analysis. *World J Gastroenterol.* 2019;25(33):4999-5016.
- Li B, Liang L, Deng H**, ym. Efficacy and Safety of Probiotics in Irritable Bowel Syndrome: A Systematic Review and Meta-Analysis. *Front Pharmacol.* 2020;11:332.
- Lien S, Kantanen J, Olsaker I**, ym. Comparison of milk protein allele frequencies in Nordic cattle breeds. *Anim Genet.* 1999;30(2):85-91.
- Lim CL.** Heat Sepsis Precedes Heat Toxicity in the Pathophysiology of Heat Stroke-A New Paradigm on an Ancient Disease. *Antioxidants (Basel).* 2018 Oct 25;7(11). pii: E149.
- Linderman J, Fahey TD.** Sodium bicarbonate ingestion and exercise performance. An update. *Sports Med.* 1991 Feb;11(2):71-7.
- Lis DM, Stellingwerff T, Shing CM**, ym. Exploring the popularity, experiences, and beliefs surrounding gluten-free diets in nonceliac athletes. *Int J Sport Nutr Exerc Metab* 2015; 25:37–45. (a)
- Lis D, Stellingwerff T, Kitic CM**, ym. No effects of a short-term gluten-free diet on performance in nonceliac athletes. *Med Sci Sport Exerc.* 2015;47(12):2563-2570. (b)
- Lis D, Ahuja KDK, Stellingwerff T**, ym. Food avoidance in athletes: FODMAP foods on the list. *Appl Physiol Nutr Metab* 2016; 41:1002–1004.
- Lis D, Ahuja KD, Stellingwerff T**, ym. Case Study: Utilizing a Low FODMAP Diet to Combat Exercise-Induced Gastrointestinal Symptoms. *Int J Sport Nutr Exerc Metab.* 2016 Oct;26(5):481-487. (a)
- Lis DM, Stellingwerff T, Kitic CM**, ym. Low FODMAP: A Preliminary Strategy to Reduce Gastrointestinal Distress in Athletes. *Med Sci Sports Exerc.* 2018 Jan;50(1):116-123.
- Lis DM.** Exit Gluten-Free and Enter Low FODMAPs: A Novel Dietary Strategy to Reduce Gastrointestinal Symptoms in Athletes. *Sports Med.* 2019;49(Suppl 1):87-97.
- Liu HN, Wu H, Chen YZ**, ym. Altered molecular signature of intestinal microbiota in irritable bowel syndrome patients compared with healthy controls: A systematic review and meta-analysis. *Dig Liver Dis.* 2017 Apr; 49(4):331-337.

- Liu Y, Alookaran JJ, Rhoads JM.** Probiotics in Autoimmune and Inflammatory Disorders. *Nutrients*. 2018 Oct 18;10(10).
- Liu Z, Udenigwe CC.** Role of food-derived opioid peptides in the central nervous and gastrointestinal systems. *J Food Biochem*. 2019;43(1):e12629.
- Liu Z, Wei ZY, Chen J, ym.** Acute Sleep-Wake Cycle Shift Results in Community Alteration of Human Gut Microbiome. *mSphere*. 2020 Feb 12;5(1).
- Lomer MC, Parkes GC, Sanderson JD.** Review article: lactose intolerance in clinical practice--myths and realities. *Aliment Pharmacol Ther*. 2008;27(2):93-103.
- Loponen J, Gänzle MG.** Use of Sourdough in Low FODMAP Baking. *Foods*. 2018;7(7):96.
- Losasso C, Eckert EM, Mastorilli E, ym.** Assessing the Influence of Vegan, Vegetarian and Omnivore Oriented Westernized Dietary Styles on Human Gut Microbiota: A Cross Sectional Study. *Front Microbiol*. 2018 Mar 5;9:317.
- Losurdo G, Principi M, Iannone A, ym.** Extra-intestinal manifestations of non-celiac gluten sensitivity: An expanding paradigm. *World J Gastroenterol*. 2018 Apr 14; 24(14):1521-1530.
- Lovell RM, Ford AC.** Global prevalence of and risk factors for irritable bowel syndrome: a meta-analysis. *Clin Gastroenterol Hepatol*. 2012 Jul; 10(7):712-721.e4.
- Lucey JA.** Raw Milk Consumption: Risks and Benefits. *Nutr Today*. 2015;50(4):189-193.
- Ludvigsson JF, Leffler DA, Bai JC, ym.** The Oslo definitions for coeliac disease and related terms. *Gut*. 2013;62(1):43-52.
- Lukito W, Malik SG, Surono IS, ym.** From 'lactose intolerance' to 'lactose nutrition'. *Asia Pac J Clin Nutr*. 2015;24 Suppl 1:S1-S8.
- Lyra A, Hillilä M, Huttunen T, ym.** Irritable bowel syndrome symptom severity improves equally with probiotic and placebo. *World J Gastroenterol*. 2016;22(48):10631-10642.
- Lähdeaho ML, Kaukinen K, Laurila K, ym.** Glutenase ALV003 attenuates gluten-induced mucosal injury in patients with celiac disease. *Gastroenterology*. 2014;146(7):1649-1658.
- Maagaard L, Ankersen DV, Végh Z, ym.** Follow-up of patients with functional bowel symptoms treated with a low FODMAP diet. *World J Gastroenterol*. 2016 Apr 21; 22(15):4009-19.
- Major G, Pritchard S, Murray K, ym.** Colon Hypersensitivity to Distension, Rather Than Excessive Gas Production, Produces Carbohydrate-Related Symptoms in Individuals With Irritable Bowel Syndrome. *Gastroenterology*. 2017;152(1):124-133.e2.
- Makki K, Deehan EC, Walter J, ym.** The Impact of Dietary Fiber on Gut Microbiota in Host Health and Disease. *Cell Host Microbe*. 2018;23(6):705-715.
- Malagelada JR, Accarino A, Azpiroz F.** Bloating and Abdominal Distension: Old Misconceptions and Current Knowledge. *Am J Gastroenterol*. 2017;112(8):1221-1231.
- Malalgoda M, Ohm JB, Simsek S.** Celiac Antigenicity of Ancient Wheat Species. *Foods*. 2019;8(12):675.
- Marangoni F, Pellegrino L, Verduci E, ym.** Cow's Milk Consumption and Health: A Health Professional's Guide. *J Am Coll Nutr*. 2019;38(3):197-208.
- March DS, Jones AW, Thatcher R, ym.** The effect of bovine colostrum supplementation on intestinal injury and circulating intestinal bacterial DNA following exercise in the heat. *Eur J Nutr*. 2019 Jun;58(4):1441-1451.
- Marchbank T, Davison G, Oakes JR, ym.** The nutriceutical bovine colostrum truncates the increase in gut permeability caused by heavy exercise in athletes. *Am J Physiol Gastrointest Liver Physiol* 300: G477-484, 2011.
- Marcone S, Belton O, Fitzgerald DJ.** Milk-derived bioactive peptides and their health promoting effects: a potential role in atherosclerosis. *Br J Clin Pharmacol*. 2017;83(1):152-162.
- Maresh CM, Gabaree-Boulard CL, Armstrong LE, ym.** Effect of hydration status on thirst, drinking, and related hormonal responses during low-intensity exercise in the heat. *J Appl Physiol*. 2004;97:39-44.
- Mari A, Abu Backer F, Mahamid M, ym.** Bloating and Abdominal Distension: Clinical Approach and Management. *Adv Ther*. 2019;36(5):1075-1084.
- Mari A, Baker FA, Mahamid M, ym.** The Evolving Role of Gut Microbiota in the Management of Irritable Bowel Syndrome: An Overview of the Current Knowledge. *J Clin Med*. 2020 Mar; 9(3): 685.
- Marsh A, Eslick EM, Eslick GD.** Does a diet low in FODMAPs reduce symptoms associated with functional gastrointestinal disorders? A comprehensive systematic review and meta-analysis. *Eur J Nutr*. 2016 Apr;55(3):897-906.
- Marteau P, Le Nevé B, Quinquis L, ym.** Consumption of a Fermented Milk Product Containing Bifidobacterium lactis CNCM I-2494 in Women Complaining of Minor Digestive Symptoms: Rapid Response Which Is Independent of Dietary Fibre Intake or Physical Activity. *Nutrients*. 2019;11(1):92.
- Martin D.** Physical activity benefits and risks on the gastrointestinal system. *South Med J*. 2011;104:831-837.
- Martin CR, Osadchy V, Kalani A, ym.** The Brain-Gut-Microbiome Axis. *Cell Mol Gastroenterol Hepatol*. 2018;6(2):133-148.
- Martínez-Sanz JM, Fernández Nuñez A, Sospedra I, ym.** Nutrition-Related Adverse Outcomes in Endurance Sports Competitions: A Review of Incidence and Practical Recommendations. *Int J Environ Res Public Health*. 2020 Jun 8;17(11):4082.
- Martínez-Vázquez MA, Vázquez-Elizondo G, González-González JA, ym.** Effect of antispasmodic agents, alone or in combination, in the treatment of Irritable Bowel Syndrome: systematic review and meta-analysis. *Rev Gastroenterol Mex*. 2012 Apr-Jun;77(2):82-90.
- Martoni CJ, Srivastava S, Leyer GJ.** Lactobacillus acidophilus DDS-1 and Bifidobacterium lactis UABla-12 Improve Abdominal Pain Severity and Symptomology in Irritable Bowel Syndrome: Randomized Controlled Trial. *Nutrients*. 2020 Jan 30;12(2).
- Marsh A, Eslick EM, Eslick GD.** Does a diet low in FODMAPs reduce symptoms associated with functional gastrointestinal disorders? A comprehensive systematic review and meta-analysis. *Eur J Nutr*. 2016;55(3):897-906.
- Masud T, Mahmood T, Latif A, ym.** Influence of processing and cooking methodologies for reduction of phytic acid content in wheat (*Triticum aestivum*) varieties. *J Food Process Pres*. 2007;31:583-594.
- Matherson PJ, Wilson MA, Garrison RN.** Regulation of intestinal blood flow. *J Surg Res*. 2000;93:182-196.
- Mattar R, Monteiro Mdo S, Villares CA, ym.** Single nucleotide polymorphism C/T(-13910), located upstream of the lactase gene, associated with adult-type hypolactasia: validation for clinical practice. *Clin Biochem*. 2008;41(7-8):628-630.
- Matthews SB, Waud JP, Roberts AG, ym.** Systemic lactose intolerance: a new perspective on an old problem. *Postgrad Med J*. 2005;81(953):167-173.
- Maughan RJ, Leiper JB.** Limitations to fluid replacement during exercise. *Can J Appl Physiol*. 1999 Apr;24(2):173-87. Review.
- Maughan RJ, Burke LM, Dvorak J, ym.** IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med*. 2018;52(7):439-455.
- McAllister RM.** Adaptations in control of blood flow with training: splanchnic and renal blood flows. *Med Sci Sports Exerc* 1998; 30: 375-81.
- McCubbin AJ, Zhu A, Gaskell SK, ym.** Hydrogel Carbohydrate-Electrolyte Beverage Does Not Improve Glucose Availability, Substrate Oxidation, Gastrointestinal Symptoms or Exercise Performance, Compared With a Concentration and Nutrient-Matched Placebo. *Int J Sport Nutr Exerc Metab*. 2019 Oct 17:1-9.
- McEwen BS.** Stress, adaptation, and disease. Allostasis and allostatic load. *Ann N Y Acad Sci*. 1998;840:33-44.
- McFarland LV, Evans CT, Goldstein EJC.** Strain-Specificity and Disease-Specificity of Probiotic Efficacy: A Systematic Review and Meta-Analysis. *Front Med (Lausanne)*. 2018 May 7;5:124.
- McFarland LV.** Efficacy of Single-Strain Probiotics Versus Multi-Strain Mixtures: Systematic Review of Strain and Disease Specificity. *Dig Dis Sci*. 2020 Apr 9.

- McGawley K, Shannon O, Betts J.** Ingesting a high-dose carbohydrate solution during the cycle section of a simulated Olympic-distance triathlon improves subsequent run performance. *Appl Physiol Nutr Metab*. 2012 Aug;37(4):664-71.
- McKenna Z, Berkemeier Q, Naylor A**, ym. Bovine colostrum supplementation does not affect plasma I-FABP concentrations following exercise in a hot and humid environment. *Eur J Appl Physiol*. 2017 Dec;117(12):2561-2567.
- McKenzie YA, Bowyer RK, Leach H**, ym. (IBS Dietetic Guideline Review Group on behalf of Gastroenterology Specialist Group of the British Dietetic Association). British Dietetic Association systematic review and evidence-based practice guidelines for the dietary management of irritable bowel syndrome in adults (2016 update). *J Hum Nutr Diet*. 2016 Oct; 29(5):549-75.
- McMurray RG, Forsythe WA, Mar MH**, ym. Exercise intensity-related responses of beta-endorphin and catecholamines. *Med. Sci. Sports Exerc.* 1987;19:570-574.
- McRorie JW Jr.** Evidence-Based Approach to Fiber Supplements and Clinically Meaningful Health Benefits, Part 1: What to Look for and How to Recommend an Effective Fiber Therapy. *Nutr Today*. 2015;50(2):82-89. (a)
- McRorie JW Jr.** Evidence-Based Approach to Fiber Supplements and Clinically Meaningful Health Benefits, Part 2 What to Look for and How to Recommend an Effective Fiber Therapy *Nutr Today*. 2015 Mar; 50(2): 90-97.
- McRorie JW, Chey WD.** Fermented Fiber Supplements Are No Better Than Placebo for a Laxative Effect. *Dig Dis Sci*. 2016;61(11):3140-3146.
- McRorie JW Jr, Fahey GC Jr, Gibb RD**, ym. Laxative effects of wheat bran and psyllium: Resolving enduring misconceptions about fiber in treatment guidelines for chronic idiopathic constipation. *J Am Assoc Nurse Pract*. 2020;32(1):15-23.
- Mearin F, Ciriza C, Minguez M**, ym. Clinical Practice Guideline: Irritable bowel syndrome with constipation and functional constipation in the adult. *Rev Esp Enferm Dig*. 2016;108(6):332-363.
- Megiorni F, Pizzati A**. HLA-DQA1 and HLA-DQB1 in Celiac disease predisposition: practical implications of the HLA molecular typing. *J Biomed Sci*. 2012;19(1):88. P
- Melchior C, Gourcerol G, Déchelotte P**, ym. Symptomatic fructose malabsorption in irritable bowel syndrome: A prospective study. *United European Gastroenterol J*. 2014;2(2):131-137.
- Mendis M, Martens EC, Simsek S.** How Fine Structural Differences of Xylooligosaccharides and Arabinoxyloligosaccharides Regulate Differential Growth of Bacteroides Species. *J Agric Food Chem*. 2018 Aug 8;66(31):8398-8405.
- Menees S, Chey W.** The gut microbiome and irritable bowel syndrome. *F1000Res*. 2018 Jul 9;7.
- Mencarini IR, Woodford KB, Old KM.** Comparing herd selection strategies for A2 beta-casein. *Proc. N. Z. Soc. Anim. Prod.* 2013;73:149- 154.
- Merrells RJ, Cripps AJ, Chivers PT**, ym. Role of lactic acidosis as a mediator of sprint-mediated nausea. *Physiol Rep*. 2019 Nov;7(21):e14283.
- Miall A, Khoo A, Rauch C**, ym. Two weeks of repetitive gut-challenge reduce exercise-associated gastrointestinal symptoms and malabsorption. *Scand J Med Sci Sports*. 2018 Feb;28(2):630-640.
- Michalak A, Mosińska P, Fichna J.** Polyunsaturated Fatty Acids and Their Derivatives: Therapeutic Value for Inflammatory, Functional Gastrointestinal Disorders, and Colorectal Cancer. *Front Pharmacol*. 2016; 7():459.
- Milan AM, Shrestha A, Karlström HJ** ym. Comparison of the impact of bovine milk β -casein variants on digestive comfort in females self-reporting dairy intolerance: a randomized controlled trial. *Am J Clin Nutr*. 2020 Jan 1;111(1):149-160.
- Millette M, Nguyen A, Amine KM**, ym. Gastrointestinal survival of bacteria in commercial probiotic products. *Intern J Prob Preb*. 2013;8(4):149-156.
- Misselwitz B, Pohl D, Fröhlauf H**, ym. Lactose malabsorption and intolerance: pathogenesis, diagnosis and treatment. *United European Gastroenterol J*. 2013;1(3):151-159.
- Misselwitz B, Butter M, Verbeke K**, ym. Update on lactose malabsorption and intolerance: pathogenesis, diagnosis and clinical management. *Gut*. 2019;68(11):2080-2091.
- Mitchell H, Porter J, Gibson PR**, ym. Review article: implementation of a diet low in FODMAPs for patients with irritable bowel syndrome—directions for future research. *Aliment. Pharmacol. Ther.* 2019; 49: 124–139.
- Moayyedi P, Quigley EM, Lacy BE**, ym. The effect of fiber supplementation on irritable bowel syndrome: a systematic review and meta-analysis. *Am J Gastroenterol*. 2014 Sep; 109(9):1367-74.
- Mohseni M, Silvers S, McNeil R**, ym. Prevalence of hyponatremia, renal dysfunction, and other electrolyte abnormalities among runners before and after completing a marathon or half marathon. *Sports Health*. 2011 Mar;3(2):145-51.
- Molina-Infante J, Santolaria S, Sanders DS**, ym. Systematic review: noncoeliac gluten sensitivity. *Aliment Pharmacol Ther*. 2015;41(9):807-820.
- Molina-Infante J, Carroccio A.** Suspected Nonceliac Gluten Sensitivity Confirmed in Few Patients After Gluten Challenge in Double-Blind, Placebo-Controlled Trials. *Clin Gastroenterol Hepatol*. 2017;15(3):339-348.
- Montalto M, Nucera G, Santoro L**, ym. Effect of exogenous beta-galactosidase in patients with lactose malabsorption and intolerance: a crossover double-blind placebo-controlled study. *Eur J Clin Nutr*. 2005;59(4):489-493.
- Montalto M, Gallo A, Santoro L**, ym. Low-dose lactose in drugs neither increases breath hydrogen excretion nor causes gastrointestinal symptoms. *Aliment Pharmacol Ther*. 2008;28(8):1003-1012.
- Monteiro CA, Cannon G, Levy RB**, ym. Ultra-processed foods: what they are and how to identify them. *Public Health Nutr*. 2019 Apr;22(5):936-941.
- Morrison SA, Cheung SS, Cotter JD.** Bovine colostrum, training status, and gastrointestinal permeability during exercise in the heat: a placebo-controlled double-blind study. *Appl Physiol Nutr Metab*. 2014 Sep;39(9):1070-82.
- Morton DP.** Exercise related transient abdominal pain. *Br J Sports Med* 2003; 37: 287-8.
- Morton DP, Callister R.** Factors influencing exercise-related transient abdominal pain. *Med Sci Sports Exerc* 2002; 34: 745-9.
- Morton DP, Callister R.** EMG activity is not elevated during exercise-related transient abdominal pain. *J Sci Med Sport* 2008; 11: 569-74.
- Morton D, Callister R.** Exercise-related transient abdominal pain (ETAP). *Sports Med*. 2015 Jan;45(1):23-35.
- Moses FM.** The effect of exercise on the gastrointestinal tract. *Sports Med*. 1990 Mar;9(3):159-72.
- Moses FM.** Exercise-associated intestinal ischemia. *Curr Sports Med Rep*. 2005 Apr;4(2):91-5.
- Mountjoy M, Sundgot-Borgen J, Burke L**, ym. The IOC consensus statement: beyond the Female Athlete Triad--Relative Energy Deficiency in Sport (RED-S). *Br J Sports Med*. 2014;48(7):491-497.
- Mozaffarian D.** Dairy Foods, Obesity, and Metabolic Health: The Role of the Food Matrix Compared with Single Nutrients. *Adv Nutr*. 2019 Sep 1;10(5):917S-923S.
- Mullin GE, Belkoff SM.** Survey to determine why people drink raw milk. *Glob Adv Health Med*. 2014 Nov;3(6):19-24.
- Mummah S, Oelrich B, Hope J**, ym. Effect of raw milk on lactose intolerance: a randomized controlled pilot study. *Ann Fam Med*. 2014 Mar-Apr;12(2):134-41.
- Murray K, Wilkinson-Smith V, Hoad C**, ym. Differential effects of FODMAPs (fermentable oligo-, di-, mono-saccharides and polyols) on small and large intestinal contents in healthy subjects shown by MRI. *Am. J. Gastroenterol*. 2013; 109: 110-119.
- Murray JA, Kelly CP, Green PHR**, ym. No Difference Between Latigluterase and Placebo in Reducing Villous Atrophy or Improving Symptoms in Patients With Symptomatic Celiac Disease. *Gastroenterology*. 2017;152(4):787-798.e2.

- Mustajoki P.** Ärtyvän suolen oireyhtymä (IBS). Lääkärikirja Duodecim 5.2.2018. www.terveyskirjasto.fi
- Mäki vuokko HA, Saarinen MT, Ouwehand AC, ym.** Effects of lactose on colon microbial community structure and function in a four-stage semi-continuous culture system. *Biosci Biotechnol Biochem.* 2006;70(9):2056-2063.
- Nagarajan N, Morden A, Bischof D, ym.** The role of fiber supplementation in the treatment of irritable bowel syndrome: a systematic review and meta-analysis. *Eur J Gastroenterol Hepatol.* 2015;27(9):1002-1010.
- Naik RD, Seidner DL, Adams DW.** Nutritional Consideration in Celiac Disease and Nonceliac Gluten Sensitivity. *Gastroenterol Clin North Am.* 2018 Mar;47(1):139-154.
- Nataraj BH, Ali SA, Behare PV, ym.** Postbiotics-parabiotics: the new horizons in microbial biotherapy and functional foods. *Microb Cell Fact.* 2020;19(1):168.
- Netto Candido TL, Bressan J, Alfenas RCG.** Dysbiosis and metabolic endotoxemia induced by high-fat diet. *Nutr Hosp.* 2018 Dec 3;35(6):1432-1440.
- Neufer PD, Young AJ, Sawka MN.** Gastric emptying during exercise: effects of heat stress and hypohydration. *Eur J Appl Physiol Occup Physiol.* 1989;58:433-439.
- Newberry C, McKnight L, Sarav M, ym.** Going Gluten Free: the History and Nutritional Implications of Today's Most Popular Diet. *Curr Gastroenterol Rep.* 2017;19(11):54.
- Ng QX, Soh AYS, Loke W, ym.** The role of inflammation in irritable bowel syndrome (IBS). *J Inflamm Res.* 2018 Sep 21;11:345-349.
- NHS.** <https://www.nhs.uk/conditions/irritable-bowel-syndrome-ibs/> / 2017
- Ni J, Wu GD, Albenberg L, ym.** Gut microbiota and IBD: causation or correlation?. *Nat Rev Gastroenterol Hepatol.* 2017;14(10):573-584.
- NICE.** Irritable bowel syndrome in adults: diagnosis and management of irritable bowel syndrome in primary care. NICE 2015.
- Nielsen HB, Svendsen LB, Jensen TH, ym.** Exercise-induced gastric mucosal acidosis. *Med Sci Sports Exerc.* 1995; 27: 1003-6.
- Nieminen M.** Laktoosi-intoleranssin diagnostointimenetelmät. Metropolia Ammattikorkeakoulu. Insinöörityö 1.3.2018.
- Nikkhah Bodagh M, Maleki I, Hekmatdoost A.** Ginger in gastrointestinal disorders: A systematic review of clinical trials. *Food Sci Nutr.* 2018 Nov 5;7(1):96-108.
- Niland B, Cash BD.** Health Benefits and Adverse Effects of a Gluten-Free Diet in Non-Celiac Disease Patients. *Gastroenterol Hepatol (N Y).* 2018 Feb; 14(2):82-91.
- Niu HL, Xiao JY.** The efficacy and safety of probiotics in patients with irritable bowel syndrome: Evidence based on 35 randomized controlled trials. *Int J Surg.* 2020;75:116-127.
- Niv E, Halak A, Tiomny E, ym.** Randomized clinical study: Partially hydrolyzed guar gum (PHGG) versus placebo in the treatment of patients with irritable bowel syndrome. *Nutr Metab (Lond).* 2016;13:10.
- Nkhata SG, Ayua E, Kamau EH, ym.** Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food Sci Nutr.* 2018 Oct 16;6(8):2446-2458.
- Noakes TD, Sharwood K, Speedy D, ym.** Three independent biological mechanisms cause exercise-associated hyponatremia: evidence from 2,135 weighed competitive athletic performances. *Proc Natl Acad Sci U S A.* 2005 Dec 20;102(51):18550-5.
- Norris JM, Barriga K, Hoffenberg EJ, ym.** Risk of celiac disease autoimmunity and timing of gluten introduction in the diet of infants at increased risk of disease. *JAMA.* 2005;293(19):2343-2351.
- Nosaka N, Suzuki Y, Suemitsu H, ym.** Medium-chain Triglycerides with Maltodextrin Increase Fat Oxidation during Moderate-intensity Exercise and Extend the Duration of Subsequent High-intensity Exercise. *J Oleo Sci.* 2018;67(11):1455-1462.
- Nose H, Mack GW, Shi XR, ym.** Role of osmolality and plasma volume during rehydration in humans. *J Appl Physiol.* 1988;65:325-331.
- Nuora A, Tupasela T, Jokioja R, ym.** The effect of heat treatments and homogenisation of cows' milk on gastrointestinal symptoms, inflammation markers and postprandial lipid metabolism. *Int. Dairy J.* 2018;85:184-190.
- Oak SJ, Jha R.** The effects of probiotics in lactose intolerance: A systematic review. *Crit Rev Food Sci Nutr.* 2019;59(11):1675-1683. doi:10.1080/10408398.2018.1425977
- O'Brien WJ, Rowlands DS.** Fructose-maltodextrin ratio in a carbohydrate-electrolyte solution differentially affects exogenous carbohydrate oxidation rate, gut comfort, and performance. *Am J Physiol Gastrointest Liver Physiol.* 2011 Jan;300(1):G181-9.
- O'Brien WJ, Stannard SR, Clarke JA, ym.** Fructose-maltodextrin ratio governs exogenous and other CHO oxidation and performance. *Med Sci Sports Exerc.* 2013 Sep;45(9):1814-24.
- Ogden HB, Child RB, Fallowfield JL, ym.** The Gastrointestinal Exertional Heat Stroke Paradigm: Pathophysiology, Assessment, Severity, Aetiology and Nutritional Countermeasures. *Nutrients.* 2020;12(2):537.
- Ogden HB, Child RB, Fallowfield JL, ym.** Gastrointestinal Tolerance of Low, Medium and High Dose Acute Oral l-Glutamine Supplementation in Healthy Adults: A Pilot Study. *Nutrients.* 2020 Sep 27;12(10):E2953. (a)
- Ojetti V, Gabrielli M, Migneco A, ym.** Regression of lactose malabsorption in coeliac patients after receiving a gluten-free diet. *Scand J Gastroenterol.* 2008;43(2):174-177.
- Ojetti V, Gigante G, Gabrielli M, ym.** The effect of oral supplementation with Lactobacillus reuteri or tilactase in lactose intolerant patients: randomized trial. *Eur Rev Med Pharmacol Sci.* 2010;14(3):163-170.
- O'Keeffe M, Jansen C, Martin L, ym.** Long-term impact of the low-FODMAP diet on gastrointestinal symptoms, dietary intake, patient acceptability, and healthcare utilization in irritable bowel syndrome. *Neurogastroenterol Motil.* 2018 Jan; 30(1):.
- Olesen M, Gudmand-Hoyer E.** Efficacy, safety, and tolerability of fructooligosaccharides in the treatment of irritable bowel syndrome. *Am J Clin Nutr.* 2000 Dec;72(6):1570-5.
- Olivares M, Neef A, Castillejo G, ym.** The HLA-DQ2 genotype selects for early intestinal microbiota composition in infants at high risk of developing coeliac disease. *Gut.* 2015;64(3):406-417.
- Ooi SL, Correa D, Pak SC.** Probiotics, prebiotics, and low FODMAP diet for irritable bowel syndrome - What is the current evidence? *Complement Ther Med.* 2019 Apr;43:73-80.
- O'Mahony SM, Clarke G, Borre YE, ym.** Serotonin, tryptophan metabolism and the brain-gut-microbiome axis. *Behav Brain Res.* 2015 Jan 15;277:32-48.
- O'Malley T, Myette-Cote E, Durrer C, ym.** Nutritional ketone salts increase fat oxidation but impair high-intensity exercise performance in healthy adult males. *Appl Physiol Nutr Metab.* 2017 Oct;42(10):1031-1035.
- Ooi SL, Correa D, Pak SC.** Probiotics, prebiotics, and low FODMAP diet for irritable bowel syndrome - What is the current evidence? *Complement Ther Med.* 2019 Apr;43:73-80.
- Oosthuysse T, Carstens M, Millen AM.** Ingesting Isomaltulose Versus Fructose-Maltodextrin During Prolonged Moderate-Heavy Exercise Increases Fat Oxidation but Impairs Gastrointestinal Comfort and Cycling Performance. *Int J Sport Nutr Exerc Metab.* 2015 Oct;25(5):427-38.
- Ortiz-Alvarez L, Xu H, Martinez-Tellez B.** Influence of Exercise on the Human Gut Microbiota of Healthy Adults: A Systematic Review. *Clin Transl Gastroenterol.* 2020 Feb;11(2):e00126.
- Ortiz-Lucas M, Tobías A, Saz P, ym.** Effect of probiotic species on irritable bowel syndrome symptoms: A bring up to date meta-analysis. *Rev Esp Enferm Dig.* 2013 Jan; 105(1):19-36.

- Oshima T, Miwa H, Joh T.** Aspirin induces gastric epithelial barrier dysfunction by activating p38 MAPK via claudin-7. *Am J Physiol Cell Physiol* 2008;295:C800–C806.
- Oświecimska J, Szymbak A, Rocznia W**, ym. New insights into the pathogenesis and treatment of irritable bowel syndrome. *Adv Med Sci*. 2017 Mar; 62(1):17-30.
- Otte JA, Oostveen E, Geelkerken RH**, ym. Exercise induces gastric ischemia in healthy volunteers: a tonometry study. *J Appl Physiol* 2001; 91: 866–71.
- Otte JA, Geelkerken RH, Oostveen E**, ym. Clinical impact of gastric exercise tonometry on diagnosis and management of chronic gastrointestinal ischemia. *Clin Gastroenterol Hepatol* 2005; 3: 660–6.
- Ozuna CV, Barro F.** Safety evaluation of transgenic low-gliadin wheat in Sprague Dawley rats: An alternative to the gluten free diet with no subchronic adverse effects. *Food Chem Toxicol*. 2017;107(Pt A):176-185.
- Paajanen L, Tuure T, Poussa T**, ym. No difference in symptoms during challenges with homogenized and unhomogenized cow's milk in subjects with subjective hypersensitivity to homogenized milk. *J. Dairy Res*. 2003;70:175–179.
- Painneau D, Payen F, Panserieu S**, ym. The effects of regular consumption of short-chain fructo-oligosaccharides on digestive comfort of subjects with minor functional bowel disorders. *Br J Nutr*. 2008 Feb;99(2):311-8.
- Pal S, Woodford K, Kukuljan S**, ym. Milk Intolerance, Beta-Casein and Lactose. *Nutrients*. 2015;7:7285–7297.
- Panaceri K, Whorwell PJ.** Dietary Lectin exclusion: The next big food trend?. *World J Gastroenterol*. 2019;25(24):2973-2976.
- Pantaleão LC, Rogero MM, Amancio OMS.** Brazilian Society for Food and Nutrition position statement: gluten-free diet. *Nutrire* 2016; 41:1–4.
- Passos MC, Serra J, Azpizor F**, ym. Impaired reflex control of intestinal gas transit in patients with abdominal bloating. *Gut*. 2005 Mar; 54(3):344-8.
- Patcharatrakul T, Juntrapirat A, Lakananurak N**, ym. Effect of Structural Individual Low-FODMAP Dietary Advice vs. Brief Advice on a Commonly Recommended Diet on IBS Symptoms and Intestinal Gas Production. *Nutrients*. 2019 Nov 21;11(12):2856.
- Patel A, Hasak S, Cassell B**, ym. Effects of disturbed sleep on gastrointestinal and somatic pain symptoms in irritable bowel syndrome. *Aliment Pharmacol Ther* 2016;44:246–58.
- Pecora F, Persico F, Gismondi P**, ym. Gut Microbiota in Celiac Disease: Is There Any Role for Probiotics?. *Front Immunol*. 2020;11:957.
- Pedersen N, Andersen NN, Végh Z**, ym. Ehealth: low FODMAP diet vs Lactobacillus rhamnosus GG in irritable bowel syndrome. *World J Gastroenterol*. 2014;20(43):16215-16226.
- Pekki H, Kurppa K, Mäki M** ym. Predictors and significance of incomplete mucosal recovery in celiac disease after 1 year on a gluten-free diet. *Am J Gastroenterol* 2015;110:1078-85.
- Pellissier S, Dantzer C, Mondillon L**, ym. Relationship between vagal tone, cortisol, TNF-alpha, epinephrine and negative affects in Crohn's disease and irritable bowel syndrome. *PLoS One*. 2014;9(9):e105328.
- Pellissier S, Bonaz B.** The Place of Stress and Emotions in the Irritable Bowel Syndrome. *Vitam Horm*. 2017;103:327-354.
- Pelto L, Salminen S, Lilius EM**, ym. Milk hypersensitivity—Key to poorly defined gastrointestinal symptoms in adults. *Allergy*. 1998;53:307–310.
- Pelto L, Rantakokko H-K, Lilius E-M**, ym. No difference in symptoms and receptor expression in lactose-intolerant and in milk-hypersensitive subjects following intake of homogenized and unhomogenized milk. *Int. Dairy J*. 2000;10:799–803.
- Perdijk O, van Splunter M, Savelkoul HFJ**, ym. Cow's Milk and Immune Function in the Respiratory Tract: Potential Mechanisms. *Front Immunol*. 2018;9:143.
- Périard JD, Racinais S, Sawka MN.** Adaptations and mechanisms of human heat acclimation: Applications for competitive athletes and sports. *Scand J Med Sci Sports*. 2015 Jun;25 Suppl 1:20-38.
- Perähö M, Kaukinen K, Mustalahti K**, ym. Effect of an oats-containing gluten-free diet on symptoms and quality of life in coeliac disease. A randomized study. *Scand J Gastroenterol*. 2004;39(1):27-31.
- Peters HP, Schep G, Koster DJ**, ym. Hydrogen breath test as a simple noninvasive method for evaluation of carbohydrate malabsorption during exercise. *Eur J Appl Physiol Occup Physiol*. 1994;68(5):435-40.
- Peters HP, Bos M, Seebregts L**, ym. Gastrointestinal symptoms in long-distance runners, cyclists, and triathletes: prevalence, medication, and etiology. *Am J Gastroenterol*. 1999;94:1570–81.
- Peters HP, Wiersma WC, Akkermans LM**, ym. Gastrointestinal mucosal integrity after prolonged exercise with fluid supplementation. *Med Sci Sports Exerc*. 2000;32:134-142.
- Peters HP, De Vries WR, Vanberge-Henegouwen GP**, ym. Potential benefits and hazards of physical activity and exercise on the gastrointestinal tract. *Gut*. 2001 Mar;48(3):435-9.
- Patrick JS, Brower-Toland B, Jackson AL**, ym. Safety assessment of food and feed from biotechnology-derived crops employing RNA-mediated gene regulation to achieve desired traits: a scientific review. *Regul Toxicol Pharmacol*. 2013;66(2):167-176.
- Pettersson S, Edin F, Bakkman L**, ym. Effects of supplementing with an 18% carbohydrate-hydrogel drink versus a placebo during whole-body exercise in -5 °C with elite cross-country ski athletes: a crossover study. *J Int Soc Sports Nutr*. 2019 Oct 26;16(1):46.
- Pfeiffer B, Stellingwerff T, Zaltas E**, ym. CHO oxidation from a CHO gel compared with a drink during exercise. *Med Sci Sports Exerc*. 2010 Nov;42(11):2038-45.5(11):1211-24. (a)
- Pfeiffer B, Stellingwerff T, Zaltas E**, ym. Oxidation of solid versus liquid CHO sources during exercise. *Med Sci Sports Exerc*. 2010 Nov;42(11):2030-7.
- Pfeiffer B, Stellingwerff T, Hodgson AB**, ym. Nutritional intake and gastrointestinal problems during competitive endurance events. *Med Sci Sports Exerc*. 2012 Feb;44(2):344-51.
- Pickering C, Kiely J.** Are the current guidelines on caffeine use in sport optimal for everyone? Inter-individual variation in caffeine ergogenicity, and a move towards personalised sports nutrition. *Sports Med*. 2018;48:7–16. doi: 10.1007/s40279-017-0776-1.
- Pimentel M, Lembo A.** Microbiome and Its Role in Irritable Bowel Syndrome. *Dig Dis Sci*. 2020 Mar;65(3):829-839.
- Pinckaers PJ, Churchward-Venne TA, Bailey D**, ym. Ketone Bodies and Exercise Performance: The Next Magic Bullet or Merely Hype? *Sports Med*. 2017 Mar;47(3):383-391.
- Pinto-Sánchez MI, Causada-Calo N, Bercik P** ym. Safety of Adding Oats to a Gluten-Free Diet for Patients With Celiac Disease: Systematic Review and Meta-analysis of Clinical and Observational Studies. *Gastroenterology* 2017;153:395-409.e3
- Pinto-Sánchez MI, Hall GB, Ghajar K**, ym. Probiotic *Bifidobacterium longum* NCC3001 Reduces Depression Scores and Alters Brain Activity: A Pilot Study in Patients With Irritable Bowel Syndrome. *Gastroenterology*. 2017;153(2):448-459.e8.
- Piqué N, Gómez-Guillén MDC, Montero MP.** Xyloglucan, a Plant Polymer with Barrier Protective Properties over the Mucous Membranes: An Overview. *Int J Mol Sci*. 2018 Feb 27;19(3):673.
- Piqué N, Berlanga M, Miñana-Galbis D.** Health Benefits of Heat-Killed (Tyndallized) Probiotics: An Overview. *Int J Mol Sci*. 2019;20(10):2534.
- Pires W, Veneroso CE, Wanner SP**, ym. Association Between Exercise-Induced Hyperthermia and Intestinal Permeability: A Systematic Review. *Sports Med*. 2017 Jul;47(7):1389-1403.
- Playford RJ, MacDonald CE, Calnan DP**, ym. Co-administration of the health food supplement, bovine colostrum, reduces the acute non-steroidal anti-inflammatory drug-induced increase in intestinal permeability. *Clin Sci (Lond)*. 2001 Jun;100(6):627-33.
- Plunkett BT, Hopkins WG.** Investigation of the side pain “stitch” induced by running after fluid ingestion. *Med Sci Sports Exerc* 1999; 31: 1169–75.

- Pop LL, Mureşan IA, Dumitraşcu DL.** How much bloating in the irritable bowel syndrome?. *Rom J Intern Med.* 2018;56(4):221-226.
- Popa SL, Leucuta DC, Dumitrascu DL.** Pressure management as an occupational stress risk factor in irritable bowel syndrome: A cross-sectional study. *Medicine (Baltimore).* 2018 Dec;97(49):e13562.
- Porter AM.** Marathon running and the caecal slap syndrome. *Br J Sports Med* 1982; 16: 178.
- Potter MDE, Brienesse SC, Walker MM,** ym. Effect of the gluten-free diet on cardiovascular risk factors in patients with celiac disease: A systematic review. *J Gastroenterol Hepatol.* 2018;33(4):781-791.
- Poulsen CH, Epolov LF, Hjorthøj C,** ym. Irritable bowel symptoms and the development of common mental disorders and functional somatic syndromes identified in secondary care - a long-term, population-based study. *Clin Epidemiol.* 2017;9:393-402.
- Pozuelo M, Panda S, Santiago A,** ym. Reduction of butyrate- and methane-producing microorganisms in patients with Irritable Bowel Syndrome. *Sci Rep.* 2015;5:12693.
- Principi N, Cozzali R, Farinelli E,** ym. Gut dysbiosis and irritable bowel syndrome: The potential role of probiotics. *J Infect.* 2018 Feb;76(2):111-120.
- Priyanka P, Gayam S, Kupec JT.** The Role of a Low Fermentable Oligosaccharides, Disaccharides, Monosaccharides, and Polyol Diet in Nonceliac Gluten Sensitivity. *Gastroenterol Res Pract.* 2018 Aug 6;2018:1561476.
- Pugh JN, Sage S, Hutson M,** ym. Glutamine supplementation reduces markers of intestinal permeability during running in the heat in a dose-dependent manner. *Eur J Appl Physiol.* 2017 Dec; 117(12):2569-2577.
- Punshon T, Jackson BP.** Essential micronutrient and toxic trace element concentrations in gluten containing and gluten-free foods. *Food Chem.* 2018 Jun 30; 252: 258-264.
- Qamar MI, Read AE.** Effects of exercise on mesenteric blood flow in man. *Gut* 1987; 28: 583-7.
- Qin HY, Cheng CW, Tang XD,** ym. Impact of psychological stress on irritable bowel syndrome. *World J Gastroenterol.* 2014 Oct 21;20(39):14126-31.
- Quartarone G.** Role of PHGG as a dietary fiber: a review article. *Minerva Gastroenterol Dietol.* 2013;59(4):329-340.
- Quigley EM.** Probiotics in Irritable Bowel Syndrome: The Science and the Evidence. *J Clin Gastroenterol.* 2015;49 Suppl 1:S60-S64.
- Quigley EMM.** The Gut-Brain Axis and the Microbiome: Clues to Pathophysiology and Opportunities for Novel Management Strategies in Irritable Bowel Syndrome (IBS). *J Clin Med.* 2018;7(1):6.
- Radu M, Moldovan R, Pintea S,** ym. Predictors of outcome in cognitive and behavioural interventions for irritable bowel syndrome. A meta-analysis. *J Gastrointestin Liver Dis.* 2018 Sep;27(3):257-263.
- Raehsler SL, Choung RS, Marietta EV,** ym. Accumulation of Heavy Metals in People on a Gluten-Free Diet. *Clin Gastroenterol Hepatol.* 2018 Feb;16(2):244-251.
- Ramakrishnan M, Eaton T, Sermet O,** ym. A Single Meal of Milk Containing A2 B-Casein Causes Fewer Symptoms and Lower Gas Production than Milk Containing Both A1 and A2 B-Casein Among Lactose Intolerant Individuals, Current Developments in Nutrition, Volume 4, Issue Supplement_2, June 2020, Page 772.
- Rao K, Safdar N.** Fecal microbiota transplantation for the treatment of *Clostridium difficile* infection. *J Hosp Med.* 2016;11(1):56-61.
- Rao SS, Welcher K, Zimmerman B,** ym. Is coffee a colonic stimulant? *Eur J Gastroenterol Hepatol.* 1998 Feb; 10(2):113-8.
- Rao SS, Attaluri A, Anderson L,** ym. Ability of the normal human small intestine to absorb fructose: evaluation by breath testing. *Clin Gastroenterol Hepatol.* 2007;5(8):959-963.
- Rao SS, Yu S, Fedewa A.** Systematic review: dietary fibre and FODMAP-restricted diet in the management of constipation and irritable bowel syndrome. *Aliment Pharmacol Ther.* 2015 Jun;41(12):1256-70.
- Rao TP, Quartarone G.** Role of guar fiber in improving digestive health and function. *Nutrition.* 2019;59:158-169.
- Reding KW, Cain KC, Jarrett ME,** ym. Relationship between patterns of alcohol consumption and gastrointestinal symptoms among patients with irritable bowel syndrome. *Am J Gastroenterol.* 2013 Feb;108(2):270-6.
- Rehrer NJ.** Fluid and electrolyte balance in ultra-endurance sport. *Sports Med.* 2001;31(10):701-15. Review.
- Rehrer NJ, Beckers EJ, Brouns F,** ym. Effects of dehydration on gastric emptying and gastrointestinal distress while running. *Med Sci Sports Exerc.* 1990;22:790-795.
- Rehrer NJ, van Kemenade M, Meester W,** ym. Gastrointestinal complaints in relation to dietary intake in triathletes. *Int. J. Sport Nutr.* 1992;2:48-59.
- Rehrer NJ, Smets A, Reynaert H,** ym. Effect of exercise on portal vein blood flow in man. *Med Sci Sports Exerc.* 2001; 33: 1533-7.
- Rehrer NJ, Goes E, DuGardeyn C,** ym. Effect of carbohydrate on portal vein blood flow during exercise. *Int J Sports Med.* 2005 Apr;26(3):171-6.
- Reigstad CS, Salmonson CE, Rainey JE, III,** ym. (2015) Gut microbes promote colonic serotonin production through an effect of short-chain fatty acids on enterochromaffin cells. *FASEB Journal* 29(4): 1395-1403.
- Rej A, Avery A, Ford AC,** ym. Clinical application of dietary therapies in irritable bowel syndrome. *J Gastrointestin Liver Dis.* 2018;27(3):307-316.
- Reynolds CJ, Cleaver BJ, Finlay SE.** Exercise associated hyponatraemia leading to tonic-clonic seizure. *BMJ Case Rep.* 2012 Aug 27;2012.
- Rezac S, Kok CR, Heermann M** ym. Fermented Foods as a Dietary Source of Live Organisms. *Front Microbiol.* 2018; 9():1785.
- Rezaie A, Buresi M, Lembo A,** ym. Hydrogen and Methane-Based Breath Testing in Gastrointestinal Disorders: The North American Consensus. *Am J Gastroenterol.* 2017;112(5):775-784.
- Riddle MS, Murray JA, Porter CK.** The incidence and risk of celiac disease in a healthy US adult population. *Am J Gastroenterol.* 2012;107(8):1248-1255.
- Ried K, Travica N, Doraraj R, Sali A.** Herbal formula improves upper and lower gastrointestinal symptoms and gut health in Australian adults with digestive disorders. *Nutr Rev.* 2020 Apr;78:37-51.
- Richl ME.** The Emerging Role of Brain-Gut Therapies for Irritable Bowel Syndrome *Gastroenterol Hepatol (N Y)*. 2018 Jul; 14(7): 436-438.
- Ringel-Kulka T, Goldsmith JR, Carroll IM,** ym. Lactobacillus acidophilus NCFM affects colonic mucosal opioid receptor expression in patients with functional abdominal pain - a randomised clinical study. *Aliment Pharmacol Ther.* 2014;40(2):200-207.
- Rinninella E, Cintoni M, Raoul P,** ym. Food Components and Dietary Habits: Keys for a Healthy Gut Microbiota Composition. *Nutrients.* 2019;11(10):2393.
- Rinninella E, Raoul P, Cintoni M,** ym. What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet, and Diseases. *Microorganisms.* 2019;7(1):14. (a)
- Rizzello CG, De Angelis M, Di Cagno R,** ym. Highly efficient gluten degradation by lactobacilli and fungal proteases during food processing: new perspectives for celiac disease. *Appl Environ Microbiol.* 2007;73(14):4499-4507.
- Robertson JD, Maughan RJ, Davidson RJ.** Faecal blood loss in response to exercise. *Br Med J (Clin Res Ed)* 1987; 295: 303-5.
- Robson-Ansley P, Howatson G, Tallent J,** ym. Prevalence of allergy and upper respiratory tract symptoms in runners of the London marathon. *Med Sci Sports Exerc.* 2012 Jun; 44(6):999-1004.
- Romanos J, van Diemen CC, Nolte IM,** ym. Analysis of HLA and non-HLA alleles can identify individuals at high risk for celiac disease. *Gastroenterology.* 2009;137(3):834-840.e8403.
- Roncoroni L, Bascuñán KA, Doneda L,** ym. A Low FODMAP Gluten-Free Diet Improves Functional Gastrointestinal Disorders and Overall Mental Health of Celiac Disease Patients: A Randomized Controlled Trial [published correction appears in Nutrients. 2019 Mar 06;11(3):]. *Nutrients.* 2018;10(8):1023.

- Rosner MH, Kirven J.** Exercise-associated hyponatremia. *Clin J Am Soc Nephrol*. 2007;2(1):151-161.
- Rowlands DS, Swift M, Ros M, ym.** Composite versus single transportable carbohydrate solution enhances race and laboratory cycling performance. *Appl Physiol Nutr Metab*. 2012 Jun;37(3):425-36.
- Rowlands DS, Houltham S, Musa-Veloso K, ym.** Fructose-Glucose Composite Carbohydrates and Endurance Performance: Critical Review and Future Perspectives. *Sports Med*. 2015 Nov;45(11):1561-76.
- Rozenberg S, Body JJ, Bruyère O, ym.** Effects of Dairy Products Consumption on Health: Benefits and Beliefs--A Commentary from the Belgian Bone Club and the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases. *Calcif Tissue Int*. 2016;98(1):1-17.
- Rueda-Ruzaña L, Cruz F, Cardona D, ym.** Opioid system influences gut-brain axis: Dysbiosis and related alterations [published online ahead of print, 2020 Jun 3]. *Pharmacol Res*. 2020;159:104928.
- Rumessen JJ, Gudmand-Høyér E.** Absorption capacity of fructose in healthy adults. Comparison with sucrose and its constituent monosaccharides. *Gut*. 1986 Oct;27(10):1161-8.
- Rudzki SJ, Hazard H, Collinson D.** Gastrointestinal blood loss in triathletes: its etiology and relationship to sports anaemia. *Aust J Sci Med Sport*. 1995;27:3-8.
- Sakurai T, Yamada A, Hashikura N, ym.** Degradation of food-derived opioid peptides by bifidobacteria. *Benef Microbes*. 2018;9(4):675-682.
- Salvador AF, McKenna CF, Alamilla RA, ym.** Potato ingestion is as effective as carbohydrate gels to support prolonged cycling performance. *J Appl Physiol* (1985). 2019;127(6):1651-1659.
- Salvioli B, Serra J, Azpiroz F, ym.** Impaired small bowel gas propulsion in patients with bloating during intestinal lipid infusion. *Am J Gastroenterol*. 2006 Aug; 101(8):1853-7.
- Samasca G, Lerner A, Sur G, ym.** Challenging in gluten-free diet in celiac disease: Prague consensus. *Eur J Clin Invest*. (2017) 47:394-7.
- Samborski P, Chmielarz-Czarnocińska A, Grzymisławski M.** Exercise-induced vomiting. *Prz Gastroenterol*. 2013;8(6):396-400.
- Sánchez-León S, Gil-Humanes J, Ozuna CV, et al.** Low-gluten, nontransgenic wheat engineered with CRISPR/Cas9. *Plant Biotechnol J*. 2018;16(4):902-910.
- Sansone M, Sansone A, Borrione P, ym.** Effects of Ketone Bodies on Endurance Exercise. *Curr Sports Med Rep*. 2018 Dec;17(12):444-453.
- Sanz Y.** Effects of a gluten-free diet on gut microbiota and immune function in healthy adult humans. *Gut Microbes*. 2010;1(3):135-137.
- Sareban M, Zugel D, Koehler K, ym.** Carbohydrate intake in form of gel is associated with increased gastrointestinal distress but not with performance differences compared with liquid carbohydrate ingestion during simulated long-distance triathlon. *Int J Sport Nutr Exerc Metab* 2016; 26:114-122.
- Sarna SK, Otterson MF.** Small intestinal physiology and pathophysiology. *Gastroenterol Clin North Am*. 1989;18(2):375-404.
- Savaiano DA.** Lactose digestion from yogurt: mechanism and relevance. *Am J Clin Nutr*. 2014;99(S Suppl):1251S-5S.
- Savaiano DA, Ritter AJ, Klaenhammer TR, ym.** Improving lactose digestion and symptoms of lactose intolerance with a novel galacto-oligosaccharide (RP-G28): a randomized, double-blind clinical trial. *Nutr J*. 2013;12:160.
- Savilahti EM, Ilonen J, Kukkonen AK, ym.** Celiac Disease by the Age of 13 Years Is Not Associated With Probiotics Administration in Infancy. *J Pediatr Gastroenterol Nutr*. 2018;66(6):937-940.
- Sawka MN, Burke LM, Eichner ER ym.** American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc*. 2007 Feb;39(2):377-90. Review.
- Sawka MN, Leon LR, Montain SJ, ym.** Integrated physiological mechanisms of exercise performance, adaptation, and maladaptation to heat stress. *Compr Physiol*. 2011 Oct;1(4):1883-928.
- Scarpato E, Auricchio R, Penagini F, ym.** Efficacy of the gluten free diet in the management of functional gastrointestinal disorders: a systematic review on behalf of the Italian Society of Paediatrics. *Ital J Pediatr*. 2019;45(1):9.
- Schmulson MJ, Valdovinos MA, Milke P.** Chili pepper and rectal hyperalgesia in irritable bowel syndrome. *Am J Gastroenterol*. 2003 May;98(5):1214-5.
- Schmulson M, Chang L.** Review article: the treatment of functional abdominal bloating and distension. *Aliment Pharmacol Ther*. 2011;33(10):1071-1086.
- Schmulson MJ, Grossman DA.** What Is New in Rome IV. *J Neurogastroenterol Motil*. 2017 Apr 30;23(2):151-163.
- Schmulson M, Bashashati M.** Fecal microbiota transfer for bowel disorders: efficacy or hype?. *Curr Opin Pharmacol*. 2018;43:72-80.
- Schmulson MJ, Chiu-Ugalde J, Sáez-Ríos A, ym.** Efficacy of the Combination of Pinaverium Bromide 100 mg Plus Simethicone 300 mg in Abdominal Pain and Bloating in Irritable Bowel Syndrome: A Randomized, Placebo-controlled Trial. *J Clin Gastroenterol*. 2020 Apr;54(4):e30-e39.
- Schnabel L, Buscail C, Sabate JM, ym.** Association Between Ultra-Processed Food Consumption and Functional Gastrointestinal Disorders: Results From the French NutriNet-Santé Cohort. *Am J Gastroenterol*. 2018 Aug;113(8):1217-1228.
- Schnadower D, Tarr PI, Casper TC, ym.** Lactobacillus rhamnosus GG versus Placebo for Acute Gastroenteritis in Children. *N Engl J Med*. 2018;379(21):2002-2014.
- Schoenfeld P, Pimentel M, Chang L ym.** Safety and tolerability of rifaximin for the treatment of irritable bowel syndrome without constipation: a pooled analysis of randomised, double-blind, placebo-controlled trials. *Aliment Pharmacol Ther*. 2014 May; 39(10):1161-8.
- Schubert MM, Astorino TA.** A systematic review of the efficacy of ergogenic aids for improving running performance. *J Strength Cond Res*. 2013 Jun;27(6):1699-707.
- Schumann D, Klose P, Lauche R, ym.** Dobos G, Langhorst J, Cramer H. Low fermentable, oligo-, di-, mono-saccharides and polyol diet in the treatment of irritable bowel syndrome: A systematic review and meta-analysis. *Nutrition*. 2018 Jan;45:24-31. (a)
- Schumann D, Langhorst J, Dobos G, ym.** Randomised clinical trial: yoga vs a low-FODMAP diet in patients with irritable bowel syndrome. *Aliment Pharmacol Ther*. 2018 Jan;47(2):203-211.
- Schuppan D, Zevallos V.** Wheat amylase trypsin inhibitors as nutritional activators of innate immunity. *Dig Dis*. 2015;33(2):260-263.
- See JA, Kaukinen K, Makaria GK, ym.** Practical insights into gluten-free diets. *Nat Rev Gastroenterol Hepatol*. 2015;12(10):580-591.
- Segurel L, Guarino-Vignon P, Marchi N, ym.** Why and when was lactase persistence selected for? Insights from Central Asian herders and ancient DNA. *PLoS Biol*. 2020;18(6):e3000742.
- Seo AY, Kim N, Oh DH.** Abdominal bloating: pathophysiology and treatment. *J Neurogastroenterol Motil*. 2013;19(4):433-453.
- Seppo L, Tuure T, Korpeila R, ym.** Can primary hypolactasia manifest itself after the age of 20 years? A two-decade follow-up study. *Scand J Gastroenterol*. 2008;43(9):1082-1087.
- Serra J, Azpiroz F, Malagelada JR.** Impaired transit and tolerance of intestinal gas in the irritable bowel syndrome. *Gut*. 2001;48(1):14-19.
- Shah K, Ramos-Garcia M, Bhavsar J, ym.** Mind-body treatments of irritable bowel syndrome symptoms: An updated meta-analysis. *Behav Res Ther*. 2020;128:103462.
- Shahabi L, Naliboff BD, Shapiro D.** Self-regulation evaluation of therapeutic yoga and walking for patients with irritable bowel syndrome: a pilot study. *Psychol Health Med*. 2016;21(2):176-88.
- Shan L, Molberg Ø, Parrot I, ym.** Structural basis for gluten intolerance in celiac sprue. *Science*. 2002;297(5590):2275-2279.
- Shaukat A, Levitt MD, Taylor BC, ym.** Systematic review: effective management strategies for lactose intolerance. *Ann Intern Med*. 2010;152(12):797-803.

- Shaw DM, Merien F, Braakhuis A**, ym. The Effect of 1,3-Butanediol on Cycling Time-Trial Performance. *Int J Sport Nutr Exerc Metab.* 2019 Sep 1;29(5):466-473.
- Shepherd SJ, Gibson PR**. Fructose malabsorption and symptoms of irritable bowel syndrome: guidelines for effective dietary management. *J Am Diet Assoc.* 2006;106:1631-1639.
- Shi X, Summers RW, Schedl HP**, ym. Effects of carbohydrate type and concentration and solution osmolality on water absorption. *Med Sci Sports Exerc.* 1995;27:1607-1615.
- Shi X, Horn MK, Osterberg KL**, ym. Gastrointestinal discomfort during intermittent high-intensity exercise: effect of carbohydrate-electrolyte beverage. *Int J Sport Nutr Exerc Metab* 2004; 14: 673-83.
- Shim L, Prott G, Hansen RD**, ym. Prolonged balloon expulsion is predictive of abdominal distension in bloating. *Am J Gastroenterol.* 2010;105(4):883-887.
- Shin HS, Ingram JR, McGill AT**, ym. Lipids, CHOs, proteins: can all macronutrients put a 'brake' on eating? *Physiol Behav.* 2013 Aug 15;120:114-23.
- Shing CM, Peake JM, Lim CL**, ym. Effects of probiotics supplementation on gastrointestinal permeability, inflammation and exercise performance in the heat. *Eur J Appl Physiol.* 2014;114:93-103.
- Schwab U, Tunturi S**. Laktoosi-intoleranssi. Lääkärikirja Duodecim 1.6.2020. www.terveyskirjasto.fi
- Silanikove N, Leitner G, Merin U**. The Interrelationships between Lactose Intolerance and the Modern Dairy Industry: Global Perspectives in Evolutional and Historical Backgrounds. *Nutrients.* 2015;7(9):7312-7331.
- Silk DB, Davis A, Vulevic J**, ym. Clinical trial: the effects of a trans-galactooligosaccharide prebiotic on faecal microbiota and symptoms in irritable bowel syndrome. *Aliment Pharmacol Ther.* 2009;29:508-518.
- Silva YP, Bernardi A, Frozza RL**. The Role of Short-Chain Fatty Acids From Gut Microbiota in Gut-Brain Communication. *Front Endocrinol (Lau-* sanne). 2020 Jan 31;11:25.
- Silvester JA, Graff LA, Rigaux L**, ym. Symptoms of Functional Intestinal Disorders Are Common in Patients with Celiac Disease Following Transition to a Gluten-Free Diet. *Dig Dis Sci.* 2017;62(9):2449-2454.
- Simrén M, Måansson A, Langkilde AM**, ym. Food-related gastrointestinal symptoms in the irritable bowel syndrome. *Digestion.* 2001; 63(2):108-15.
- Singh RK, Chang HW, Yan D**, ym. Influence of diet on the gut microbiome and implications for human health. *J Transl Med.* 2017 Apr 8;15(1):73.
- Singhal S, Baker RD, Baker SS**. A Comparison of the Nutritional Value of Cow's Milk and Nondairy Beverages. *J Pediatr Gastroenterol Nutr.* 2017;64(5):799-805.
- Simrén M**. Physical activity and the gastrointestinal tract. *Eur J Gastroenterol Hepatol.* 2002;14:1053-6.
- Simrén M, Abrahamsson H, Björnsson ES**. Lipid-induced colonic hypersensitivity in the irritable bowel syndrome: the role of bowel habit, sex, and psychologic factors. *Clin Gastroenterol Hepatol.* 2007 Feb; 5(2):201-8.
- Skodje GI, Sarna VK, Minelle IH**, ym. Fructan, Rather Than Gluten, Induces Symptoms in Patients With Self-Reported Non-Celiac Gluten Sensitivity. *Gastroenterology.* 2018;154(3):529-539.e2.
- Skoog SM, Bharucha AE, Zinsmeister AR**. Comparison of breath testing with fructose and high fructose corn syrups in health and IBS. *Neurogastroenterol Motil.* 2008;20:S05-511.
- Slavin JL, Greenberg NA**. Partially hydrolyzed guar gum: clinical nutrition uses. *Nutrition.* 2003;19(6):549-552.
- Slavin JL**. Position of the American Dietetic Association: health implications of dietary fiber. *J Am Diet Assoc.* 2008;108(10):1716-1731.
- Slavin JL, Lloyd B**. Health benefits of fruits and vegetables. *Adv Nutr.* 2012;3(4):506-516.
- Slavin J**. Fiber and prebiotics: mechanisms and health benefits. *Nutrients.* 2013;5(4):1417-1435. Published 2013 Apr 22.
- Smecoul E, Hwang HJ, Sugai E**, ym. Exploratory, randomized, double-blind, placebo-controlled study on the effects of bifidobacterium infantis natrei life start strain super strain in active celiac disease. *J Clin Gastroenterol.* 2013;47:139-147.
- Smith JW, Zachwieja JJ, Peronnet F**, ym. Fuel selection and cycling endurance performance with ingestion of [¹³C]glucose: evidence for a carbohydrate dose response. *J Appl Physiol.* 2010;108:1520-1529.
- Smith JW, Pascoe DD, Passe DH**, ym. Curvilinear dose-response relationship of carbohydrate (0-120 g h(-1)) and performance. *Med Sci Sports Exerc.* 2013;45:336-341.
- Snell C, Bernheim A, Bergé JB**, ym. Assessment of the health impact of GM plant diets in long-term and multigenerational animal feeding trials: a literature review. *Food Chem Toxicol.* 2012;50(3-4):1134-1148.
- Sniffen J, McFarland LV, Evans CT**, ym. Choosing an appropriate probiotic product for your patient: An evidence-based practical guide. *PLoS One.* 2018; 13(12):
- Snipe R, Kitic C, Gibson P**, ym. Carbohydrate and protein intake during exertional-heat stress ameliorates intestinal epithelial damage. *Nutri Diet* 2016;73(Suppl 1):19. Abstract.
- Snipe RMJ, Khoo A, Kitic CM**, ym. Carbohydrate and protein intake during exertional heat stress ameliorates intestinal epithelial injury and small intestine permeability. *Appl Physiol Nutr Metab.* 2017 Dec;42(12):1283-1292.
- Soffer EE, Summers RW, Gisolfi C**. Effect of exercise on intestinal motility and transit in trained athletes. *Am J Physiol* 1991; 260: G698-702.
- Soffer EE, Merchant RK, Duethman G**, ym. Effect of graded exercise on esophageal motility and gastroesophageal reflux in trained athletes. *Dig Dis Sci.* 1993; 38: 220-4.
- Soltanian N, Janghorbani M**. Effect of flaxseed or psyllium vs. placebo on management of constipation, weight, glycemia, and lipids: A randomized trial in constipated patients with type 2 diabetes. *Clin Nutr ESPEN.* 2019 Feb;29:41-48.
- Spector Cohen I, Day AS, Shaoul R**. To Be Oats or Not to Be? An Update on the Ongoing Debate on Oats for Patients With Celiac Disease. *Front Pediatr.* 2019;7:384.
- Sperber AD, Bangdiwala SI, Drossman DA**, ym. Worldwide Prevalence and Burden of Functional Gastrointestinal Disorders, Results of Rome Foundation Global Study. *Gastroenterology.* 2020 Apr 12:S0016-5085(20)30487-X.
- Spiller RC, de Vos WM**. Faecal microbiota composition and host-microbe cross-talk following gastroenteritis and in postinfectious irritable bowel syndrome. *Gut.* 2014 Nov; 63(11):1737-45.
- Spriet LL**. Exercise and sport performance with low doses of caffeine. *Sports Med* 2014; 44 (Suppl 2):S175-S184.
- Stasi C, Rosselli M, Bellini M**, ym. Altered neuro-endocrine-immune pathways in the irritable bowel syndrome: the top-down and the bottom-up model. *J Gastroenterol.* 2012 Nov; 47(11):1177-85.
- Stasi C, Bellini M, Bassotti G**, ym. Serotonin receptors and their role in the pathophysiology and therapy of irritable bowel syndrome. *Tech. Coloproctol.* 2014; 18: 613-621.
- Staudacher HM, Lomer MC, Anderson JL**, ym. Fermentable carbohydrate restriction reduces luminal bifidobacteria and gastrointestinal symptoms in patients with irritable bowel syndrome. *J Nutr.* 2012;142(8):1510-1518.
- Staudacher HM, Whelan K**. Altered gastrointestinal microbiota in irritable bowel syndrome and its modification by diet: probiotics, prebiotics and the low FODMAP diet. *Proc Nutr Soc.* 2016 Aug;75(3):306-18.

- Staudacher HM, Whelan K.** The low FODMAP diet: recent advances in understanding its mechanisms and efficacy in IBS. *Gut*. 2017 Aug;66(8):1517-1527.
- Staudacher HM, Lomer MCE, Farquharson FM**, ym. A Diet Low in FODMAPs Reduces Symptoms in Patients With Irritable Bowel Syndrome and A Probiotic Restores Bifidobacterium Species: A Randomized Controlled Trial. *Gastroenterology*. 2017 Oct; 153(4):936-947.
- Stellingwerff T, Cox GR.** Systematic review: carbohydrate supplementation on exercise performance or capacity of varying durations. *Appl Physiol Nutr Metab*. 2014;39:1-14.
- Storhaug CL, Fosse SK, Fadnes LT.** Country, regional, and global estimates for lactose malabsorption in adults: a systematic review and meta-analysis. *Lancet Gastroenterol Hepatol*. 2017;2(10):738-746.
- Stubbs BJ, Cox PJ, Kirk T**, ym. Gastrointestinal effects of exogenous ketone drinks are infrequent, mild and vary according to ketone compound and dose. *Int J Sport Nutr Exerc Metab*. 2019.
- Stuempfle KJ, Lehmann DR, Case HS** ym. Change in serum sodium concentration during a cold weather ultradistance race. *Clin J Sport Med*. 2003;13(3):171-175.
- Stuempfle KJ.** Exercise-associated hyponatremia during winter sports. *Phys Sportsmed*. 2010 Apr;38(1):101-6.
- Stuempfle KJ, Hoffman MD, Hew-Butler T.** Gastrointestinal distress in ultramarathoners is associated with race diet. *Int J Sport Nutr Exerc Metab*. 2013;23:103-109.
- Stuempfle KJ, Valentino T, Hew-Butler T**, ym. Nausea is associated with endotoxemia during a 161-km ultramarathon. *J. Sports Sci*. 2016;34:1662-1668.
- Suchy FJ, Brannon PM, Carpenter TO**, ym. NIH consensus development conference statement: Lactose intolerance and health. *NIH Consens State Sci Statements*. 2010 Feb 24; 27(2):1-27.
- Suez J, Zmora N, Zilberman-Schapira G**, ym. Post-Antibiotic Gut Mucosal Microbiome Reconstitution Is Impaired by Probiotics and Improved by Autologous FMT. *Cell*. 2018;174(6):1406-1423.e16.
- Sullivan SN.** A prospective study of unexplained visible abdominal bloating. *N Z Med J*. 1994;107(988):428-430.
- Summer A, Di Frangia F, Ajmone Marsan P**, ym. Occurrence, biological properties and potential effects on human health of β -casomorphin 7: Current knowledge and concerns. *Crit Rev Food Sci Nutr*. 2020;1-19.
- Surdea-Blaga T, Băban A, Dumitrescu DL.** Psychosocial determinants of irritable bowel syndrome. *World J Gastroenterol*. 2012 Feb 21; 18(7):616-26.
- Sutehall S, Galloway SDR, Bosch A**, ym. Addition of an Alginate Hydrogel to a Carbohydrate Beverage Enhances Gastric Emptying. *Med Sci Sports Exerc*. 2020 Feb 18.
- Syage JA, Murray JA, Green PHR**, ym. Latiglutase Improves Symptoms in Seropositive Celiac Disease Patients While on a Gluten-Free Diet. *Dig Dis Sci*. 2017;62(9):2428-2432.
- Syage JA, Green PHR, Khosla C**, ym. Latiglutase Treatment for Celiac Disease: Symptom and Quality of Life Improvement for Seropositive Patients on a Gluten-Free Diet. *GastroHep*. 2019;1(6):293-301.
- Szajewska H, Kołodziej M, Gieruszczak-Bialek D**, ym. Systematic review with meta-analysis: Lactobacillus rhamnosus GG for treating acute gastroenteritis in children - a 2019 update. *Aliment Pharmacol Ther*. 2019;49(11):1376-1384.
- Szajewska H, Hojsak I.** Health benefits of Lactobacillus rhamnosus GG and Bifidobacterium animalis subspecies lactis BB-12 in children. *Postgrad Med*. 2020;132(5):441-451.
- Szilagyi A, Shrier I, Heilpern D**, ym. Differential impact of lactose/lactase phenotype on colonic microflora. *Can J Gastroenterol* 2010;24:373-9.
- Szilagyi A.** Adaptation to Lactose in Lactase Non Persistent People: Effects on Intolerance and the Relationship between Dairy Food Consumption and Evaluation of Diseases. *Nutrients*. 2015;7(8):6751-6779.
- Szilagyi A, Galitsatos P, Xue X.** Systematic review and meta-analysis of lactose digestion, its impact on intolerance and nutritional effects of dairy food restriction in inflammatory bowel diseases. *Nutr J*. 2016;15(1):67.
- Szilagyi A, Ishayek N.** Lactose Intolerance, Dairy Avoidance, and Treatment Options. *Nutrients*. 2018 Dec 15;10(12):1994.
- Taetzsch A, Das SK, Brown C**, ym. Are Gluten-Free Diets More Nutritious? An Evaluation of Self-Selected and Recommended Gluten-Free and Gluten-Containing Dietary Patterns. *Nutrients*. 2018 Dec 3; 10(12)..
- Talley NJ.** Functional gastrointestinal disorders as a public health problem. *Neurogastroenterol Motil*. 2008 May;20 Suppl 1:121-129.
- Tang WH, Kitai T, Hazen SL.** Gut Microbiota in Cardiovascular Health and Disease. *Circ Res*. 2017 Mar 31;120(7):1183-1196.
- Tanner GJ, Blundell MJ, Colgrave ML**, ym. Creation of the first ultra-low gluten barley (*Hordeum vulgare L.*) for coeliac and gluten-intolerant populations. *Plant Biotechnol J*. 2016;14(4):1139-1150.
- Tap J, Derrien M, Törnblom H**, ym. Identification of an Intestinal Microbiota Signature Associated With Severity of Irritable Bowel Syndrome. *Gastroenterology*. 2017 Jan; 152(1):111-123.e8.
- ter Steege RW, Van der Palen J, Kolkman JJ.** Prevalence of gastrointestinal complaints in runners competing in a long-distance run: an internet-based observational study in 1281 subjects. *Scand J Gastroenterol*. 2008;43:1477-1482.
- ter Steege RW, Kolkman JJ.** Review article: the pathophysiology and management of gastrointestinal symptoms during physical exercise, and the role of splanchnic blood flow. *Aliment Pharmacol Ther*. 2012 Mar;35(S):S16-28.
- ter Steege RW, Geelkerken RH, Huisman AB**, ym. Abdominal symptoms during physical exercise and the role of gastrointestinal ischaemia: a study in 12 symptomatic athletes. *Br J Sports Med*. 2012 Oct;46(13):931-5.
- Teschmacher H.** Opioid receptor ligands derived from food proteins. *Curr Pharm Des*. 2003;9(16):1331-1344.
- Thakkar MM, Sharma R, Sahota P.** Alcohol disrupts sleep homeostasis. *Alcohol*. 2015;49(4):299-310.
- Thakur ER, Shapiro J, Chan J**, ym. A Systematic Review of the Effectiveness of Psychological Treatments for IBS in Gastroenterology Settings: Promising but in Need of Further Study. *Dig Dis Sci*. 2018 Sep;63(9):2189-2201. d
- Thies F, Masson LF, Boffetta P**, ym. Oats and bowel disease: a systematic literature review. *Br J Nutr*. 2014;112 Suppl 2:S31-S43.
- Thijssen DH, Steendijk S, Hopman MT.** Blood redistribution during exercise in subjects with spinal cord injury and controls. *Med Sci Sports Exerc*. 2009; 41: 1249-54.
- Thomas DT, Erdman KA, Burke LM.** American college of sports medicine joint position statement. Nutrition and athletic performance. *Med Sci Sports Exerc*. 2016;48:543-568.
- Thompson PD, Funk EJ, Carleton RA**, ym. Incidence of death during jogging in Rhode Island from 1975 through 1980. *JAMA* 1982; 247: 2535-8.
- Thorning TK, Raben A, Tholstrup T**, ym. Milk and dairy products: good or bad for human health? An assessment of the totality of scientific evidence. *Food Nutr Res*. 2016 Nov 22;60:32527.
- Tian P, O'Riordan KJ, Lee YK**, ym. Towards a psychobiotic therapy for depression: Bifidobacterium breve CCFM1025 reverses chronic stress-induced depressive symptoms and gut microbial abnormalities in mice. *Neurobiol Stress*. 2020;12:100216.
- Tomova A, Bukovsky I, Rembert E**, ym. The Effects of Vegetarian and Vegan Diets on Gut Microbiota. *Front Nutr*. 2019 Apr 17;6:47.
- Tortora R, Capone P, De Stefano G**, ym. Metabolic syndrome in patients with coeliac disease on a gluten-free diet. *Aliment Pharmacol Ther*. 2015;41(4):352-359.

- Trifan A, Burta O, Tiuca N**, ym. Efficacy and safety of Gelsectan for diarrhoea-predominant irritable bowel syndrome: A randomised, crossover clinical trial. *United European Gastroenterol J.* 2019;7(8):1093-1101.
- Trynka G, Wijmenga C, van Heel DA**. A genetic perspective on coeliac disease. *Trends Mol Med.* 2010;16(11):537-550.
- Tubelius P, Stan V, Zachrisson A**. Increasing work-place healthiness with the probiotic *Lactobacillus reuteri*: a randomised, double-blind placebo-controlled study. *Environ Health.* 2005 Nov 7;4:25.
- Tuck CJ, Ross LA, Gibson PR**, ym. Adding glucose to food and solutions to enhance fructose absorption is not effective in preventing fructose-induced functional gastrointestinal symptoms: randomised controlled trials in patients with fructose malabsorption. *J Hum Nutr Diet.* 2017;30(1):73-82.
- Tuck CJ, Taylor KM, Gibson PR**, ym. Increasing Symptoms in Irritable Bowel Symptoms With Ingestion of Galacto-Oligosaccharides Are Mitigated by α -Galactosidase Treatment. *Am J Gastroenterol.* 2018;113(1):124-134.
- Turpeinen A, Kautiainen H, Tikkainen ML**, ym. Mild protein hydrolysis of lactose-free milk further reduces milk-related gastrointestinal symptoms. *J. Dairy Res.* 2016;83:256-260.
- Twerenbold R, Knechtle B, Kakebeeke TH, ym.** Effects of different sodium concentrations in replacement fluids during prolonged exercise in women. *Br J Sports Med.* 2003;37(4):300-303.
- Ueda T, Hokari R, Higashiyama M**, ym. Beneficial effect of an omega-6 PUFA-rich diet in non-steroidal anti-inflammatory drug-induced mucosal damage in the murine small intestine. *World J Gastroenterol.* 2015 Jan 7;21(1):177-86.
- Ukkola A, Mäki M, Kurppa K**, ym. Changes in body mass index on a gluten-free diet in coeliac disease: a nationwide study. *Eur J Intern Med.* 2012;23(4):384-388.
- Undseth R, Berstad A, Kløw NE**, ym. Abnormal accumulation of intestinal fluid following ingestion of an unabsorbable carbohydrate in patients with irritable bowel syndrome: an MRI study. *Neurogastroenterol Motil.* 2014 Dec;26(12):1686-93.
- Urwin CS, Dwyer DB, Carr AJ**. Induced alkalosis and gastrointestinal symptoms after sodium citrate ingestion: A dose-response investigation. *Int. J. Sport Nutr Exerc. Metab.* 2016;26:542-548.
- Usitalo U, Andren Aronsson C, Liu X**, ym. Early Probiotic Supplementation and the Risk of Celiac Disease in Children at Genetic Risk. *Nutrients.* 2019;11(8):1790.
- Usitupa HM, Rasinkangas P, Lehtinen MJ**, ym. *Bifidobacterium animalis* subsp. *lactis* 420 for Metabolic Health: Review of the Research. *Nutrients.* 2020 Mar 25;12(4):892.
- Valeur J, Roseth AG, Knudsen T**, ym. Fecal Fermentation in Irritable Bowel Syndrome: Influence of Dietary Restriction of Fermentable Oligosaccharides, Disaccharides, Monosaccharides and Polyols. *Digestion.* 2016; 94(1):50-6.
- Valeur J, Småstuen MC, Knudsen T**, ym. Exploring Gut Microbiota Composition as an Indicator of Clinical Response to Dietary FODMAP Restriction in Patients with Irritable Bowel Syndrome. *Dig Dis Sci.* 2018 Feb;63(2):429-436.
- Vandenbogaerde TJ, Hopkins WG**. Effects of acute carbohydrate supplementation on endurance performance: a meta-analysis. *Sports Med.* 2011;41:773-792.
- van den Heuvel EGHM, Steijns JMMJ**. Dairy products and bone health: how strong is the scientific evidence? *Nutr Res Rev.* 2018;31(2):164-178.
- Van den Houte K, Carbone F, Pannemans J**, ym. Prevalence and impact of self-reported irritable bowel symptoms in the general population. *United European Gastroenterol J.* 2019 Mar;7(2):307-315.
- Vandepitte D, Joossens M**. Effects of Low and High FODMAP Diets on Human Gastrointestinal Microbiota Composition in Adults with Intestinal Diseases: A Systematic Review. *Microorganisms.* 2020 Oct 23;8(11):E1638.
- van Nieuwenhoven MA, Vriens BE, Brummer RJ**, ym. Effect of dehydration on gastrointestinal function at rest and during exercise in humans. *Eur J Appl Physiol.* 2000;83:578-584.
- van Nieuwenhoven MA, Brummer RM, Brouns F**. Gastrointestinal function during exercise: comparison of water, sports drink, and sports drink with caffeine. *J Appl Physiol.* 2000 Sep;89(3):1079-85. (a)
- van Nieuwenhoven MA, Brouns F, Brummer RJ**. Gastrointestinal profile of symptomatic athletes at rest and during physical exercise. *Eur J Appl Physiol.* 2004 Apr;91(4):429-34.
- van Nieuwenhoven MA, Brouns F, Kovacs EM**. The effect of two sports drinks and water on GI complaints and performance during an 18-km run. *Int J Sports Med.* 2005 May;26(4):281-5.
- Van Noord D, Sana A, Benaron DA**, ym. Endoscopic visible light spectroscopy: a new, minimally invasive technique to diagnose chronic GI ischemia. *Gastrointest Endosc.* 2011; 73: 291-8.
- Van Oudenhove L, Crowell MD, Drossman DA**, ym. Biopsychosocial aspects of functional gastrointestinal disorders: how central and environmental processes contribute to the development and expression of functional gastrointestinal disorders. *Gastroenterology.* 2016;150:1355-1367.
- van Rosendal SP, Osborne MA, Fassett RG**, ym. Guidelines for glycerol use in hyperhydration and rehydration associated with exercise. *Sports Med.* 2010 Feb 1;40(2):113-29.
- van Rosendal SP, Coombes JS**. Glycerol use in hyperhydration and rehydration: scientific update. *Med Sport Sci.* 2012;59:104-112.
- van Trijp MPH, Rösch C, An R**, ym. Fermentation Kinetics of Selected Dietary Fibers by Human Small Intestinal Microbiota Depend on the Type of Fiber and Subject. *Mol Nutr Food Res.* 2020 Sep 12:e2000455.
- van Wijck K, Lenaerts K, van Loon LJ**, ym. Exercise-induced splanchnic hypoperfusion results in gut dysfunction in healthy men. *PLoS ONE* 2011; 6: e22366.
- van Wijck K, Lenaerts K, Grootjans J**, ym. Physiology and pathophysiology of splanchnic hypoperfusion and intestinal injury during exercise: strategies for evaluation and prevention. *Am J Physiol Gastrointest Liver Physiol.* 2012 Jul 15;303(2):G155-68.
- Van Wijck K, Lenaerts K, Van Bijnen AA**, ym. Aggravation of exercise-induced intestinal injury by Ibuprofen in athletes. *Med Sci Sports Exerc.* 2012 Dec;44(12):2257-62. (b)
- Varjú P, Farkas N, Hegyi P**, ym. Low fermentable oligosaccharides, disaccharides, monosaccharides and polyols (FODMAP) diet improves symptoms in adults suffering from irritable bowel syndrome (IBS) compared to standard IBS diet: A meta-analysis of clinical studies. *PLoS One.* 2017;12(8):e0182942.
- Varjú P, Gedé N, Szakács Z**, ym. Lactose intolerance but not lactose maldigestion is more frequent in patients with irritable bowel syndrome than in healthy controls: A meta-analysis. *Neurogastroenterol Motil.* 2019 May;31(5):e13527.
- Verdu EF, Armstrong D, Murray JA**. Between celiac disease and irritable bowel syndrome: the “no man’s land” of gluten sensitivity. *Am J Gastroenterol.* 2009;104(6):1587-1594.
- Verdu EF, Galipeau HJ, Jabri B**. Novel players in coeliac disease pathogenesis: role of the gut microbiota. *Nat Rev Gastroenterol Hepatol.* 2015;12(9):497-506.
- Vesa TH, Lember M, Korpela R**. Milk fat does not affect the symptoms of lactose intolerance. *Eur J Clin Nutr.* 1997;51(9):633-636.
- Vicario M, González-Castro AM, Martínez C**, ym. Increased humoral immunity in the jejunum of diarrhoea-predominant irritable bowel syndrome associated with clinical manifestations. *Gut.* 2015 Sep;64(9):1379-88.

- Vieira Borba V, Sharif K, Shoenfeld Y.** Breastfeeding and autoimmunity: Programing health from the beginning. *Am J Reprod Immunol*. 2018;79(1):10.1111/aji.12778.
- Villoria A, Serra J, Azpíroz F**, ym. Physical activity and intestinal gas clearance in patients with bloating. *Am J Gastroenterol*. 2006;101:2552-2557.
- Vici G, Belli L, Biondi M**, ym. Gluten free diet and nutrient deficiencies: A review. *Clin Nutr*. 2016 Dec; 35(6):1236-1241.
- Vogel RM, Joy JM, Falcone PH**, ym. Safety of a dose-escalated pre-workout supplement in recreationally active females. *J. Int. Soc. Sports Nutr*. 2015;12:12.
- Voigt J-P, Fink H.** Serotonin controlling feeding and satiety. *Behav. Brain Res*. 2015; 277: 14-31.
- Volta U, Bardella MT, Calabro A**, ym: Study Group for Non-Celiac Gluten Sensitivity. An Italian prospective multicenter survey on patients suspected of having non-celiac gluten sensitivity. *BMC Med*. 2014;12:85.
- Volta U, Caio G, Karunaratne TB**, ym. Non-coeliac gluten/wheat sensitivity: advances in knowledge and relevant questions. *Expert Rev Gastroenterol Hepatol*. 2017;11(1):9-18.
- Vrijens DM, Rehrer NJ**. Sodium-free fluid ingestion decreases plasma sodium during exercise in the heat. *J Appl Physiol (1985)*. 1999;86(6):1847-1851.
- VRN**. Terveytä ruoasta. Suomalaiset ravitsemussuositukset 2014.
- Vulevic J, Tzortzis G, Juric A**, ym. Effect of a prebiotic galactooligosaccharide mixture (B-GOS[®]) on gastrointestinal symptoms in adults selected from a general population who suffer with bloating, abdominal pain, or flatulence. *Neurogastroenterol Motil*. 2018 Nov;30(11):e13440.
- Vuorisalo T, Arjamaa O, Vasemägi A**, ym. High lactose tolerance in North Europeans: a result of migration, not in situ milk consumption. *Perspect Biol Med*. 2012;55(2):163-174.
- Walsh NP, Blannin AK, Robson PJ**, ym. Glutamine, exercise and immune function. *Sports Med*. 1998;26:177-191.
- Wang H, Lee IS, Braun C** ym. Effect of Probiotics on Central Nervous System Functions in Animals and Humans: A Systematic Review. *J Neurogastroenterol Motil*. 2016 Oct 30;22(4):S89-605.
- Wang Q, Xu K, Qin X**, ym. Association between physical activity and inflammatory bowel disease risk: A meta-analysis. *Dig Liver Dis*. 2016 Dec;48(12):1425-1431 (a)
- Wang B, Duan R, Duan L**. Prevalence of sleep disorder in irritable bowel syndrome: A systematic review with meta-analysis. *Saudi J Gastroenterol*. 2018;24(3):141-150.
- Wang L, Alammar N, Singh R**, ym. Gut Microbial Dysbiosis in the Irritable Bowel Syndrome: A Systematic Review and Meta-Analysis of Case-Control Studies. *J Acad Nutr Diet*. 2020 Apr;120(4):S65-S86.
- Wahlqvist ML**. Lactose nutrition in lactase nonpersisters. *Asia Pac J Clin Nutr*. 2015;24 Suppl 1:S21-S25.
- Warden SJ**. Prophylactic misuse and recommended use of non-steroidal anti-inflammatory drugs by athletes. *Br J Sports Med* 2009; 43: 548-9.
- Watson AW, Houghton D, Avery PJ**, ym. Changes in stool frequency following chicory inulin consumption, and effects on stool consistency, quality of life and composition of gut microbiota. *Food Hydrocoll*. 2019 Nov;96:688-698.
- Weerts ZZRM, Masclee AAM, Witteman BJM**, ym. Efficacy and Safety of Peppermint Oil in a Randomized, Double-Blind Trial of Patients With Irritable Bowel Syndrome. *Gastroenterology*. 2020 Jan;158(1):123-136.
- Wegh CAM, Geerlings SY, Knol J**, ym. Postbiotics and Their Potential Applications in Early Life Nutrition and Beyond. *Int J Mol Sci*. 2019;20(19):4673.
- Wei G, Helmerhorst EJ, Darwish G**, ym. Gluten Degrading Enzymes for Treatment of Celiac Disease. *Nutrients*. 2020;12(7):E2095. Published 2020 Jul 15.
- Whelan K, Martin LD, Staudacher HM**, ym. The low FODMAP diet in the management of irritable bowel syndrome: an evidence-based review of FODMAP restriction, reintroduction and personalisation in clinical practice. *J Hum Nutr Diet*. 2018;31(2):239-255.
- Wiffin M, Smith L, Antonio J**, ym. Effect of a short-term low fermentable oligosaccharide, disaccharide, monosaccharide and polyol (FODMAP) diet on exercise-related gastrointestinal symptoms. *J Int Soc Sports Nutr*. 2019;16(1):1.
- Wild D, Robins GG, Burley VJ**, ym. Evidence of high sugar intake, and low fibre and mineral intake, in the gluten-free diet. *Aliment Pharmacol Ther*. 2010;32(4):573-581.
- Wilder-Smith CH, Materna A, Wermelinger C**, ym. Fructose and lactose intolerance and malabsorption testing: the relationship with symptoms in functional gastrointestinal disorders. *Aliment Pharmacol Ther*. 2013;37(11):1074-1083.
- Wilder-Smith CH, Olesen SS, Materna A**, ym. Fermentable Sugar Ingestion, Gas Production, and Gastrointestinal and Central Nervous System Symptoms in Patients With Functional Disorders. *Gastroenterology*. 2018;155(4):1034-1044.e6.
- Wilson PB**. Dietary and non-dietary correlates of gastrointestinal distress during the cycle and run of a triathlon. *Eur J Sport Sci* 2016; 16:448–454.
- Wilson PB**. Perceived life stress and anxiety correlate with chronic gastrointestinal symptoms in runners. *J. Sports Sci*. 2018;36:1713–1719.
- Wilson PB**. 'I think I'm gonna hurl': A Narrative Review of the Causes of Nausea and Vomiting in Sport. *Sports (Basel)*. 2019 Jul; 7(7): 162.
- Wilson PB, Ingraham SJ**. Glucose-fructose likely improves gastrointestinal comfort and endurance running performance relative to glucose-only. *Scand J Med Sci Sports* 2015; 25:e613–e620.
- Wilson PB, Rhodes GS, Ingraham SJ**. Saccharide composition of carbohydrates consumed during an ultra-endurance triathlon. *J Am. Coll. Nutr*. 2015;34:497–506.
- Wilson B, Whelan K**. Prebiotic inulin-type fructans and galacto-oligosaccharides: definition, specificity, function, and application in gastrointestinal disorders. *J Gastroenterol Hepatol*. 2017 Mar;32 Suppl 1:64-68.
- Windgassen S, Moss-Morris R, Chilcot J**, ym. The journey between brain and gut: A systematic review of psychological mechanisms of treatment effect in irritable bowel syndrome. *Br J Health Psychol*. 2017 Nov;22(4):701-736.
- Winter G, Hart RA, Charlesworth RPG**, ym. Gut microbiome and depression: what we know and what we need to know. *Rev Neurosci*. 2018 Aug 28;29(6):629-643.
- Wolters VM, Wijmenga C**. Genetic background of celiac disease and its clinical implications. *Am J Gastroenterol*. 2008;103(1):190-195.
- Wong RK, Yang C, Song GH**, ym. Melatonin regulation as a possible mechanism for probiotic (VSL#3) in irritable bowel syndrome: a randomized double-blinded placebo study. *Dig Dis Sci*. 2015 Jan; 60(1):186-94.
- World Health Organization**. Global recommendations on physical activity for health. WHO Library Cataloguing-in-Publication Data. Press, Geneva, Switzerland: World Health Organization; 2010.
- Wright H, Collins M, Schwellnus MP**. Gastrointestinal (GIT) symptoms in athletes: A review of risk factors associated with the development of GIT symptoms during exercise. *International SportMed Journal*. 2009;10.
- Xu L, Yu W, Jiang J**, ym. Efficacy of pectin in the treatment of diarrhea predominant irritable bowel syndrome. *Zhonghua Wei Chang Wai Ke Za Zhi*. 2015;18(3):267-271.
- Xu D, Chen VL, Steiner CA**, ym. Efficacy of Fecal Microbiota Transplantation in Irritable Bowel Syndrome: A Systematic Review and Meta-Analysis. *Am J Gastroenterol*. 2019;114(7):1043-1050.
- Xiao L, Ning J, Xu G**. Application of Xylo-oligosaccharide in modifying human intestinal function. *Afr. J. Microbiol. Res*. 2012;6:2116–2119.
- Yang J, Wang HP, Zhou L**, ym. Effect of dietary fiber on constipation: a meta analysis. *World J Gastroenterol*. 2012;18(48):7378-7383.

- Yang J, Deng Y, Chu H**, ym. Prevalence and presentation of lactose intolerance and effects on dairy product intake in healthy subjects and patients with irritable bowel syndrome. *Clin Gastroenterol Hepatol.* 2013;11(3):262-268.e1.
- Yang B, Lu P, Li MX**, ym. A meta-analysis of the effects of probiotics and synbiotics in children with acute diarrhea. *Medicine (Baltimore)*. 2019;98(37):e16618.
- Yano JM, Yu K, Donaldson GP**, ym. (2015) Indigenous bacteria from the gut microbiota regulate host serotonin biosynthesis. *Cell* 161(2): 264-276.
- Yarandi SS, Peterson DA, Treisman GJ**, ym. Modulatory Effects of Gut Microbiota on the Central Nervous System: How Gut Could Play a Role in Neuropsychiatric Health and Diseases. *IJ Neurogastroenterol Motil.* 2016 Apr 30; 22(2):201-12.
- Yau AM, McLaughlin J, Maughan RJ**, ym. Short-term dietary supplementation with fructose accelerates gastric emptying of a fructose but not a glucose solution. *Nutrition*. 2014;30:1344–1348.
- Yasukawa Z, Inoue R, Ozeki M**, ym. Effect of Repeated Consumption of Partially Hydrolyzed Guar Gum on Fecal Characteristics and Gut Microbiota: A Randomized, Double-Blind, Placebo-Controlled, and Parallel-Group Clinical Trial. *Nutrients*. 2019;11(9):2170.
- Yoosuf S, Makharia GK**. Evolving Therapy for Celiac Disease. *Front Pediatr.* 2019;7:193. Published 2019 May 14.
- Yu LC**. Microbiota dysbiosis and barrier dysfunction in inflammatory bowel disease and colorectal cancers: exploring a common ground hypothesis. *J Biomed Sci.* 2018 Nov 9;25(1):79.
- Zahedi MJ, Behrouz V, Azimi M**. Low fermentable oligo-di-mono-saccharides and polyols diet versus general dietary advice in patients with diarrhoea-predominant irritable bowel syndrome: A randomized controlled trial. *J Gastroenterol Hepatol.* 2018 Jun;33(6):1192-1199.
- Zanini B, Basche R, Ferraresi A**, ym. Randomised clinical study: gluten challenge induces symptom recurrence in only a minority of patients who meet clinical criteria for non-coeliac gluten sensitivity. *Aliment Pharmacol Ther.* 2015;42(8):968-976.
- Zanini B, Villanacci V, De Leo L**, ym. Triticum monococcum in patients with celiac disease: a phase II open study on safety of prolonged daily administration. *Eur J Nutr.* 2015 Sep; 54(6):1027-9. (a)
- Zhang X, O'Kennedy N, Morton JP**. Extreme Variation of Nutritional Composition and Osmolality of Commercially Available Carbohydrate Energy Gels. *Int J Sport Nutr Exerc Metab.* 2015 Oct;25(5):504-9.
- Zhang Y, Li L, Guo C**, ym. Effects of probiotic type, dose and treatment duration on irritable bowel syndrome diagnosed by Rome III criteria: a meta-analysis. *BMC Gastroenterol.* 2016 Jun 13;16(1):62.
- Zhang C, Derrien M, Levenez F** ym. Ecological robustness of the gut microbiota in response to ingestion of transient food-borne microbes. *ISME J.* 2016 Sep;10(9):2235-45. (a)
- Zhong Y, Priebe MG, Vonk RJ**, ym. The role of colonic microbiota in lactose intolerance. *Dig Dis Sci.* 2004;49(1):78-83.
- Zhou SY, Gilliland M 3rd, Wu X**, ym. FODMAP diet modulates visceral nociception by lipopolysaccharide-mediated intestinal inflammation and barrier dysfunction. *J Clin Invest.* 2018 Jan 2;128(1):267-280.
- Zhou Y, Xu H, Huang H**, ym. Are There Potential Applications of Fecal Microbiota Transplantation beyond Intestinal Disorders?. *Biomed Res Int.* 2019;2019:3469754.
- Zhou Q, Verne ML, Fields JZ**, ym. Randomised placebo-controlled trial of dietary glutamine supplements for postinfectious irritable bowel syndrome. *Gut.* 2019 Jun;68(6):996-1002. (a)
- Zhu Y, Zheng X, Cong Y**, ym. Bloating and distention in irritable bowel syndrome: the role of gas production and visceral sensation after lactose ingestion in a population with lactase deficiency. *Am J Gastroenterol* 2013;108:1516–25.

LUKU 3 Liikunta, ruoka ja ylähengitystieinfektiot

- Abboud M, Puglisi DA, Davies BN**, ym. Evidence for a specific uptake and retention mechanism for 25-hydroxyvitamin D (25OHD) in skeletal muscle cells. *Endocrinology*. 2013;154(9):3022–3030.
- Abdelhamid AS, Brown TJ, Brainard JS**, ym. Omega-3 fatty acids for the primary and secondary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2018 Jul 18;7(7):CD003177.
- Abioye AI, Bromage S, Fawzi W**. Effect of micronutrient supplements on influenza and other respiratory tract infections among adults: a systematic review and meta-analysis. *BMJ Glob Health*. 2021;6(1):e003176.
- Abu-Amer Y, Bar-Shavit Z**. Regulation of TNF-alpha release from bone marrow-derived macrophages by vitamin D. *J Cell Biochem*. 1994 Aug;55(4):435–44.
- Ackerman KE, Holtzman B, Cooper KM**, ym. Low energy availability surrogates correlate with health and performance consequences of Relative Energy Deficiency in Sport. *Br J Sports Med*. 2019 May;53(10):628–633.
- Adam Y, Meinschmidt G, Lieb R**. Associations between mental disorders and the common cold in adults: a population-based cross-sectional study. *J Psychosom Res*. 2013 Jan;74(1):69–73.
- Adebayo FA, Itkonen ST, Lilja E**, ym. Prevalence and determinants of vitamin D deficiency and insufficiency among three immigrant groups in Finland: evidence from a population-based study using standardised 25-hydroxyvitamin D data. *Public Health Nutr*. 2020 May;23(7):1254–1265.
- Agans RT, Giles GE, Goodson MS**, ym. Evaluation of probiotics for warfighter health and performance. *Front Nutr*. 2020; 7: 70.
- Ahmed M, Henson DA, Sanderson MC**, ym. The protective effects of a polyphenol-enriched protein powder on exercise-induced susceptibility to virus infection. *Phytother Res*. 2014 Dec;28(12):1829–36.
- Ajilchi B, Amini HR, Ardakani ZP**, ym. Applying mindfulness training to enhance the mental toughness and emotional intelligence of amateur basketball players. *Australas Psychiatry*. 2019 Jun;27(3):291–296.
- Allan GM, Arroll B**. Prevention and treatment of the common cold: making sense of the evidence. *CMAJ*. 2014 Feb 18;186(3):190–9.
- Allison RJ, Farooq A, Cherif A**, ym. Why don't serum vitamin D concentrations associate with BMD by DXA? A case of being 'bound' to the wrong assay? Implications for vitamin D screening. *Br J Sports Med*. 2018 Apr;52(8):522–526. doi: 10.1136/bjsports-2016-097130. Epub 2017 Aug 10. PMID: 28798036.
- Anderson JJ, Nieman DC**. Diet Quality-The Greeks Had It Right! *Nutrients*. 2016 Oct 14;8(10):636.
- Ansari F, Pashazadeh F, Nourollahi E**, ym. A systematic review and meta-analysis: the effectiveness of probiotics for viral gastroenteritis. *Curr Pharm Biotechnol* 2020.
- Aragon AA, Schoenfeld BJ, Wildman R**, ym. International society of sports nutrition position stand: diets and body composition. *J Int Soc Sports Nutr*. 2017 Jun 14;14:16.
- Armas LAG, Hollis BW, Heaney RP**. Vitamin D2 is much less effective than vitamin D3 in humans. *J Clin Endocrinol Metab* 2004;89:5387–91.
- Attia YA, Alagawany MM, Farag MR**, ym. Phytopreparations and Phytochemicals as a Candidate Strategy to Improve Tolerance to Coronavirus. *Front Vet Sci*. 2020 Oct 20;7:573159.
- Aucoin M, Cooley K, Saunders PR**, ym. The effect of Echinacea spp. on the prevention or treatment of COVID-19 and other respiratory tract infections in humans: A rapid review. *Adv Integr Med*. 2020 Dec;7(4):203–217.
- Aucoin M, Cooley K, Saunders PR**, ym. The effect of quercetin on the prevention or treatment of COVID-19 and other respiratory tract infections in humans: A rapid review. *Adv Integr Med*. 2020;7(4):247–251. (a)
- Autier P, Gandini S, Mullie P**. A systematic review: influence of vitamin D supplementation on serum 25-hydroxyvitamin D concentration. *J Clin Endocrinol Metab*. 2012 Aug;97(8):2606–13.
- Autier P, Mullie P, Macacu A**, ym. Effect of vitamin D supplementation on non-skeletal disorders: a systematic review of meta-analyses and randomized trials. *Lancet Diabetes Endocrinol*. 2017 Dec;5(12):986–1004.
- Ayres JS, Schneider DS**. Tolerance of infections. *Annu Rev Immunol*. 2012;30:271–94.
- Ayres JS**. Surviving COVID-19: A disease tolerance perspective. *Sci Adv*. 2020;6(18):eabc1518.
- Backx EM, Tieland M, Maase K**, ym. The impact of 1-year vitamin D supplementation on vitamin D status in athletes: a dose-response study. *Eur J Clin Nutr*. 2016 Sep;70(9):1009–14.
- Bae JM**. Prophylactic efficacy of probiotics on travelers' diarrhea: an adaptive meta-analysis of randomized controlled trials. *Epidemiol Health*. 2018;40:e2018043.
- Balvers MG, Brouwer-Brolsma EM, Endenburg S**, ym. Recommended intakes of vitamin D to optimise health, associated circulating 25-hydroxyvitamin D concentrations, and dosing regimens to treat deficiency: workshop report and overview of current literature. *J Nutr Sci*. 2015 May 25;4:e23.
- Barger-Lux MJ, Heaney RP, Dowell S**, ym. Vitamin D and its major metabolites: serum levels after graded oral dosing in healthy men. *Osteoporos Int*. 1998;8(3):222–30.
- Barnes MJ**. Alcohol: impact on sports performance and recovery in male athletes. *Sports Med*. 2014 Jul;44(7):909–19.
- Barrett B, Brown R, Rakel D**, ym. Placebo effects and the common cold: a randomized controlled trial. *Ann Fam Med*. 2011 Jul-Aug;9(4):312–22.
- Barrett B, Hayney MS, Muller D**, ym. Meditation or exercise for preventing acute respiratory infection: a randomized controlled trial. *Ann Fam Med*. 2012 Jul-Aug;10(4):337–46.
- Basil MC, Levy BD**. Specialized pro-resolving mediators: endogenous regulators of infection and inflammation. *Nat Rev Immunol*. 2016 Jan;16(1):51–67.
- Bassit RA, Sawada LA, Bacurau RF**, ym. The effect of BCAA supplementation upon the immune response of triathletes. *Med. Sci. Sports Exerc.* 2000;32:1214–1219.
- Bassit RA, Sawada LA, Bacurau RF**, ym. Branched-Chain amino acid supplementation and the immune response of long-distance athletes. *Nutrition*. 2002;18:376–379.
- Bassit RA, Curi R, Costa Rosa LF**. Creatine supplementation reduces plasma levels of pro-inflammatory cytokines and PGE2 after a half-ironman competition. *Amino Acids*. 2008;35:425–431.
- Baumann CW, Kwak D**. Echinacea Supplementation: Does it Really Improve Aerobic Fitness? *J Exerc Nutrition Biochem*. 2016 Sep;20(3):1–6.
- Bayer C, Remschmidt C, an der Heiden M**, ym. Internet-based syndromic monitoring of acute respiratory illness in the general population of Germany, weeks 35/2011 to 34/2012. *Euro Surveill*. 2014 Jan 30;19(4):20684.
- Benskin LL**. A Basic Review of the Preliminary Evidence That COVID-19 Risk and Severity Is Increased in Vitamin D Deficiency. *Front Public Health*. 2020 Sep 10;8:513.
- Bermon S, Castell LM, Calder PC**, ym. Consensus Statement Immunonutrition and Exercise. *Exerc Immunol Rev* 2017;23:8–50.
- Berry DJ, Hesketh K, Power C**, ym. Vitamin D status has a linear association with seasonal infections and lung function in British adults. *Br J Nutr*. 2011 Nov;106(9):1433–40.

- Bikle DD, Malmstrom S, Schwartz J.** Current Controversies: Are Free Vitamin Metabolite Levels a More Accurate Assessment of Vitamin D Status than Total Levels? *Endocrinol Metab Clin North Am.* 2017;46(4):901-918.
- Billington EO, Burt LA, Rose MS**, ym. Safety of High-Dose Vitamin D Supplementation: Secondary Analysis of a Randomized Controlled Trial. *J Clin Endocrinol Metab.* 2020 Apr 1;105(4):dgz212.
- Bishop NC, Blannin AK, Walsh NP**, ym. Nutritional aspects of immunosuppression in athletes. *Sports Med.* 1999 Sep;28(3):151-76.
- Bishop NC, Walsh NP, Haines DL**, ym. Pre-exercise carbohydrate status and immune responses to prolonged cycling: II. Effect on plasma cytokine concentration. *Int J Sport Nutr Exerc Metab* 11: 503-512, 2001.
- Bishop NC, Walker GJ, Gleeson M**, ym. Human T lymphocyte migration towards the supernatants of human rhinovirus infected airway epithelial cells: influence of exercise and carbohydrate intake. *Exerc Immunol Rev* 15: 127-144, 2009
- Blannin AK, Robson PJ, Walsh NP**, ym. The effect of exercising to exhaustion at different intensities on saliva immunoglobulin A, protein and electrolyte secretion. *Int J Sports Med.* 1998 Nov;19(8):547-52.
- Blumberg JB, Cena H, Barr SI**, ym. The Use of Multivitamin/Multimineral Supplements: A Modified Delphi Consensus Panel Report. *Clin Ther.* 2018 Apr;40(4):640-657.
- Bongartz U, Hochmann U, Pohl U**, ym. Investigation of the natural supplement IQP-AS-119 for the prevention of upper respiratory tract infections in marathon race participants: A randomized, double-blind, placebo-controlled pilot study. *Exp Ther Med.* 2021;21(2):144.
- Borel P, Caillaud D, Cano NJ.** Vitamin D bioavailability: state of the art. *Crit Rev Food Sci Nutr.* 2015;55(9):1193-205.
- Boronat A, Soldevila-Domenech N, Rodríguez-Morató J**, ym. Beer Phenolic Composition of Simple Phenols, Prenylated Flavonoids and Alkylresorcinols. *Molecules.* 2020;25(11):2582.
- Braakhuis AJ.** Effect of vitamin C supplements on physical performance. *Curr Sports Med Rep.* 2012 Jul-Aug;11(4):180-4.
- Braakhuis AJ, Hopkins WG.** Impact of Dietary Antioxidants on Sport Performance: A Review. *Sports Med.* 2015 Jul;45(7):939-55.
- Bradley R, Schloss J, Brown D**, ym. The effects of vitamin D on acute viral respiratory infections: A rapid review. *Adv Integr Med.* 2020;7(4):192-202.
- Broome CS, McArdle F, Kyle JA**, ym. An increase in selenium intake improves immune function and poliovirus handling in adults with marginal selenium status. *Am J Clin Nutr.* 2004 Jul;80(1):154-62.
- Bruunsgaard H, Hartkopp A, Mohr T**, ym. In vivo cell-mediated immunity and vaccination response following prolonged, intense exercise. *Med Sci Sports Exerc* 29: 1176-1181, 1997
- Bukowski JF, Morita CT, Brenner MB.** Human gamma delta T cells recognize alkylamines derived from microbes, edible plants, and tea: implications for innate immunity. *Immunity.* 1999 Jul;11(1):57-65.
- Buonocore D, Negro M, Arcelli E**, ym. Anti-inflammatory Dietary Interventions and Supplements to Improve Performance during Athletic Training. *J Am Coll Nutr.* 2015;34 Suppl 1:62-7.
- Burns-Whitmore B, Froyen E, Heskey C**, ym. Alpha-Linolenic and Linoleic Fatty Acids in the Vegan Diet: Do They Require Dietary Reference Intake/Adequate Intake Special Consideration?. *Nutrients.* 2019;11(10):2365.
- Burke LM.** Fueling strategies to optimize performance: Training high or training low? *Scand. J. Med. Sci. Sports.* 2010;20:48-58.
- Butler MJ, Barrientos RM.** The impact of nutrition on COVID-19 susceptibility and long-term consequences. *Brain Behav Immun.* 2020 Jul;87:53-54.
- Calder PC, Jackson AA.** Undernutrition, infection and immune function. *Nutr Rev.* 2000;13:3-29.
- Calder PC.** Branched-Chain amino acids and immunity. *J. Nutr.* 2006;136:288S-293S. (a)
- Calder PC.** ω-3 polyunsaturated fatty acids, inflammation, and inflammatory diseases. *Am J Clin Nutr.* 2006 Jun;83(6 Suppl):150SS-151SS (b)
- Calder PC.** Feeding the immune system. *Proc Nutr Soc.* 2013 Aug;72(3):299-309.
- Calder PC, Carr AC, Gombart AF**, ym. Optimal Nutritional Status for a Well-Functioning Immune System Is an Important Factor to Protect against Viral Infections. *Nutrients.* 2020;12(4):1181.
- Campbell JP, Turner JE.** Debunking the myth of exercise-induced immune suppression: redefining the impact of exercise on immunological health across the lifespan. *Front Immunol.* 2018;9:648.
- Cannell JJ, Vieth R, Umhau JC**, ym. Epidemic influenza and vitamin D. *Epidemiol Infect.* 2006 Dec;134(6):1129-40.
- Cannell JJ, Hollis BW, Zasloff M**, ym. Diagnosis and treatment of vitamin D deficiency. *Expert Opin Pharmacother.* 2008 Jan;9(1):107-18.
- Cardwell G, Bornman JF, James AP**, ym. A Review of Mushrooms as a Potential Source of Dietary Vitamin D. *Nutrients.* 2018 Oct 13;10(10):1498.
- Carlberg C.** Vitamin D: A Micronutrient Regulating Genes. *Curr Pharm Des.* 2019;25(15):1740-1746.
- Carlström M, Larsson SC.** Coffee consumption and reduced risk of developing type 2 diabetes: a systematic review with meta-analysis. *Nutr Rev.* 2018 Jun 1;76(6):395-417.
- Carr AC, Maggini S.** Vitamin C and Immune Function. *Nutrients.* 2017 Nov 3;9(11):1211.
- Carr AC, Rowe S.** The Emerging Role of Vitamin C in the Prevention and Treatment of COVID-19. *Nutrients.* 2020 Oct 27;12(11):3286.
- Carrillo AE, Murphy RJ, Cheung SS.** Vitamin C supplementation and salivary immune function following exercise-heat stress. *Int J Sports Physiol Perform.* 2008 Dec;3(4):516-30.
- Carswell AT, Oliver SJ, Wentz LM**, ym. Influence of Vitamin D Supplementation by Sunlight or Oral D3 on Exercise Performance. *Med Sci Sports Exerc.* 2018;50(12):2555-2564.
- Casanova V, Sousa FH, Stevens C**, ym. Antiviral therapeutic approaches for human rhinovirus infections. *Future Virol.* 2018 Jul;13(7):505-518.
- Cashman KD, Dowling KG, Škrabáková Z**, ym. Vitamin D deficiency in Europe: pandemic? *Am J Clin Nutr.* 2016 Apr;103(4):1033-44.
- Cashman KD, Hill TR, Lucey AJ**, ym. Estimation of the dietary requirement for vitamin D in healthy adults. *Am J Clin Nutr.* 2008 Dec;88(6):1535-42.
- Cassity EP, Redzic M, Teager CR**, ym. The effect of body composition and BMI on 25(OH)D response in vitamin D-supplemented athletes. *Eur J Sport Sci.* 2016 Oct;16(7):773-9.
- Castell LM, Poortmans JR, Newsholme EA.** Does glutamine have a role in reducing infections in athletes? *Eur. J. Appl. Physiol. Occup. Physiol.* 1996;73:488-490.
- Castell LM, Newsholme EA.** The effects of oral glutamine supplementation on athletes after prolonged, exhaustive exercise. *Nutrition.* 1997 Jul-Aug;13(7-8):738-42.
- Castell LM, Newsholme EA.** Glutamine and the effects of exhaustive exercise upon the immune response. *Can J Physiol Pharmacol.* 1998 May;76(5):524-32.
- Castell LM.** Can glutamine modify the apparent immunodepression observed after prolonged, exhaustive exercise? *Nutrition.* 2002 May;18(5):371-5.
- Castell LM, Thake CD, Ensign W.** Biochemical markers of possible immunodepression in military training in harsh environments. *Mil Med.* 2010 Mar;175(3):158-65.
- Cerullo G, Negro M, Parimbelli M**, ym. The Long History of Vitamin C: From Prevention of the Common Cold to Potential Aid in the Treatment of COVID-19. *Front Immunol.* 2020 Oct 28;11:574029.
- Chan CKY, Tao J, Chan OS**, ym. Preventing Respiratory Tract Infections by Synbiotic Interventions: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Adv Nutr.* 2020 Jul 1;11(4):979-988.

- Chen JH, Tsai PH, Lin YC**, ym. Mindfulness training enhances flow state and mental health among baseball players in Taiwan. *Psychol Res Behav Manag*. 2018 Dec 24;12:15-21.
- Chiou A, Kalogeropoulos N**. Virgin Olive Oil as Frying Oil. *Compr Rev Food Sci Food Saf*. 2017 Jul;16(4):632-646.
- Chu A, Holdaway C, Varma T**, ym. Lower Serum Zinc Concentration Despite Higher Dietary Zinc Intake in Athletes: A Systematic Review and Meta-analysis. *Sports Med*. 2018 Feb;48(2):327-336.
- Chun RF, Peercy BE, Orwoll ES**, ym. Vitamin D and DBP: the free hormone hypothesis revisited. *J Steroid Biochem Mol Biol*. 2014 Oct; 144 Pt A():132-7.
- Chun RF, Shieh A, Gottlieb C**, ym. Vitamin D Binding Protein and the Biological Activity of Vitamin D. *Front Endocrinol (Lausanne)*. 2019 Oct 24;10:718.
- Cialdella-Kam L, Kulpins D, Manore MM**. Vegetarian, Gluten-Free, and Energy Restricted Diets in Female Athletes. *Sports (Basel)*. 2016;4(4):50.
- Cintineo HP, Arent MA, Antonio J**, ym. Effects of Protein Supplementation on Performance and Recovery in Resistance and Endurance Training. *Front Nutr*. 2018 Sep 11;5:83.
- Clark A, Mach N**. Exercise-induced stress behavior, gut-microbiota-brain axis and diet: a systematic review for athletes. *J Int Soc Sports Nutr*. 2016 Nov 24;13:43.
- Clark A, Mach N**. Role of Vitamin D in the Hygiene Hypothesis: The Interplay between Vitamin D, Vitamin D Receptors, Gut Microbiota, and Immune Response. *Front Immunol*. 2016 Dec 23;7:627.
- Clarke SF, Murphy EF, O'Sullivan O**, ym. Exercise and associated dietary extremes impact on gut microbial diversity. *Gut*. 2014;63:1913–1920.
- Cloosterman KLA, van Middelkoop M, Krastman P**, ym. Running behavior and symptoms of respiratory tract infection during the COVID-19 pandemic: A large prospective Dutch cohort study [published online ahead of print, 2020 Oct 21]. *J Sci Med Sport*. 2020;S1440-2440(20)30788-X.
- Close GL, Hamilton DL, Philp A**, ym. New strategies in sport nutrition to increase exercise performance. *Free Radic Biol Med*. 2016 Sep;98:144-158.
- Clow A, Hucklebridge F**. The impact of psychological stress on immune function in the athletic population. *Exerc Immunol Rev*. 2001;7:S-17.
- Cohen S, Tyrrell DA, Smith AP**. Psychological stress and susceptibility to the common cold. *N Engl J Med*. 1991 Aug 29;325(9):606-12.
- Cohen S, Doyle WJ, Alper CM**, ym. Sleep habits and susceptibility to the common cold. *Arch Intern Med* 169: 62–67, 2009.
- Colbey C, Cox AJ, Pyne DB**, ym. Upper Respiratory Symptoms, Gut Health and Mucosal Immunity in Athletes. *Sports Med*. 2018 Mar;48(Suppl 1):65-77.
- Coqueiro AY, Rogero MM, Tirapegui J**. Glutamine as an Anti-Fatigue Amino Acid in Sports Nutrition. *Nutrients*. 2019 Apr 17;11(4):863.
- Coutinho Moraes DF, Still DW**, ym. DNA-Based authentication of botanicals and plant-derived dietary supplements: where have we been and where are we going? *Planta Med* 81: 687–695, 2015.
- Cox AJ, Gleeson M, Pyne DB**, ym. Clinical and laboratory evaluation of upper respiratory symptoms in elite athletes. *Clin J Sport Med*. 2008 Sep;18(5):438-45.
- Cox AJ, Pyne DB, Saunders PU**, ym. Oral administration of the probiotic Lactobacillus fermentum VRI-003 and mucosal immunity in endurance athletes. *Br J. Sports Med*. 2010;44:222–226.
- Costa RJ, Jones GE, Lamb KL**, ym. The effects of a high carbohydrate diet on cortisol and salivary immunoglobulin A (s-IgA) during a period of increased exercise workload amongst Olympic and Ironman triathletes. *Int J Sports Med*. 2005 Dec;26(10):880-5.
- Crowe FL, Steur M, Allen NE**, ym. Plasma concentrations of 25-hydroxyvitamin D in meat eaters, fish eaters, vegetarians and vegans: results from the EPIC-Oxford study. *Public Health Nutr*. 2011 Feb;14(2):340-6.
- Cruzat VF, Krause M, Newsholme P**. Amino acid supplementation and impact on immune function in the context of exercise. *J Int Soc Sports Nutr*. 2014;11(1):61.
- Cruzat V, Macedo Rogero M, Noel Keane K**, ym. Glutamine: Metabolism and Immune Function, Supplementation and Clinical Translation. *Nutrients*. 2018;10(11):1564.
- Cury-Boaventura MF, Levada-Pires AC, Folador A**, ym. Effects of exercise on leukocyte death: prevention by hydrolyzed whey protein enriched with glutamine dipeptide. *Eur J Appl Physiol*. 2008 Jun;103(3):289-94.
- Da Boit M, Mastalurova I, Brazaite G**, ym. The Effect of Krill Oil Supplementation on Exercise Performance and Markers of Immune Function. *PLoS One*. 2015 Sep 25;10(9):e0139174. (a)
- Da Boit M, Gabriel BM, Gray P**, ym. The Effect of Fish Oil, Vitamin D and Protein on URTI Incidence in Young Active People. *Int J Sports Med*. 2015 May;36(5):426-30. (b)
- Da Boit M, Hunter AM, Gray SR**. Fit with good fat? The role of ω-3 polyunsaturated fatty acids on exercise performance. *Metabolism*. 2017 Jan;66:45-54.
- Dale HF, Rasmussen SH, Asiller ÖÖ**, ym. Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. *Nutrients*. 2019 Sep 2;11(9).
- Datta P, Philipsen PA, Olsen P**, ym. The half-life of 25(OH)D after UVB exposure depends on gender and vitamin D receptor polymorphism but mainly on the start level. *Photochem Photobiol Sci*. 2017 Jun 14;16(6):985-995.
- David S, Cunningham R**. Echinacea for the prevention and treatment of upper respiratory tract infections: A systematic review and meta-analysis. *Complement Ther Med*. 2019 Jun;44:18-26.
- Davison G**. Innate immune responses to a single session of sprint interval training. *Appl Physiol Nutr Metab*. 2011 Jun;36(3):395-404.
- Davison G**. Bovine colostrum and immune function after exercise. *Med Sport Sci*. 2012;59:62–69.
- Davison G, Kehaya C, Wyn Jones A**. Nutritional and Physical Activity Interventions to Improve Immunity. *Am J Lifestyle Med*. 2014;10(3):152-169.
- Davison G, Jones AW, Marchbank T**, ym. Oral bovine colostrum supplementation does not increase circulating insulin-like growth factor-1 concentration in healthy adults: results from short- and long-term administration studies. *Eur J Nutr*. 2020 Jun;59(4):1473-1479.
- D'Avolio A, Avataneo V, Manca A**, ym. 25-Hydroxyvitamin D Concentrations Are Lower in Patients with Positive PCR for SARS-CoV-2. *Nutrients*. 2020 May 9;12(5):1359.
- de la Puente Yagüe M, Collado Yurrita L, Ciudad Cabañas MJ**, ym. Role of Vitamin D in Athletes and Their Performance: Current Concepts and New Trends. *Nutrients*. 2020 Feb 23;12(2):579.
- Del Bo' C, Bernardi S, Marino M**, ym. Systematic Review on Polyphenol Intake and Health Outcomes: Is there Sufficient Evidence to Define a Health-Promoting Polyphenol-Rich Dietary Pattern? *Nutrients*. 2019 Jun 16;11(6):1355.
- De Marco Castro E, Calder PC, Roche HM**. β-1,3/1,6-Glucans and Immunity: State of the Art and Future Directions. *Mol Nutr Food Res*. 2021 Jan;65(1):e1901071.
- Devries MC, Phillips SM**. Supplemental protein in support of muscle mass and health: advantage whey. *J Food Sci*. 2015 Mar;80 Suppl 1:A8-A15.
- Dhabhar FS**. Stress-induced augmentation of immune function—the role of stress hormones, leukocyte trafficking, and cytokines. *Brain Behav Immun*. 2002;16:785-798.
- Dhabhar FS**. Enhancing versus suppressive effects of stress on immune function: implications for immunoprotection and immunopathology. *Neuroimmunomodulation*. 2009;16(5):300-17.
- Dhabhar FS**. Effects of stress on immune function: the good, the bad, and the beautiful. *Immunol Res*. 2014 May;58(2-3):193-210.

- Dhabhar FS.** The short-term stress response - Mother nature's mechanism for enhancing protection and performance under conditions of threat, challenge, and opportunity. *Front Neuroendocrinol.* 2018 Apr;49:175-192.
- Drew MK, Vlahovich N, Hughes D,** ym. A multifactorial evaluation of illness risk factors in athletes preparing for the Summer Olympic Games. *J Sci Med Sport.* 2017 Aug;20(8):745-750.
- Drew MK, Vlahovich N, Hughes D,** ym. A multifactorial evaluation of illness risk factors in athletes preparing for the Summer Olympic Games. *J Sci Med Sport.* 2017 Aug;20(8):745-750.
- Drew M, Vlahovich N, Hughes D,** ym. Prevalence of illness, poor mental health and sleep quality and low energy availability prior to the 2016 Summer Olympic Games. *Br J Sports Med.* 2018;52:47-53.
- Drincic AT, Armas LA, Van Diest EE,** ym. Volumetric dilution, rather than sequestration best explains the low vitamin D status of obesity. *Obesity (Silver Spring).* 2012 Jul;20(7):1444-8.
- Duclos M, Tabarin A.** Exercise and the Hypothalamo-Pituitary-Adrenal Axis. *Front Horm Res.* 2016;47:12-26.
- Duggal NA, Niemiro G, Harridge SDR,** ym. Can physical activity ameliorate immunosenescence and thereby reduce age-related multi-morbidity? *Nat Rev Immunol* 19: 563-572, 2019.
- Dumortier J, Bishop NC, Vogelaers D,** ym. Upper respiratory tract symptoms and salivary immunoglobulin A of elite female gymnasts: a full year longitudinal field study. *Biol Sport.* 2020;37(3):285-293.
- Dutra MT, Martins WR, Ribeiro ALA,** ym. The Effects of Strength Training Combined with Vitamin C and E Supplementation on Skeletal Muscle Mass and Strength: A Systematic Review and Meta-Analysis. *J Sports Med (Hindawi Publ Corp).* 2020 Jan 8;2020:3505209.
- Eby GA 3rd.** Zinc lozenges as cure for the common cold--a review and hypothesis. *Med Hypotheses.* 2010 Mar;74(3):482-92.
- Eccles R, Jawad M.** "Drink plenty of fluids": no harm in fluids for colds and flu. *BMJ.* 2004;328(7445):957-958.
- Eccles R.** Understanding the symptoms of the common cold and influenza. *Lancet Infect Dis.* 2005 Nov;5(11):718-25.
- Eccles R, Mallefet P.** Observational study of the effects of upper respiratory tract infection on hydration status. *Multidiscip Respir Med.* 2019 Oct 31;14:36.
- Edwards JP, Walsh NP, Diment PC,** ym. Anxiety and perceived psychological stress play an important role in the immune response after exercise. *Exerc Immunol Rev.* 2018;24:26-34.
- Ekblom B, Ekblom O, Malm C.** Infectious episodes before and after a marathon race. *Scand J Med Sci Sports.* 2006 Aug;16(4):287-93.
- Ekwaru JP, Zwicker JD, Holick MF,** ym. The importance of body weight for the dose response relationship of oral vitamin D supplementation and serum 25-hydroxyvitamin D in healthy volunteers. *PLoS One.* 2014 Nov 5;9(11):e111265.
- Elliott N, Martin R, Heron N,** ym. Infographic. Graduated return to play guidance following COVID-19 infection. *Br J Sports Med.* 2020;54(19):1174-1175.
- Engebretsen L, Steffen K, Alonso JM,** ym. Sports injuries and illnesses during the Winter Olympic Games 2010. *Br J Sports Med* 2010;44:772-80.
- Engebretsen L, Soligard T, Steffen K,** ym. Sports injuries and illnesses during the London Summer Olympic Games 2012. *Br J Sports Med* 2013;47:407-14.
- Entrenas Castillo M, Entrenas Costa LM, Vaquero Barrios JM,** ym. "Effect of calcifediol treatment and best available therapy versus best available therapy on intensive care unit admission and mortality among patients hospitalized for COVID-19: A pilot randomized clinical study". *J Steroid Biochem Mol Biol.* 2020;203:105751.
- Exton MS.** Infection-induced anorexia: active host defence strategy. *Appetite.* 1997 Dec;29(3):369-83.
- Fahlman MM, Engels HJ, Morgan AL,** ym. Mucosal IgA response to repeated wingate tests in females. *Int J Sports Med.* 2001 Feb;22(2):127-31.
- Fahlman MM, Engels HJ.** Mucosal IgA and URTI in American college football players: a year longitudinal study. *Med Sci Sports Exerc.* 2005 Mar;37(3):374-80
- Fantacone ML, Lowry MB, Uesugi SL,** ym. The Effect of a Multivitamin and Mineral Supplement on Immune Function in Healthy Older Adults: A Double-Blind, Randomized, Controlled Trial. *Nutrients.* 2020 Aug 14;12(8):2447.
- Fardet A.** New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre? *Nutr Res Rev.* 2010 Jun;23(1):65-134
- Farrar MD, Kift R, Felton SJ,** ym. Recommended summer sunlight exposure amounts fail to produce sufficient vitamin D status in UK adults of South Asian origin. *Am J Clin Nutr.* 2011 Nov;94(5):1219-24.
- Farrokhyan F, Tabasinejad R, Dao D,** ym. Prevalence of vitamin D inadequacy in athletes: a systematic-review and meta-analysis. *Sports Med.* 2015 Mar;45(3):365-78.
- Faurschou A, Beyer DM, Schmedes A,** ym. The relation between sunscreen layer thickness and vitamin D production after ultraviolet B exposure: a randomized clinical trial. *Br J Dermatol* 167: 391–395, 2012
- Ferguson-Stegall L, McCleave E, Ding Z,** ym. Aerobic exercise training adaptations are increased by postexercise carbohydrate-protein supplementation. *J Nutr Metab.* 2011;2011:623182.
- Fink AL, Klein SL.** The evolution of greater humoral immunity in females than males: implications for vaccine efficacy. *Curr Opin Physiol.* 2018;6:16-20
- Fishman MP, Lombardo SJ, Kharrazi FD.** Vitamin D deficiency among professional basketball players. *Orthop J Sports Med.* 2016 Jul 6;4(7):
- Fitzgerald J, Peterson B, Wilson P,** ym. Vitamin D status is associated with adiposity in male ice hockey players. *Medicine and Science in Sports and Exercise.* 2015;47(3):655-661.
- Fondell E, Lagerros YT, Sundberg CJ,** ym. Physical activity, stress, and self-reported upper respiratory tract infection. *Med Sci Sports Exerc.* 2011 Feb;43(2):272-9.
- Forbes SC, Bell GJ.** Whey Protein Isolate Supplementation While Endurance Training Does Not Alter Cycling Performance or Immune Responses at Rest or After Exercise. *Front Nutr.* 2019 Mar 1;6:19.
- Forsythe P.** Probiotics and lung immune responses. *Ann AmThorac Soc* 11 Suppl 1: S33-37, 2014.
- Foster M, Samman S.** Vegetarian diets across the lifecycle: impact on zinc intake and status. *Adv Food Nutr Res.* 2015;74:93-131.
- Fowler PM, Duffield R, Lu D,** ym. Effects of Long-Haul Transmeridian Travel on Subjective Jet-Lag and Self-Reported Sleep and Upper Respiratory Symptoms in Professional Rugby League Players. *Int J Sports Physiol Perform.* 2016 Oct;11(7):876-884.
- Fullagar HH, Skorski S, Duffield R,** ym. Sleep and athletic performance: the effects of sleep loss on exercise performance, and physiological and cognitive responses to exercise. *Sports Med.* 2015 Feb;45(2):161-86.
- Furushima D, Ide K, Yamada H.** Effect of Tea Catechins on Influenza Infection and the Common Cold with a Focus on Epidemiological/Clinical Studies. *Molecules.* 2018 Jul 20;23(7):1795.
- Furushima D, Nishimura T, Takuma N,** ym. Prevention of Acute Upper Respiratory Infections by Consumption of Catechins in Healthcare Workers: A Randomized, Placebo-Controlled Trial. *Nutrients.* 2019;12(1):4.
- Garg S, Kim L, Whitaker M,** ym. Hospitalization Rates and Characteristics of Patients Hospitalized with Laboratory-Confirmed Coronavirus Disease 2019 - COVID-NET, 14 States, March 1-30, 2020. *MMWR Morb Mortal Wkly Rep.* 2020 Apr 17;69(15):458-464.
- Ghilotti F, Pesonen AS, Raposo SE,** ym. Physical activity, sleep and risk of respiratory infections: A Swedish cohort study. *PLoS One.* 2018 Jan 4;13(1):e0190270.

- Gillen JB, West DWD, Williamson EP**, ym. Low-Carbohydrate Training Increases Protein Requirements of Endurance Athletes. *Med Sci Sports Exerc.* 2019 Nov;51(11):2294-2301.
- Gillitt ND**. Immunometabolism: a multi-omics approach to interpreting the influence of exercise and diet on the immune system. *Ann Rev Food Sci Tech.* 2019;10:341-363.
- Ginde AA, Mansbach JM and Camargo CA**. Association between serum 25-hydroxyvitamin D level and upper respiratory tract infection in the Third National Health and Nutrition Examination Survey. *Arch Intern Med* 169: 384–390, 2009.
- Gleeson M, McDonald WA, Cripps AW**, ym. The effect on immunity of long-term intensive training in elite swimmers. *Clin Exp Immunol.* 1995 Oct;102(1):210-6.
- Gleeson M, Blannin AK, Walsh NP**, ym. Effect of low- and high-carbohydrate diets on the plasma glutamine and circulating leukocyte responses to exercise. *Int J Sport Nutr.* 1998 Mar;8(1):49-59.
- Gleeson M**. Mucosal immunity and respiratory illness in elite athletes. *Int J Sports Med.* 2000 May;21 Suppl 1:S33-43..
- Gleeson M, Nieman DC, Pedersen BK**. Exercise, nutrition and immune function. *J Sports Sci.* 2004 Jan;22(1):115-25.
- Gleeson M**. Interrelationship between physical activity and branched-chain amino acids. *J. Nutr.* 2005;135:1591S-1595S.
- Gleeson M**. Dosing and efficacy of glutamine supplementation in human exercise and sport training. *J. Nutr.* 2008;138:2045S-2049S.
- Gleeson M, Bishop NC, Oliveira M**, ym. Daily probiotic's (*Lactobacillus casei* Shirota) reduction of infection incidence in athletes. *Int. J. Sport Nutr. Exerc. Metab.* 2011;21:55-64 (a)
- Gleeson M, Bishop N, Oliveira M**, ym. Sex differences in immune variables and respiratory infection incidence in an athletic population. *Exerc Immunol Rev.* 2011;17:122-35.
- Gleeson M, Bishop NC, Oliveira M**, ym. Effects of a *Lactobacillus salivarius* probiotic intervention on infection, cold symptom duration and severity, and mucosal immunity in endurance athletes. *Int J Sport Nutr Exerc Metab.* 2012 Aug;22(4):235-42.
- Gleeson M**. Immunological aspects of sport nutrition. *Immunol Cell Biol* 94: 117–123, 2016.
- Gleeson M, Pyne DB**. Respiratory inflammation and infections in high-performance athletes. *Immunol Cell Biol.* 2016 Feb;94(2):124-31.
- Gleeson M, Bishop NC, Struszczak L**. Effects of *Lactobacillus casei* Shirota ingestion on common cold infection and herpes virus antibodies in endurance athletes: a placebo-controlled, randomized trial. *Eur J Appl Physiol* 2016; 116: 1555-63
- Główka N, Durkalec-Michalski K, Woźniewicz M**. Immunological Outcomes of Bovine Colostrum Supplementation in Trained and Physically Active People: A Systematic Review and Meta-Analysis. *Nutrients.* 2020 Apr 8;12(4):1023.
- Gombart AF**. The vitamin D-antimicrobial peptide pathway and its role in protection against infection. *Future Microbiol.* 2009 Nov;4(9):1151-65.
- Gombart AF, Pierre A, Maggini S**. A Review of Micronutrients and the Immune System-Working in Harmony to Reduce the Risk of Infection. *Nutrients.* 2020 Jan 16;12(1):236.
- González-Gallego J, García-Medaivilla MV, Sánchez-Campos S**, ym. Fruit polyphenols, immunity and inflammation. *Br J Nutr* 2010;104(Suppl 3):S15-27.Biol. 2016;94(2):124-131.
- Gouttebarge V, Castaldelli-Maia JM, Gorczyński P**, ym. Occurrence of mental health symptoms and disorders in current and former elite athletes: a systematic review and meta-analysis. *Br J Sports Med.* 2019 Jun;53(11):700-706.
- Grande AJ, Keogh J, Hoffmann TC** ym. Exercise versus no exercise for the occurrence, severity and duration of acute respiratory infections. *Cochrane Database Syst Rev.* 2015 Jun 16;(6):CD010596.
- Grande AJ, Keogh J, Silva V**, ym. Exercise versus no exercise for the occurrence, severity, and duration of acute respiratory infections. *Cochrane Database Syst Rev.* 2020 Apr 4;(4):CD010596.
- Grant WB, Lahore H, Rockwell MS**. The Benefits of Vitamin D Supplementation for Athletes: Better Performance and Reduced Risk of COVID-19. *Nutrients.* 2020 Dec 4;12(12):3741.
- Grosso G, Micek A, Godos J**, ym. Coffee consumption and risk of all-cause, cardiovascular, and cancer mortality in smokers and non-smokers: a dose-response meta-analysis. *Eur J Epidemiol.* 2016 Dec;31(12):1191-1205.
- Guallar E, Stranges S, Mulrow C**, ym. Enough is enough: Stop wasting money on vitamin and mineral supplements. *Ann Intern Med.* 2013 Dec 17; 159(12):850-1.
- Gunzer W, Konrad M, Pail E**. Exercise-induced immunodepression in endurance athletes and nutritional intervention with carbohydrate, protein and fat-what is possible, what is not? *Nutrients.* 2012 Sep;4(9):1187-212.
- Ha E, Zemel MB**. Functional properties of whey, whey components, and essential amino acids: mechanisms underlying health benefits for active people (review). *J Nutr Biochem.* 2003 May;14(5):251-8.
- Hall H, Fahlman MM, Engels HJ**. Echinacea purpurea and mucosal immunity. *Int J Sports Med.* 2007 Sep;28(9):792-7.
- Halliday TM, Peterson NJ, Thomas JJ**, ym. Vitamin D status relative to diet, lifestyle, injury, and illness in college athletes. *Med Sci Sports Exerc.* 2011;43:335-343.
- Hamilton B, Grantham J, Racinais S**, ym. (2010). Vitamin D deficiency is endemic in Middle Eastern sportsmen. *Public Health Nutrition*, 13(10), 1528-1534.
- Handzlik MK, Shaw AJ, Dungey M**, ym. The influence of exercise training status on antigen-stimulated IL-10 production in whole blood culture and numbers of circulating regulatory T cells. *Eur J Appl Physiol.* 2013 Jul;113(7):1839-48.
- Hansen M, Bangsbo J, Jensen J**, ym. Effect of whey protein hydrolysate on performance and recovery of top-class orienteering runners. *Int J Sport Nutr Exerc Metab.* 2015 Apr;25(2):97-109.
- Hao Q, Dong BR, Wu T**. Probiotics for preventing acute upper respiratory tract infections. *Cochrane Database Syst Rev.* 2015 Feb 3;(2):
- Harnly J**. Importance of accurate measurements in nutrition research: dietary flavonoids as a case study. *Adv Nutr* 7: 375– 382, 2016.
- Hathcock JN, Shao A, Vieth R**, ym. Risk assessment for vitamin D. *Am J Clin Nutr.* 2007 Jan;85(1):6-18.
- Hawley JA, Burke LM**. Carbohydrate availability and training adaptation: effects on cell metabolism. *Exerc Sport Sci Rev* 38: 152–160, 2010.
- Hayat K, Iqbal H, Malik U**, ym. Tea and its consumption: benefits and risks. *Crit Rev Food Sci Nutr.* 2015;55(7):939-54.
- Haywood BA, Black KE, Baker D**, ym. Probiotic supplementation reduces the duration and incidence of infections but not severity in elite rugby union players. *J. Sci. Med. Sport.* 2014;17:356–360.
- Haytowitz, D.B., Wu, X., Bhagwat, S.** 2018. USDA Database for the Flavonoid Content of Selected Foods, Release 3.3. U.S. Department of Agriculture, Agricultural Research Service. Nutrient Data Laboratory Home Page: <http://www.ars.usda.gov/nutrientdata/flav>
- He CS, Handzlik M, Fraser WD**, ym. Influence of vitamin D status on respiratory infection incidence and immune function during 4 months of winter training in endurance sport athletes. *Exerc Immunol Rev.* 2013;19:86-101
- He CS, Bishop NC, Handzlik MK**, ym. Sex differences in upper respiratory symptoms prevalence and oral-respiratory mucosal immunity in endurance athletes. *Exerc. Immunol. Rev.* 2014;20:8-22
- He CS, Aw Yong XH, Walsh NP**, ym. Is there an optimal vitamin D status for immunity in athletes and military personnel? *Exerc Immunol Rev.* 2016;22:42-64.

- He CS, Fraser WD, Tang J**, ym. The effect of 14 weeks of vitamin D3 supplementation on antimicrobial peptides and proteins in athletes. *J Sports Sci.* 2016;34:67–74. (a)
- Heaney RP, Davies KM, Chen TC**, ym. (2003) Human serum 25-hydroxycholecalciferol response to extended oral dosing with cholecalciferol. *Am J Clin Nutr* 77, 204–210.
- Heaney R, Garland C, Baggerly C**, ym. Letter to Veugelers, P.J. and Ekwari, J.P., A statistical error in the estimation of the recommended dietary allowance for vitamin D. *Nutrients* 2014, 6, 4472–4475; doi:10.3390/nu6104472. *Nutrients*. 2015 Mar 10;7(3):1688–90.
- Hector AJ, Phillips SM**. Protein Recommendations for Weight Loss in Elite Athletes: A Focus on Body Composition and Performance. *Int J Sport Nutr Exerc Metab.* 2018 Mar 1;28(2):170–177.
- Heikkinen T, Järvinen A**. The common cold. *Lancet.* 2003;361(9351):51–59. doi:10.1016/S0140-6736(03)12162-9
- Heikura IA, Uusitalo ALT, Stellingwerff T**, ym. Low Energy Availability Is Difficult to Assess but Outcomes Have Large Impact on Bone Injury Rates in Elite Distance Athletes. *Int J Sport Nutr Exerc Metab.* 2018 Jul 1;28(4):403–411.
- Hellard P, Avalos M, Guimaraes F**, ym. Training-related risk of common illnesses in elite swimmers over a 4-yr period. *Med Sci Sports Exerc.* 2015 Apr;47(4):698–707.
- Heller JE, Thomas JJ, Hollis BW**, ym. Relation between vitamin D status and body composition in collegiate athletes. *International Journal of Sport Nutrition and Exercise Metabolism.* 2015;25(2):128–135.
- Hemilä H, Chalker E**. Vitamin C for preventing and treating the common cold. *Cochrane Database Syst Rev.* 2013;(1):CD000980.
- Hemilä H**. The effect of vitamin C on bronchoconstriction and respiratory symptoms caused by exercise: a review and statistical analysis. *Allergy Asthma Clin Immunol.* 2014 Nov 27;10(1):58.
- Hemilä H, Chalker E**. The effectiveness of high dose zinc acetate lozenges on various common cold symptoms: a meta-analysis. *BMC Fam Pract.* 2015;16:24.
- Hemilä H, Petrus EJ, Fitzgerald JT**, ym. Zinc acetate lozenges for treating the common cold: an individual patient data meta-analysis. *Br J Clin Pharmacol.* 2016 Nov;82(5):1393–1398.
- Hemilä H**. Vitamin C and Infections. *Nutrients.* 2017 Mar 29;9(4).
- Hemilä H**. Zinc lozenges and the common cold: a meta-analysis comparing zinc acetate and zinc gluconate, and the role of zinc dosage. *JRSM Open.* 2017 May 2;8(5):2054270417694291.
- Hemilä H, Fitzgerald JT, Petrus EJ**, ym. Zinc Acetate Lozenges May Improve the Recovery Rate of Common Cold Patients: An Individual Patient Data Meta-Analysis. *Open Forum Infect Dis.* 2017 Apr 3;4(2):ofx059.
- Hemilä H, Haukka J, Alho M**, ym. Zinc acetate lozenges for the treatment of the common cold: a randomised controlled trial. *BMJ Open.* 2020;10(1):e031662.
- Heureux N, Lindhout E, Swinkels L**. A Direct Assay for Measuring Free 25-Hydroxyvitamin D. *J AOAC Int.* 2017 Sep 1;100(5):1318–1322.
- Hew-Butler T, Smith-Hale V, Pollard-McGrandy A**, ym. Of Mice and Men-The Physiology, Psychology, and Pathology of Overhydration. *Nutrients.* 2019 Jul 7;11(7):1539.
- Higgins MR, Izadi A, Kaviani M**. Antioxidants and Exercise Performance: With a Focus on Vitamin E and C Supplementation. *Int J Environ Res Public Health.* 2020 Nov 15;17(22):8452.
- Hill C, Guarner F, Reid G**, ym. Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol* 2014; 11: 506–14.
- Hirshkowitz M, Whiton K, Albert SM**, ym. National Sleep Foundation's updated sleep duration recommendations: final report. *Sleep Health.* 2015 Dec;1(4):233–243.
- Hiscock N, Pedersen BK**. Exercise-induced immunodepression- plasma glutamine is not the link. *J Appl Physiol* (1985). 2002 Sep;93(3):813–22.
- Ho FK, Celis-Morales CA, Gray SR**, ym. Modifiable and non-modifiable risk factors for COVID-19, and comparison to risk factors for influenza and pneumonia: results from a UK Biobank prospective cohort study. *BMJ Open.* 2020 Nov 19;10(11):e040402.
- Hoffman MD, Krishnan E**. Health and exercise-related medical issues among 1,212 ultramarathon runners: baseline findings from the Ultrarunners Longitudinal TRAcking (ULTRA) Study. *PLoS One.* 2014 Jan 8;9(1):e83867.
- Holick MF**. Vitamin D deficiency. *N Engl J Med.* 2007 Jul 19;357(3):266–81
- Holick MF, Binkley NC, Bischoff-Ferrari HA**, ym. Endocrine Society. Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab.* 2011 Jul;96(7):1911–30.
- Holick MF**. The vitamin D deficiency pandemic: approaches for diagnosis, treatment and prevention. *Reviews in Endocrine and Metabolic Disorders* 2017. 18 153–165.
- Holvik K, Madar AA, Meyer HE**, ym. A randomised comparison of increase in serum 25-hydroxyvitamin D concentration after 4 weeks of daily oral intake of 10 microg cholecalciferol from multivitamin tablets or fish oil capsules in healthy young adults. *Br J Nutr.* 2007 Sep;98(3):620–5..
- Horvath PJ, Eagen CK, Ryer-Calvin SD**, ym. The effects of varying dietary fat on the nutrient intake in male and female runners. *J Am Coll Nutr.* 2000 Feb;19(1):42–51.
- Hosakote YM, Jantzi PD, Esham DL**, ym. Viral-mediated inhibition of antioxidant enzymes contributes to the pathogenesis of severe respiratory syncytial virus bronchiolitis. *Am J Respir Crit Care Med.* 2011 Jun 1;183(11):1550–60
- Hosseini-nezhad, A., & Holick, M.F.** (2013). Vitamin D for health: A global perspective. *Mayo Clinic Proceedings*, 88(7), 720–755
- Huang R, Wang K, Hu J**. Effect of Probiotics on Depression: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients.* 2016;8(8):483.
- Hunter DC, Skinner MA, Wolber FM**, ym. Consumption of gold kiwifruit reduces severity and duration of selected upper respiratory tract infection symptoms and increases plasma vitamin C concentration in healthy older adults. *Br J Nutr.* 2012 Oct;108(7):1235–45.
- Hulisz D**. Efficacy of zinc against common cold viruses: an overview. *J Am Pharm Assoc* (2003). 2004 Sep-Oct;44(S):594–603.
- Husson MO, Ley D, Portal C**, ym. Modulation of host defence against bacterial and viral infections by omega-3 polyunsaturated fatty acids. *J Infect.* 2016 Dec;73(6):523–535.
- Hyrkas H, Jaakkola MS, Ikäheimo TM**, ym. Asthma and allergic rhinitis increase respiratory symptoms in cold weather among young adults. *Respir Med.* 2014 Jan;108(1):63–70.
- Hämäläinen M, Nieminen R, Vuorela P**, ym. Anti-inflammatory effects of flavonoids: genistein, kaempferol, quercetin, and daidzein inhibit STAT-1 and NF-kappaB activations, whereas flavone, isorhamnetin, naringenin, and pelargonidin inhibit only NF-kappaB activation along with their inhibitory effect on iNOS expression and NO production in activated macrophages. *Mediators Inflamm* 2007;2007:45673.
- Ilie PC, Stefanescu S, Smith L**. The role of vitamin D in the prevention of coronavirus disease 2019 infection and mortality. *Aging Clin Exp Res.* 2020 Jul;32(7):1195–1198.
- IOM (Institute of Medicine)** Dietary Reference Intakes for Calcium and Vitamin D. Washington, DC: Institute of Medicine of the National Academies 2011

- Jackman SR, Witard OC, Philp A**, ym. Branched-Chain Amino Acid Ingestion Stimulates Muscle Myofibrillar Protein Synthesis following Resistance Exercise in Humans. *Front Physiol.* 2017 Jun 7;8:390.
- Jackson GG, Dowling HF, Spiesman IG**, ym. Transmission of the common cold to volunteers under controlled conditions. I. The common cold as a clinical entity. *AMAArch Intern Med* 101: 267–278, 1958.
- Jesenak M, Urbancikova I, Banovcin P**. Respiratory Tract Infections and the Role of Biologically Active Polysaccharides in Their Management and Prevention. *Nutrients.* 2017;9(7):779.
- Jolliffe DA, Camargo CA, Sluyter JD**, ym. Vitamin D supplementation to prevent acute respiratory infections: systematic review and meta-analysis of aggregate data from randomised controlled trials. *Preprint. medRxiv.* 2020;2020.07.14.20152728.
- Jonasson TH, Costa TMDRL, Petterle RR**, ym. Body composition in nonobese individuals according to vitamin D level. *PLoS One.* 2020;15(11):e0241858.
- Jones AW, March DS, Curtis F**, ym. Bovine colostrum supplementation and upper respiratory symptoms during exercise training: a systematic review and meta-analysis of randomised controlled trials. *BMC Sports Sci Med Rehabil.* 2016 Jul 26;8:21.
- Jones AW, March DS, Thatcher R**, ym. The effects of bovine colostrum supplementation on in vivo immunity following prolonged exercise: a randomised controlled trial. *Eur J Nutr.* 2019 Feb;58(1):335-344.
- Jonvik KL, Paulussen KJM, Danen SL**, Protein Supplementation Does Not Augment Adaptations to Endurance Exercise Training. *Med Sci Sports Exerc.* 2019 Oct;51(10):2041-2049.
- Josling P**. Preventing the common cold with a garlic supplement: a double-blind, placebo-controlled survey. *Adv Ther.* 2001 Jul-Aug;18(4):189-93.
- Jung HC, Seo MW, Lee S**, ym. Vitamin D₃ Supplementation Reduces the Symptoms of Upper Respiratory Tract Infection during Winter Training in Vitamin D-Insufficient Taekwondo Athletes: A Randomized Controlled Trial. *Int J Environ Res Public Health.* 2018 Sep 14;15(9):2003.
- Juszkiewicz A, Glapa A, Basta P**, ym. The effect of L-theanine supplementation on the immune system of athletes exposed to strenuous physical exercise. *J Int Soc Sports Nutr.* 2019 Feb 15;16(1):7.
- Jäger R, Kerksick CM, Campbell BI**, ym. International Society of Sports Nutrition Position Stand: protein and exercise. *J Int Soc Sports Nutr.* 2017 Jun 20;14:20.
- Järvinen A**. Kuinka pitkään koronarokote toimii? Voiko D-vitamiinilla ehkäistä infektioita? Asiantuntijat vastasivat 14 kysymykseen viruksesta ja rokotteista. Yle.fi/uutiset, Johannes Blom 19.12.2020
- Jääskeläinen T, Iltkonen ST, Lundqvist A**, ym. The positive impact of general vitamin D food fortification policy on vitamin D status in a representative adult Finnish population: evidence from an 11-y follow-up based on standardized 25-hydroxyvitamin D data. *Am J Clin Nutr.* 2017 Jun;105(6):1512-1520.
- Kakanis MW, Peake J, Brenu EW**, ym. The open window of susceptibility to infection after acute exercise in healthy young male elite athletes. *Exerc Immunol Rev.* 2010;16:119-37.
- Kalima K, Lehtoranta L, He L**, ym. Probiotics and respiratory and gastrointestinal tract infections in Finnish military conscripts - a randomised placebo-controlled double-blinded study. *Benef Microbes* 7: 463–471, 2016.
- Kamath AB, Wang L, Das H**, ym. Antigens in tea-beverage prime human Vgamma2Vdelta2 T cells in vitro and in vivo for memory and nonmemory antibacterial cytokine responses. *Proc Natl Acad Sci U S A.* 2003 May 13;100(10):6009-14.
- Karl JP**. Gut Microbiota-targeted Interventions for Reducing the Incidence, Duration, and Severity of Respiratory Tract Infections in Healthy Nonelderly Adults [published online ahead of print, 2020 Nov 2]. *Mil Med.* 2020;usaa261
- Karsch-Völk M, Barrett B, Linde K**. Echinacea for preventing and treating the common cold. *JAMA.* 2015 Feb 10;313(6):618-9.
- Kato H, Suzuki K, Bannai M**, ym. Protein Requirements Are Elevated in Endurance Athletes after Exercise as Determined by the Indicator Amino Acid Oxidation Method. *PLoS One.* 2016 Jun 20;11(6):e0157406.
- Kaufman HW, Niles JK, Kroll MH**, ym. SARS-CoV-2 positivity rates associated with circulating 25-hydroxyvitamin D levels. *PLoS One.* 2020 Sep 17;15(9):e0239252.
- Kaul TN, Middleton E, Ogra PL**. Antiviral effect of flavonoids on human viruses. *J Med Virol.* 1985;15:71–9.
- Keaney LC, Kilding AE, Merien F**, ym. Keeping Athletes Healthy at the 2020 Tokyo Summer Games: Considerations and Illness Prevention Strategies. *Front Physiol.* 2019 Apr 17;10:426.
- Kekkonen RA, Vasankari TJ, Vuorimaa T**, ym. The effect of probiotics on respiratory infections and gastrointestinal symptoms during training in marathon runners. *Int J Sport Nutr Exerc Metab.* 2007 Aug;17(4):352-63.
- Kerksick CM, Wilborn CD, Roberts MD**, ym. ISSN exercise & sports nutrition review update: research & recommendations. *J Int Soc Sports Nutr.* 2018;15(1):38.
- Khan N, Mukhtar H**. Tea Polyphenols in Promotion of Human Health. *Nutrients.* 2018 Dec 25;11(1):39.
- Killer SC, Svendsen IS, Gleeson M**. The influence of hydration status during prolonged endurance exercise on salivary antimicrobial proteins. *Eur J Appl Physiol.* 2015 Sep;115(9):1887-95.
- Kim MH, Kim H**. The Roles of Glutamine in the Intestine and Its Implication in Intestinal Diseases. *Int J Mol Sci.* 2017 May 12;18(5):1051.
- King NA, Blundell JE**. High-fat foods overcome the energy expenditure induced by high-intensity cycling or running. *Eur J Clin Nutr.* 1995 Feb;49(2):114-23.
- King S, Glanville J, Sanders ME**, ym. Effectiveness of probiotics on the duration of illness in healthy children and adults who develop common acute respiratory infectious conditions: a systematic review and meta-analysis. *Br J Nutr.* 2012; 107(1):41–54, 2014
- Klentrou P, Cieslak T, MacNeil M**, ym. Effect of moderate exercise on salivary immunoglobulin A and infection risk in humans. *Eur J Appl Physiol.* 2002 Jun;87(2):153-8.
- Knapik JJ, Steelman RA, Hoedebecke SS**, ym. Prevalence of Dietary Supplement Use by Athletes: Systematic Review and Meta-Analysis. *Sports Med* 46: 103–123, 2016.
- Knuiman P, van Loon LJC, Wouters J** ym.. Protein supplementation elicits greater gains in maximal oxygen uptake capacity and stimulates lean mass accretion during prolonged endurance training: a double-blind randomized controlled trial. *Am J Clin Nutr.* 2019 Aug 1;110(2):S08-518.
- Kohut ML, Arntson BA, Lee W**, ym. Moderate exercise improves antibody response to influenza immunization in older adults. *Vaccine.* 2004 Jun 2;22(17-18):2298-306.
- Koivisto AE, Paulsen G, Paur I**, ym. Antioxidant-rich foods and response to altitude training: A randomized controlled trial in elite endurance athletes. *Scand J Med Sci Sports.* 2018 Sep;28(9):1982-1995.
- Komano Y, Shimada K, Naito H**, ym. Efficacy of heat-killed Lactococcus lactis JCM 5805 on immunity and fatigue during consecutive high intensity exercise in male athletes: a randomized, placebo-controlled, double-blinded trial. *J Int Soc Sports Nutr.* 2018 Aug 2;15(1):39.
- Korkor AB, Bretzmann C**. Effect of fish oil on vitamin D absorption. *Am J Kidney Dis.* 2009;53:356.
- Koskela HO**. Cold air-provoked respiratory symptoms: the mechanisms and management. *Int J Circumpolar Health.* 2007 Apr;66(2):91-100.
- Krüger K, Mooren FC**. T cell homing and exercise. *Exerc Immunol Rev.* 2007;13:37-54.

- Krüger K, Alack K, Ringseis R**, ym. Apoptosis of T-Cell Subsets after Acute High-Intensity Interval Exercise. *Med Sci Sports Exerc.* 2016 Oct;48(10):2021-9.
- Kuipers H, van Breda E, Verlaan G**, ym. Effects of oral bovine colostrum supplementation on serum insulin-like growth factor-I levels. *Nutrition.* 2002 Jul-Aug;18(7-8):566-7.
- Kurihara S, Hiraoka T, Akutsu M**, ym. Effects of (L)-cystine and (L)-theanine supplementation on the common cold: a randomized, double-blind, and placebo-controlled trial. *J Amino Acids.* 2010;2010:307475.
- Kurihara S, Shibakusa T, Tanaka KA**. Cystine and theanine: amino acids as oral immunomodulative nutrients. *Springerplus.* 2013;2:635.
- Kurugöl Z, Akilli M, Bayram N**, ym. The prophylactic and therapeutic effectiveness of zinc sulphate on common cold in children. *Acta Paediatr.* 2006 Oct;95(10):1175-81.
- Laaksi I, Ruohola JP, Mattila V**, ym. Vitamin D supplementation for the prevention of acute respiratory tract infection: a randomized, double-blinded trial among young Finnish men. *J Infect Dis.* 2010 Sep 1;202(5):809-14.
- Lakier Smith L**. Overtraining, excessive exercise, and altered immunity: is this a T helper-1 versus T helper-2 lymphocyte response? *Sports Med.* 2003;33(5):347-64.
- Lamberg-Allardt C, Brustad M, Meyer HE**, ym. Vitamin D - a systematic literature review for the 5th edition of the Nordic Nutrition Recommendations. *Food Nutr Res.* 2013 Oct 3;57.
- Lancaster GI, Jentjens RL, Moseley L**, ym. Effect of pre-exercise carbohydrate ingestion on plasma cytokine, stress hormone, and neutrophil degranulation responses to continuous, high-intensity exercise. *Int J Sport Nutr Exerc Metab.* 2003 Dec;13(4):436-53.
- Lancaster GI, Khan Q, Drysdale PT**, ym. Effect of prolonged exercise and carbohydrate ingestion on type 1 and type 2 T lymphocyte distribution and intracellular cytokine production in humans. *J Appl Physiol (1985).* 2005 Feb;98(2):565-71.
- Lands LC, Grey VL, Smountas AA**. Effect of supplementation with a cysteine donor on muscular performance. *J Appl Physiol* 1999;87:1381-1385.
- Larenas-Linnemann D, Rodríguez-Pérez N, Arias-Cruz A**, ym. Enhancing innate immunity against virus in times of COVID-19: Trying to untangle facts from fictions. *World Allergy Organ J.* 2020 Nov;13(11):100476.
- Larson-Meyer E**. Vitamin D supplementation in athletes. *Nestle Nutr Inst Workshop Ser.* 2013;75:109-21.
- Larson-Meyer DE**. (2015). The importance of vitamin D for athletes. *GSSE,* 28(148), 1–6.
- Larson-Meyer E**. Vegetarian and vegan diets for athletic training and performance. <https://www.gssiweb.org/sports-science-exchange/article/vegetarian-and-vegan-diets-for-athletic-training-and-performance>. Julkaistu 12/2018. Viitattu 12.3.2021.
- Larson-Meyer DE, Woolf K, Burke L**. Assessment of Nutrient Status in Athletes and the Need for Supplementation. *Int J Sport Nutr Exerc Metab.* 2018 Mar 1;28(2):139-158. 77
- Larson-Meyer DE, Douglas CS, Thomas JJ**, ym. Validation of a Vitamin D Specific Questionnaire to Determine Vitamin D Status in Athletes. *Nutrients.* 2019 Nov 11;11(11):2732.
- Laursen RP, Hojsak I**. Probiotics for respiratory tract infections in children attending day care centers: a systematic review. *Eur J Pediatr* 2018; 177: 979-94.
- Ledo A, Schub D, Ziller C**, ym. Elite athletes on regular training show more pronounced induction of vaccine-specific T-cells and antibodies after tetavalent influenza vaccination than controls. *Brain Behav Immun.* 2020 Jan;83:135-145.
- Leeder J, Glaister M, Pizzoferrato K**, ym. Sleep duration and quality in elite athletes measured using wristwatch actigraphy. *J Sports Sci* 30: 541–545, 2012.
- Leite GSF, Resende Master Student A.S., West NP**, ym. Probiotics and Sports: A New Magic Bullet? *Nutrition.* 2019;60:152–160.
- Leitmeyer K, Adlhoch C**. Review Article: Influenza Transmission on Aircraft: A Systematic Literature Review. *Epidemiology.* 2016 Sep;27(5):743-51.
- Levine M, Conry-Cantilena C, Wang Y**, ym. Vitamin C pharmacokinetics in healthy volunteers: evidence for a recommended dietary allowance. *Proc Natl Acad Sci U S A.* 1996 Apr 16;93(8):3704-9.
- Li Q, Nakadai A., Matsushima H.** Phytoncides (wood essential oils) induce human natural killer cell activity. *Immunopharmacol Immunotoxicol.* 2006;28(2):319-333
- Li P, Yin YL, Li D**, ym. Amino acids and immune function. *Br. J. Nutr.* 2007;98:237–252.
- Li Q, Morimoto K, Nakadai A.** Forest bathing enhances human natural killer activity and expression of anti-cancer proteins. *Int J Immunopathol Pharmacol.* 2007;20(2):3–8
- Li Q, Morimoto K., Kobayashi M.** Visiting a forest, but not a city, increases human natural killer activity and expression of anti-cancer proteins. *Int J Immunopathol Pharmacol.* 2008;21(1):117–127
- Li Q, Kobayashi M., Wakayama Y.** Effect of phytoncide from trees on human natural killer cell function. *Int J Immunopathol Pharmacol.* 2009;22(4):951–959
- Li L, Werler MM**. Fruit and vegetable intake and risk of upper respiratory tract infection in pregnant women. *Public Health Nutr.* 2010 Feb;13(2):276-82.
- Li L, Hong K, Sun Q**, ym. Probiotics for Preventing Upper Respiratory Tract Infections in Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Evid Based Complement Alternat Med.* 2020 Oct 26;2020:8734140.
- Lim CL**. Heat Sepsis Precedes Heat Toxicity in the Pathophysiology of Heat Stroke-A New Paradigm on an Ancient Disease. *Antioxidants (Basel).* 2018 Oct 25;7(11). pii: E149.
- Ling SF, Broad E, Murphy R**, ym. High-Dose Cholecalciferol Booster Therapy is Associated with a Reduced Risk of Mortality in Patients with COVID-19: A Cross-Sectional Multi-Centre Observational Study. *Nutrients.* 2020;12(12):3799.
- Livingstone C**. Zinc: physiology, deficiency, and parenteral nutrition. *Nutr Clin Pract.* 2015 Jun;30(3):371-82.
- Logue D, Madigan SM, Delahunt E**, ym. Low Energy Availability in Athletes: A Review of Prevalence, Dietary Patterns, Physiological Health, and Sports Performance. *Sports Med.* 2018 Jan;48(1):73-96.
- Loucks AB**. Energy availability in athletes. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010
- Louis J, Marquet LA, Tiollier E**, ym. The impact of sleeping with reduced glycogen stores on immunity and sleep in triathletes. *Eur J Appl Physiol.* 2016 Oct;116(10):1941-54.
- Lowe NM**. Assessing zinc in humans. *Curr Opin Clin Nutr Metab Care.* 2016 Sep;19(5):321-327.
- LPI** [https://lpi.oregonstate.edu/sites/lpi.oregonstate.edu/files/lpi-immunity-infographic.pdf \(2020\)](https://lpi.oregonstate.edu/sites/lpi.oregonstate.edu/files/lpi-immunity-infographic.pdf)
- Lumio J**. Influensa. Lääkärikirja Duodecim 24.4.2020. www.terveyskirjasto.fi
- MacKinnon LT, Jenkins DG**. Decreased salivary immunoglobulins after intense interval exercise before and after training. *Med Sci Sports Exerc.* 1993 Jun;25(6):678-83.
- Maggini S, Wintergerst ES, Beveridge S**, ym. Selected vitamins and trace elements support immune function by strengthening epithelial barriers and cellular and humoral immune responses. *Br J Nutr.* 2007 Oct;98 Suppl 1:S29-35.
- Maggini S., Beveridge S., Sorbara J.P.** Feeding the immune system: The role of micronutrients in restoring resistance to infections. *CAB Rev.* 2008;3:1–21.
- Mah E, Kaden VN, Kelley KM**, ym. Soluble and Insoluble Yeast β-Glucan Differentially Affect Upper Respiratory Tract Infection in Marathon Runners: A Double-Blind, Randomized Placebo-Controlled Trial. *J Med Food.* 2020 Apr;23(4):416-419. (a)

- Mah E, Kaden VN, Kelley KM**, ym. Beverage Containing Dispersible Yeast β -Glucan Decreases Cold/Flu Symptomatic Days After Intense Exercise: A Randomized Controlled Trial. *J Diet Suppl.* 2020;17(2):200-210.
- Malczewska-Lenczowska J, Sitkowski D, Surala O**, ym. The Association between Iron and Vitamin D Status in Female Elite Athletes. *Nutrients.* 2018 Jan 31;10(2):167.
- Malih Z, Wu Z, Lawes CMM**, ym. Adverse events from large dose vitamin D supplementation taken for one year or longer. *J Steroid Biochem Mol Biol.* 2019 Apr;188:29-37.
- Malih Z, Wu Z, Lawes CMM**, ym. Adverse events from large dose vitamin D supplementation taken for one year or longer. *J Steroid Biochem Mol Biol.* 2019 Apr;188:29-37.
- Malm C**. Susceptibility to infections in elite athletes: the S-curve. *Scand J Med Sci Sports* 2006;16:4-6.
- Mandlik R, Mughal Z, Khadilkar A**, ym. Occurrence of infections in schoolchildren subsequent to supplementation with vitamin D-calcium or zinc: a randomized, double-blind, placebo-controlled trial. *Nutr Res Pract.* 2020 Apr;14(2):117-126.
- Mangalmurti N, Hunter CA**. Cytokine Storms: Understanding COVID-19. *Immunity.* 2020 Jul 14;53(1):19-25.
- Marcinowska-Suchowierska E, Kupisz-Urbańska M, Łukaszkiewicz J**, ym. Vitamin D Toxicity-A Clinical Perspective. *Front Endocrinol (Lausanne).* 2018 Sep 20;9:550.
- Marcos A**. Eating disorders: a situation of malnutrition with peculiar changes in the immune system. *Eur J Clin Nutr.* 2000 Mar;54 Suppl 1:S61-4.
- Marín L, Miguélez EM, Villar CJ** ym. Bioavailability of dietary polyphenols and gut microbiota metabolism: antimicrobial properties. *BioMed Res Int* 2015: 905215, 2015.
- Maroon JC, Mathyssek CM, Bost JW**, ym. Vitamin D profile in National Football League players. *Am J Sports Med.* 2015 May;43(5):1241-5.
- Marquet LA, Brisswalter J, Louis J**, ym. Enhanced Endurance Performance by Periodization of Carbohydrate Intake: "Sleep Low" Strategy. *Med Sci Sports Exerc.* 2016 Apr;48(4):663-72.
- Marranzino G, Villena J, Salva S** ym. Stimulation of macrophages by immunobiotic Lactobacillus strains: influence beyond the intestinal tract. *Microbiol Immunol* 56: 771-781, 2012.
- Marshall K**. Therapeutic applications of whey protein. *Altern Med Rev.* 2004 Jun;9(2):136-56.
- Martineau AR, Jolliffe DA, Greenberg L**, ym. D supplementation to prevent acute respiratory infections: individual participant data meta-analysis. *Health Technol Assess.* 2019 Jan;23(2):1-44.
- Mason RS, Rybchyn MS, Abboud M**, ym. The Role of Skeletal Muscle in Maintaining Vitamin D Status in Winter. *Curr Dev Nutr.* 2019;3(10):nzz087.
- Mastorakos G, Pavlataou M, Diamanti-Kandarakis E**, ym. Exercise and the stress system. *Hormones (Athens).* 2005 Apr-Jun;4(2):73-89.
- Maughan RJ, Burke LM, Dvorak J**, ym. IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med.* 2018 Apr;52(7):439-455.
- McCarville JL, Ayres JS**. Disease tolerance: concept and mechanisms. *Curr Opin Immunol.* 2018 Feb;50:88-93.
- McFarlin BK, Carpenter KC, Davidson T**, ym. Baker's yeast beta glucan supplementation increases salivary IgA and decreases cold/flu symptomatic days after intense exercise. *J Diet Suppl.* 2013 Sep;10(3):171-83.
- McKay AKA, Pyne DB, Peeling P**, ym. The impact of chronic carbohydrate manipulation on mucosal immunity in elite endurance athletes. *J Sports Sci.* 2019 Mar;37(5):553-559.
- Mehrān N, Schulz BM, Neri BR**, ym. Prevalence of vitamin D insufficiency in professional hockey players. *Orthop J Sports Med.* 2016 Dec 23;4(12):
- Melin AK, Heikura IA, Tenforde A**, ym. Energy Availability in Athletics: Health, Performance, and Physique. *Int J Sport Nutr Exerc Metab.* 2019 Mar 1;29(2):152-164.
- Melina V, Craig W, Levin S**. Position of the Academy of Nutrition and Dietetics: Vegetarian Diets. *J Acad Nutr Diet.* 2016 Dec;116(12):1970-1980.
- Meltzer DO, Best TJ, Zhang H**, ym. Association of Vitamin D Status and Other Clinical Characteristics With COVID-19 Test Results. *JAMA Netw Open.* 2020 Sep 1;3(9):e2019722.
- Mendes MM, Darling AL, Hart KH**, ym. Impact of high latitude, urban living and ethnicity on 25-hydroxyvitamin D status: A need for multidisciplinary action? *J Steroid Biochem Mol Biol.* 2019 Apr;188:95-102.
- Merry TL, Ristow M**. Do antioxidant supplements interfere with skeletal muscle adaptation to exercise training? *J Physiol.* 2016 Sep 15;594(18):5135-47.
- Merry TL, Ristow M**. Mitohormesis in exercise training. *Free Radic Biol Med.* 2016 Sep;98:123-130.
- Messina G, Polito R, Monda V**, ym. Functional Role of Dietary Intervention to Improve the Outcome of COVID-19: A Hypothesis of Work. *Int J Mol Sci.* 2020 Apr 28;21(9):3104.
- Meydani SN, Das SK, Pieper CF**, ym. Long-term moderate calorie restriction inhibits inflammation without impairing cell-mediated immunity: a randomized controlled trial in non-obese humans. *Aging (Albany NY).* 2016 Jul;8(7):1416-31.
- Mickleborough TD**. Omega-3 polyunsaturated fatty acids in physical performance optimization. *Int J Sport Nutr Exerc Metab.* 2013 Feb;23(1):83-96.
- Michalakis K, Panagiotou G, Ilias I**, ym. Obesity and COVID-19: A jigsaw puzzle with still missing pieces [published online ahead of print, 2020 Oct 18]. *Clin Obes.* 2020;e12420.
- Michalickova D, Minic R, Dikic N**, ym. Lactobacillus helveticus Lafti L10 supplementation reduces respiratory infection duration in a cohort of elite athletes: a randomized, double-blind, placebo-controlled trial. *Appl Physiol Nutr Metab.* 2016 Jul;41(7):782-9.
- Michalczky M, Czuba M, Zydek G**, ym. Dietary Recommendations for Cyclists during Altitude Training. *Nutrients.* 2016 Jun 18;8(6):377.
- Micheletti A, Rossi R and Rufini S**. Zinc status in athletes: relation to diet and exercise. *Sports Med* 31: 577-582, 2001.
- Mohan M, Cherian JJ, Sharma A**. Exploring links between vitamin D deficiency and COVID-19. *PLoS Pathog.* 2020 Sep 18;16(9):e1008874.
- Mohr AE, Jäger R, Carpenter KC**, ym. The athletic gut microbiota. *J Int Soc Sports Nutr.* 2020;17(1):24.
- Monlezun DJ, Bittner EA, Christopher KB**, ym. Vitamin D status and acute respiratory infection: cross sectional results from the United States National Health and Nutrition Examination Survey, 2001-2006. *Nutrients.* 2015 Mar 13;7(3):1933-44.
- Monye I, Adelowo AB**. Strengthening immunity through healthy lifestyle practices: Recommendations for lifestyle interventions in the management of COVID-19. *Lifestyle Medicine.* 2020;1(1):e7.
- Mooren FC, Lechtermann A, Völker K**. Exercise-induced apoptosis of lymphocytes depends on training status. *Med Sci Sports Exerc.* 2004 Sep;36(9):1476-83.
- Mooren FC, Krüger K**. Apoptotic lymphocytes induce progenitor cell mobilization after exercise. *J Appl Physiol (1985).* 2015 Jul 15;119(2):135-9.
- Morita M, Kuba K, Ichikawa A**, ym. The lipid mediator protectin D1 inhibits influenza virus replication and improves severe influenza. *Cell.* 2013 Mar 28;153(1):112-25.
- Mukherjee S, Pahan K**. Is COVID-19 Gender-sensitive? *J Neuroimmune Pharmacol.* 2021;16(1):38-47.
- Mulligan GB, Licata A**. Taking vitamin D with the largest meal improves absorption and results in higher serum levels of 25-hydroxyvitamin D. *J Bone Miner Res.* 2010 Apr;25(4):928-30.
- Murakami S, Kurihara S, Koikawa N**, ym. Effects of oral supplementation with cystine and theanine on the immune function of athletes in endurance exercise: randomized, double-blind, placebo-controlled trial. *Biosci Biotechnol Biochem.* 2009 Apr 23;73(4):817-21.

- Murakami S, Kurihara S, Titchenal CA**, ym. Suppression of exercise-induced neutrophilia and lymphopenia in athletes by cystine/theanine intake: a randomized, double-blind, placebo-controlled trial. *J Int Soc Sports Nutr.* 2010 Jun;4(1):23.
- Märtensson S, Nordebo K, Malm C**. High Training Volumes are Associated with a Low Number of Self-Reported Sick Days in Elite Endurance Athletes. *J Sports Sci Med.* 2014 Dec 1;13(4):929-33.
- Mäkelä MJ, Puhakka T, Ruuskanen O**, ym. Viruses and bacteria in the etiology of the common cold. *J Clin Microbiol.* 1998 Feb; 36(2):539-42.
- Möller GB, da Cunha Goulart MJV, Nicoletto BB**, ym. Supplementation of probiotics and its effects on physically active individuals and athletes: systematic review. *Int J Sport Nutr Exerc Metab* 2019; 29: 481-92.
- Nantz MP, Rowe CA, Muller CE**, ym. Supplementation with aged garlic extract improves both NK and $\gamma\delta$ -T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. *Clin Nutr.* 2012 Jun;31(3):337-44.
- Nantz MP, Rowe CA, Muller C**, ym. Consumption of cranberry polyphenols enhances human $\gamma\delta$ -T cell proliferation and reduces the number of symptoms associated with colds and influenza: a randomized, placebo-controlled intervention study. *Nutr J.* 2013 Dec 13;12:161.
- Negro M, Giardina S, Marzani B**, ym. Branched-chain amino acid supplementation does not enhance athletic performance but affects muscle recovery and the immune system. *J Sports Med Phys Fitness.* 2008 Sep;48(3):347-51. Review.
- Nelson AR, Jackson L, Clarke J**, ym. Effect of post-exercise protein-leucine feeding on neutrophil function, immunomodulatory plasma metabolites and cortisol during a 6-day block of intense cycling. *Eur J Appl Physiol.* 2013 Sep;113(9):2211-22.
- Nelson KM, Dahlin JL, Bisson J**, ym. The Essential Medicinal Chemistry of Curcumin. *J Med Chem.* 2017 Mar 9;60(5):1620-1637.
- Netea MG, Joosten LA, Latz E**, ym. Trained immunity: A program of innate immune memory in health and disease. *Science.* 2016 Apr 22;352(6284):aafl098.
- Newberry S**. What do we really know about micronutrient supplementation and risk for upper respiratory infection?. *BMJ Glob Health.* 2021;6(1):e004896.
- Nichols AW**. Probiotics and Athletic Performance: A Systematic Review. *Curr. Sports Med. Rep.* 2007;6:269-273.
- Nielson CM, Jones KS, Chun RF**, ym; Osteoporotic Fractures in Men (MrOS) Research Group. Free 25-Hydroxyvitamin D: Impact of Vitamin D Binding Protein Assays on Racial-Genotypic Associations. *J Clin Endocrinol Metab.* 2016 May;101(5):2226-34.
- Nieman DC, Johanssen LM, Lee JW**. Infectious episodes in runners before and after a roadrace. *J Sports Med Phys Fitness.* 1989 Sep;29(3):289-96.
- Nieman DC, Johanssen LM, Lee JW**, ym. Infectious episodes in runners before and after the Los Angeles Marathon. *J Sports Med Phys Fitness.* 1990;30:316-328.
- Nieman DC**. Exercise, infection, and immunity. *Int J Sports Med.* 1994;15(suppl 3):S131-S141.
- Nieman DC, Nehlsen-Cannarella SL, Henson DA**, ym. Immune response to exercise training and/or energy restriction in obese women. *Med Sci Sports Exerc.* 1998 May;30(5):679-86.
- Nieman DC, Pedersen BK**. Exercise and immune function. Recent developments. *Sports Med* 1999;27:73-80.
- Nieman DC**. Is infection risk linked to exercise workload? *Med Sci Sports Exerc.* 2000;32(Suppl. 7):S406-S411.
- Nieman DC, Henson DA, Austin MD**, ym. Immune response to a 30-minute walk. *Med Sci Sports Exerc.* 2005;37:57-62.
- Nieman DC, Henson DA, Gojanovich G**, ym. Influence of carbohydrate on immune function following 2 h cycling. *Res Sports Med.* 2006 Jul-Sep;14(3):225-37.
- Nieman DC, Henson DA, Dumke CL**, ym. Relationship between salivary IgA secretion and upper respiratory tract infection following a 160-km race. *J Sports Med Phys Fitness.* 2006 Mar;46(1):158-62. (a)
- Nieman DC, Henson DA, Gross SJ**, ym. Quercetin reduces illness but not immune perturbations after intensive exercise. *Med Sci Sports Exerc.* 2007 Sep;39(9):1561-9.
- Nieman DC**. Immunonutrition support for athletes. *Nutr. Rev.* 2008;66:310-320.
- Nieman DC, Henson DA, McMahon M**, ym. Beta-glucan, immune function, and upper respiratory tract infections in athletes. *Med Sci Sports Exerc.* 2008 Aug;40(8):1463-71.
- Nieman DC, Henson DA, Austin MD**, ym. Upper respiratory tract infection is reduced in physically fit and active adults. *Br J Sports Med.* 2011;45:987-992.
- Nieman DC, Henson DA, Sha W**. Ingestion of micronutrient fortified breakfast cereal has no influence on immune function in healthy children: a randomized controlled trial. *Nutr J.* 2011 Apr 21;10:36(a)
- Nieman DC, Mitmesser SH**. Potential Impact of Nutrition on Immune System Recovery from Heavy Exertion: A Metabolomics Perspective. *Nutrients.* 2017 May 18;9(5):513.
- Nieman DC, Gillitt ND, Sha W**, ym. Metabolic recovery from heavy exertion following banana compared to sugar beverage or water only ingestion: A randomized, crossover trial. *PLoS One.* 2018 Mar 22;13(3):e0194843.
- Nieman DC, Lila MA, Gillitt ND**. Immunometabolism: A Multi-Omics Approach to Interpreting the Influence of Exercise and Diet on the Immune System. *Annu Rev Food Sci Technol.* 2019 Mar 25;10:341-363.
- Nieman DC, Wentz LM**. The compelling link between physical activity and the body's defense system. *J Sport Health Sci.* 2019 May;8(3):201-217.
- Nieman DC**. Coronavirus disease-2019: A toxin to our aging, unfit, corpulent, and immunodeficient society. *J Sport Health Sci.* 2020;9(4):293-301.
- Nieman DC, Pence BD**. Exercise immunology: Future directions. *J Sport Health Sci.* 2020 Sep;9(5):432-445.
- Nikolaidis MG, Kerkick CM, Lamprecht M**, ym. Does vitamin C and E supplementation impair the favorable adaptations of regular exercise? *Oxid Med Cell Longev.* 2012;2012:707941.
- Norman AW**. From vitamin D to hormone D: fundamentals of the vitamin D endocrine system essential for good health. *Am J Clin Nutr.* 2008 Aug;88(2):491S-499S.
- Nova E, Samartin S, Gómez S**, ym. The adaptive response of the immune system to the particular malnutrition of eating disorders. *Eur J Clin Nutr.* 2002 Aug;56 Suppl 3:S34-7.
- Novick SG, Godfrey JC, Godfrey NJ**, ym. How does zinc modify the common cold? Clinical observations and implications regarding mechanisms of action. *Med Hypotheses.* 1996 Mar;46(3):295-302.
- Ohayon M, Wickwire EM, Hirshkowitz M**, ym. National Sleep Foundation's sleep quality recommendations: first report. *Sleep Health.* 2017 Feb;3(1):6-19.
- O'Sullivan O, Cronin O, Clarke SF**, ym. Exercise and the microbiota. *Gut Microbes.* 2015;6:131-136.
- Outram S, Stewart B**. Doping through supplement use: a review of the available empirical data. *Int J Sport Nutr Exerc Metab* 25: 54–9, 2015.
- Owens DJ, Tang JC, Bradley WJ**, ym. Efficacy of high-dose vitamin D supplements for elite athletes. *Med Sci Sports Exerc.* 2017;49:349-356
- Owens DJ, Allison R, Close GL**. Vitamin D and the Athlete: Current Perspectives and New Challenges. *Sports Med.* 2018 Mar;48(Suppl 1):3-16.
- Paakkari I**. D-vitamiini. Lääkärirkirja Duodecim 24.9.2020. www.terveyskirjasto.fi
- Pacque PF, Booth CK, Ball MJ**, ym. The effect of an ultra-endurance running race on mucosal and humoral immune function. *J Sports Med Phys Fitness.* 2007 Dec;47(4):496-501.
- Padayatty SJ, Levine M**. Vitamin C: the known and the unknown and Goldilocks. *Oral Dis.* 2016 Sep;22(6):463-93.

- Palmer-Green D, Fuller C, Jaques R**, ym. The Injury/Illness Performance Project (IIPP): A Novel Epidemiological Approach for Recording the Consequences of Sports Injuries and Illnesses. *J Sports Med* (Hindawi Publ Corp). 2013;2013:S23974.
- Paschalis V, Theodorou AA, Kyriparis A**, ym. Low vitamin C values are linked with decreased physical performance and increased oxidative stress: reversal by vitamin C supplementation. *Eur J Nutr*. 2016 Feb;55(1):45-53.
- Pascoe AR, Fiarone Singh MA, Edwards KM**. The effects of exercise on vaccination responses: a review of chronic and acute exercise interventions in humans. *Brain Behav Immun*. 2014 Jul;39:33-41.
- Paulsen G, Cumming KT, Holden G**, ym. Vitamin C and E supplementation hampers cellular adaptation to endurance training in humans: a double-blind, randomised, controlled trial. *J Physiol*. 2014;592(pt 8):1887-901.
- Peake JM, Neubauer O, Walsh NP**, ym. Recovery of the immune system after exercise. *J Appl Physiol (1985)*. 2017 May 1;122(5):1077-1087.
- Pecora F, Persico F, Argentiero A**, ym. The Role of Micronutrients in Support of the Immune Response against Viral Infections. *Nutrients*. 2020;12(10):3198.
- Pedersen BK, Helge JW, Richter EA**, ym. Training and natural immunity: effects of diets rich in fat or carbohydrate. *Eur J Appl Physiol*. 2000 May;82(1-2):98-102.
- Pereira-Santos M, Costa PR, Assis AM**, ym. Obesity and vitamin D deficiency: a systematic review and meta-analysis. *Obes Rev*. 2015 Apr;16(4):341-9.
- Pereira M, Dantas Damascena A, Galvão Azevedo LM**, ym. Vitamin D deficiency aggravates COVID-19: systematic review and meta-analysis. *Crit Rev Food Sci Nutr*. 2020 Nov 4:1-9.
- Pérez-Jiménez J, Neveu V, Vos F**, ym. Identification of the 100 richest dietary sources of polyphenols: an application of the Phenol-Explorer database. *Eur J Clin Nutr*. 64, S112–S120 (2010).
- Perna FM, Schneiderman N, LaPerriere A**. Psychological stress, exercise and immunity. *Int J Sports Med*. 1997 Mar;18 Suppl 1:S78-83.
- Perna FM, Antoni MH, Baum A**, ym. Cognitive behavioral stress management effects on injury and illness among competitive athletes: a randomized clinical trial. *Ann Behav Med*. 2003 Winter;25(1):66-73.
- Peters EM, Bateman ED**. Ultramarathon running and upper respiratory tract infections. An epidemiological survey. *S Afr Med J*. 1983 Oct 1;64(15):582-4.
- Peters EM**. Postrace upper respiratory tract ‘infections’ in ultramarathoners—Infection, allergy or inflammation? *S Afr J Sports Med*. 2004;16:3-9.
- Peters EM, Shaif J, Kleinveldt N**. Upper respiratory tract infection symptoms in ultramarathon runners not related to immunoglobulin status. *Clin J Sport Med*. 2010 Jan;20(1):39-46.
- Petersen AM, Pedersen BK**. The role of IL-6 in mediating the anti-inflammatory effects of exercise. *J Physiol Pharmacol*. 2006 Nov;57 Suppl 10:43-51.
- Pham H, Rahman A, Majidi A**, ym. Acute Respiratory Tract Infection and 25-Hydroxyvitamin D Concentration: A Systematic Review and Meta-Analysis. *Int J Environ Res Public Health*. 2019 Aug 21;16(17):3020.
- Phillips SM**. Dietary protein requirements and adaptive advantages in athletes. *Br J Nutr*. 2012 Aug;108 Suppl 2:S158-67.
- Pittaway JK, Ahuja KD, Beckett JM**, ym. Make vitamin D while the sun shines, take supplements when it doesn’t: a longitudinal, observational study of older adults in Tasmania, Australia. *PLoS One*. 2013;8(3):e59063.
- Pludowski P, Holick MF, Grant WB**, ym. Vitamin D supplementation guidelines. *J Steroid Biochem Mol Biol*. 2018 Jan;175:125-135.
- Powers S.K., Sollanek K.J., Wiggs M.P.** Endurance Exercise and Antioxidant Supplementation: Sense or Nonsense?—Part 2. *Sports Sci*. 2014;27:1-4.
- Prasad AS, Beck FW, Bao B**, ym. Duration and severity of symptoms and levels of plasma interleukin-1 receptor antagonist, soluble tumor necrosis factor receptor, and adhesion molecules in patients with common cold treated with zinc acetate. *J Infect Dis*. 2008 Mar 15;197(6):795-802.
- Prather AA, Janicki-Deverts D, Hall MH**, ym. Behaviorally assessed sleep and susceptibility to the common cold. *Sleep*. 38: 1353–1359, 2015
- Prietl B, Treiber G, Pieber TR**, ym. Vitamin D and immune function. *Nutrients*. 2013;5(7):2502-2521.
- Pugh JN, Sage S, Hutson M**, ym. Glutamine supplementation reduces markers of intestinal permeability during running in the heat in a dose-dependent manner. *Eur J Appl Physiol*. 2017 Dec;117(12):2569-2577.
- Pyne DB, West NP, Cox AJ**, ym. Probiotics supplementation for athletes - clinical and physiological effects. *Eur J Sport Sci*. 2015;15(1):63-72.
- Quesada-Gomez JM, Bouillon R**. Is calciferol better than cholecalciferol for vitamin D supplementation? *Osteoporos Int*. 2018 Aug;29(8):1697-1711.
- Raclariu AC, Tebreniu CE, Ichim MC**, ym. What’s in the box? Authentication of Echinacea herbal products using DNA metabarcoding and HPTLC. *Phytomedicine*. 2018 May 15;44:32-38. doi: 10.1016/j.phymed.2018.03.058. Epub 2018 Mar 21. PMID: 29895490.
- Ramezani Ahmadi A, Rayyani E, Bahreini M**, ym. The effect of glutamine supplementation on athletic performance, body composition, and immune function: A systematic review and a meta-analysis of clinical trials. *Clin Nutr*. 2019 Jun;38(3):1076-1091.
- Ran L, Zhao W, Wang J**, ym. Extra Dose of Vitamin C Based on a Daily Supplementation Shortens the Common Cold: A Meta-Analysis of 9 Randomized Controlled Trials. *Biomed Res Int*. 2018;2018:1837634.
- Ratha SK, Renuka N, Rawat I**, ym. Prospective options of alga-derived nutraceuticals as supplements to combat COVID-19 and human coronavirus diseases. *Nutrition*. 2021;83:111089.
- Rathe M, Müller K, Sangild PT**, ym. Clinical applications of bovine colostrum therapy: a systematic review. *Nutr Rev*. 2014 Apr;72(4):237-54.
- Rathee P, Chaudhary H, Rathee S**, ym. Mechanism of action of flavonoids as anti-inflammatory agents: a review. *Inflamm Allergy Drug Targets*. 2009 Jul;8(3):229-35.
- Rawson ES, Miles MP, Larson-Meyer DE**. Dietary Supplements for Health, Adaptation, and Recovery in Athletes. *Int J Sport Nutr Exerc Metab*. 2018 Mar 1;28(2):188-199.
- Rauš K, Pleschka S, Klein P**, ym. Effect of an Echinacea-Based Hot Drink Versus Oseltamivir in Influenza Treatment: A Randomized, Double-Blind, Double-Dummy, Multicenter, Noninferiority Clinical Trial. *Curr Ther Res Clin Exp*. 2015 Apr 20;77:66-72.
- Raysmith BP, Drew MK**. Performance success or failure is influenced by weeks lost to injury and illness in elite Australian track and field athletes: A 5-year prospective study. *J Sci Med Sport*. 2016 Oct;19(10):778-83.
- Read SA, Obeid S, Ahlenstielf C**, ym. The Role of Zinc in Antiviral Immunity. *Adv Nutr*. 2019 Jul 1;10(4):696-710.
- Reale M, Boscolo P, Bellante V**, ym. Daily intake of Lactobacillus casei Shirota increases natural killer cell activity in smokers. *Br J Nutr*. 108: 308-314, 2012.
- Reddy P, Edwards LR**. Magnesium Supplementation in Vitamin D Deficiency. *Am J Ther*. 2019 Jan/Feb;26(1):e124-e132.
- Reid VL, Gleeson M, Williams N**, ym. Clinical investigation of athletes with persistent fatigue and/or recurrent infections. *Br J Sports Med* 38: 42-45, 2004
- Rejnmark L, Bislev LS, Cashman KD**, ym. Non-skeletal health effects of vitamin D supplementation: A systematic review on findings from meta-analyses summarizing trial data. *PLoS One*. 2017 Jul 7;12(7):e0180512.
- Res PT, Groen B, Pennings B**, ym. Protein ingestion before sleep improves postexercise overnight recovery. *Med Sci Sports Exerc*. 2012 Aug;44(8):1560-9.
- Reygaert WC**. Green Tea Catechins: Their Use in Treating and Preventing Infectious Diseases. *Biomed Res Int*. 2018 Jul 17;2018:9105261.
- Rhodes LE, Webb AR, Fraser HI**, ym. Recommended summer sunlight exposure levels can produce sufficient (> or =20 ng ml(-1)) but not the proposed optimal (> or =32 ng ml(-1)) 25(OH)D levels at UK latitudes. *J Invest Dermatol*. 2010 May;130(5):1411-8.
- Riesberg LA, Weed SA, McDonald TL**, ym. Beyond muscles: The untapped potential of creatine. *Int Immunopharmacol*. 2016 Aug;37:31-42.

- Rimaniol AC, Mialocq P, Clayette P**, ym. Role of glutamate transporters in the regulation of glutathione levels in human macrophages. *Am J Physiol Cell Physiol.* 2001 Dec;281(6):C1964-70.
- Riva A, Vitale JA, Belcaro G**, ym. Quercetin phytosome® in triathlon athletes: a pilot registry study. *Minerva Med.* 2018 Aug;109(4):285-289.
- Roberson PA, Romero MA, Mumford PW**, ym. Protein Supplementation Throughout 10 Weeks of Progressive Run Training Is Not Beneficial for Time Trial Improvement. *Front Nutr.* 2018 Nov 1;5:97.
- Robson PJ, Blannin AK, Walsh NP**, ym. Effects of exercise intensity, duration and recovery on in vitro neutrophil function in male athletes. *Int J Sports Med* 20: 128–135, 1999.
- Rodriguez NR, Di Marco NM, Langley S**. American college of sports medicine position stand. Nutrition and athletic performance. *Med. Sci. Sports Exerc.* 2009;41:709–731.
- Rogerio MM, Leão MC, Santana TM**, ym. Potential benefits and risks of omega-3 fatty acids supplementation to patients with COVID-19. *Free Radic Biol Med.* 2020 Aug 20;156:190-199.
- Rogerson D**. Vegan diets: practical advice for athletes and exercisers. *J Int Soc Sports Nutr.* 2017;14:36.
- Roll S, Nocon M, Willich SN**.
- Romeo J, Wärnberg J, Nova E**, ym. Moderate alcohol consumption and the immune system: a review. *Br J Nutr.* 2007 Oct;98 Suppl 1:S111-5.
- Ross SM**. Echinacea purpurea: A Proprietary Extract of Echinacea purpurea Is Shown to be Safe and Effective in the Prevention of the Common Cold. *Holist Nurs Pract.* 2016 Jan-Feb;30(1):54-7.
- Rothschild JA, Bishop DJ**. Effects of Dietary Supplements on Adaptations to Endurance Training. *Sports Med.* 2020 Jan;50(1):25-53.
- Rothwell JA, Perez-Jimenez J, Neveu V**, ym. Phenol-Explorer 3.0: a major update of the Phenol-Explorer database to incorporate data on the effects of food processing on polyphenol content. *Database (Oxford)*. 2013 Oct 7;2013:bat070.
- Rouf R, Uddin SJ, Sarker DK**, ym. Antiviral potential of garlic (*Allium sativum*) and its organosulfur compounds: A systematic update of pre-clinical and clinical data. *Trends Food Sci Technol.* 2020;104:219-234.
- Russo GL**. Dietary ω-6 and ω-3 polyunsaturated fatty acids: from biochemistry to clinical implications in cardiovascular prevention. *Biochem Pharmacol.* 2009 Mar 15;77(6):937-46.
- Sabetta JR, DePetrillo P, Cipriani RJ**, ym. Serum 25-hydroxyvitamin D and the incidence of acute viral respiratory tract infections in healthy adults. *PLoS One.* 2010;5:e11088.
- Saeed M, Naveed M, Arif M**, ym. Green tea (*Camellia sinensis*) and l-theanine: Medicinal values and beneficial applications in humans-A comprehensive review. *Biomed Pharmacother.* 2017 Nov;95:1260-1275.
- Salarkia N, Ghadamli L, Zaeri F**, ym. Effects of probiotic yogurt on performance, respiratory and digestive systems of young adult female endurance swimmers: a randomized controlled trial. *Med J Islam Repub Iran.* 2013 Aug;27(3):141-6.
- Samartín S, Chandra RK**. Obesity, overnutrition and the immune system. *Nutr Res.* 2001;21:243-262.
- Saneei P, Salehi-Abargouei A, Esmailzadeh A**. Serum 25-hydroxy vitamin D levels in relation to body mass index: a systematic review and meta-analysis. *Obes Rev.* 2013 May;14(S):393-404.
- Santos HO, Price JC, Bueno AA**. Beyond Fish Oil Supplementation: The Effects of Alternative Plant Sources of Omega-3 Polyunsaturated Fatty Acids upon Lipid Indexes and Cardiometabolic Biomarkers-An Overview. *Nutrients.* 2020 Oct 16;12(10):3159.
- Sassi F, Tamone C, D'Amelio P**. Vitamin D: Nutrient, Hormone, and Immunomodulator. *Nutrients.* 2018 Nov 3;10(11):1656.
- Saunders AV, Craig WJ, Baines SK**. Zinc and vegetarian diets. *Med J Aust.* 2013 Aug 19;199(S4):S17-21.
- Schapowal A**. Efficacy and safety of Echinaforce® in respiratory tract infections. *Wien Med Wochenschr.* 2013 Feb;163(3-4):102-5.
- Schapowal A, Klein P, Johnston SL**. Echinacea reduces the risk of recurrent respiratory tract infections and complications: a meta-analysis of randomized controlled trials. *Adv Ther.* 2015 Mar;32(3):187-200.
- Scherr J, Nieman DC, Schuster T**, ym. Nonalcoholic beer reduces inflammation and incidence of respiratory tract illness. *Med Sci Sports Exerc.* 2012 Jan;44(1):18-26.
- Schoop R, Büechi S, Suter A**. Open, multicenter study to evaluate the tolerability and efficacy of Echinaforce Forte tablets in athletes. *Adv Ther.* 2006 Sep-Oct;23(5):823-33.
- Schulze MB, Martínez-González MA, Fung TT**, ym. Food based dietary patterns and chronic disease prevention. *BMJ.* 2018 Jun 13;361:k2396.
- Schwellnus MP, Derman WE, Jordaan E**, ym. Elite athletes travelling to international destinations >5 time zone differences from their home country have a 2-3-fold increased risk of illness. *Br J Sports Med* 46: 816-821, 2012.
- Schwellnus M, Soligard T, Alonso JM**, ym. How much is too much? (Part 2) International Olympic Committee consensus statement on load in sport and risk of illness. *Br J Sports Med.* 2016;50:1043-1052.
- Science M, Maguire JL, Russell ML**, ym. Low serum 25-hydroxyvitamin D level and risk of upper respiratory tract infection in children and adolescents. *Clin Infect Dis.* 2013 Aug;57(3):392-7.
- Scott JM, Kazman JB, Palmer J**, ym. Effects of vitamin D supplementation on salivary immune responses during Marine Corps basic training. *Scand J Med Sci Sports.* 2019 Sep;29(9):1322-1330.
- Sebastian RS, Wilkinson Enns C**, ym. A new database facilitates characterization of flavonoid intake, sources, and positive associations with diet quality among US adults. *J Nutr* 145: 1239-1248, 2015.
- Sebestyen VanSickle J, Srivastava T, Garg U**, ym. Comparing directly measured versus mathematically calculated free serum 25-hydroxy vitamin D level in children. *J Bone Miner Metab.* 2020 Mar;38(2):271-274.
- Senchina DS, Hallam JE, Cheney DJ**. Multidisciplinary perspectives on mechanisms of activity of popular immuneenhancing herbal supplements used by athletes. *Front Biol.* 8:78–100, 2013.
- Shida K, Sato T, Iizuka R**, ym. Daily intake of fermented milk with *Lactobacillus casei* strain Shirota reduces the incidence and duration of upper respiratory tract infections in healthy middle-aged office workers. *Eur J Nutr.* 2017; 56: 45-53
- Shing CM, Hunter DC, Stevenson LM**. Bovine colostrum supplementation and exercise performance: potential mechanisms. *Sports Med.* 2009;39(12):1033-54.
- Shuler FD, Wingate MK, Moore GH**, ym. Sports health benefits of vitamin d. *Sports Health.* 2012 Nov;4(6):496-501.
- Sigmundsdottir H, Pan J, Debes GF**, ym. DCs metabolize sunlight-induced vitamin D3 to ‘program’ T cell attraction to the epidermal chemokine CCL27. *Nat Immunol.* 2007 Mar;8(3):285-93. doi: 10.1038/ni1433. Epub 2007 Jan 28. PMID: 17259988.
- Sikora-Klak J, Narvy SJ, Yang J**, ym. Effect of Abnormal Vitamin D Levels in Athletes. *Perm J.* 2018;22:17-216.
- Simopoulos AP**. Omega-3 fatty acids and athletics. *Curr. Sports Med. Rep.* 2007;6:230–236.
- Simpson RJ**. Aging, persistent viral infections, and immunosenescence: can exercise “make space”? *Exerc Sport Sci Rev* 39:23-33, 2011
- Simpson RJ, Kunz H, Agha N**, ym. Exercise and the Regulation of Immune Functions. *Prog Mol Biol Transl Sci.* 2015;135:355-80.
- Simpson RJ, Campbell JP, Gleeson M**, ym. Can exercise affect immune function to increase susceptibility to infection? *Exerc Immunol Rev.* 2020;26:8-22.
- Singh A, Failla ML, Deuster PA**. Exercise-induced changes in immune function: effects of zinc supplementation. *J Appl Physiol* (1985). 1994 Jun;76(6):2298-303.

- Skalny AV, Rink L, Ajsuvakova OP**, ym. Zinc and respiratory tract infections: Perspectives for COVID-19 (Review). *Int J Mol Med*. 2020;46(1):17-26.
- Skinner MA, Bentley-Hewitt K, Rosendale D**, ym. Effects of kiwifruit on innate and adaptive immunity and symptoms of upper respiratory tract infections. *Adv Food Nutr Res*. 2013;68:301-20.
- Skarpańska-Stejnborn A, Cieślicka M, Dziewiecka H**, ym. Effects of Long-Term Supplementation of Bovine Colostrum on the Immune System in Young Female Basketball Players. *Randomized Trial. Nutrients*. 2020 Dec 30;13(1):118.
- Slavin J**. Fiber and prebiotics: mechanisms and health benefits. *Nutrients*. 2013;5(4):1417-1435.
- Smarkusz J, Ostrowska L, Witzczak-Sawczuk K**. Probiotic strains as the element of nutritional profile in physical activity – new trend or better sports results? *Rocznik Panstw Zakl Hig*. 2017;68(3):229-235.
- Smedberg M, Werneraner J**. Is the glutamine story over?. *Crit Care*. 2016;20(1):361.
- Smith JA, Gray AB, Pyne DB**, ym. Moderate exercise triggers both priming and activation of neutrophil subpopulations. *Am J Physiol*. 1996;270(4 pt 2):R838-R845.
- Smith J**. A is for aphorisms - feed a fever, starve a cold? Or could it be starve a fever, feed a cold? *Aust Fam Physician*. 2015 Jan-Feb;44(1-2):77-8.
- Sniffen JC, McFarland LV, Evans CT**, ym. Choosing an appropriate probiotic product for your patient: An evidence-based practical guide. *PLoS One*. 2018 Dec 26;13(12):e0209205.
- Soligard T, Steffen K, Palmer D**, ym. Sports injury and illness incidence in the Rio de Janeiro 2016 Olympic Summer Games: A prospective study of 11274 athletes from 207 countries. *Br J Sports Med*. 2017 Sep;51(17):1265-1271.
- Somerville VS, Braakhuis AJ, Hopkins WG**. Effect of Flavonoids on Upper Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. *Adv Nutr*. 2016 May 16;7(3):488-97.
- Somerville V, Bringans C, Braakhuis A**. Polyphenols and Performance: A Systematic Review and Meta-Analysis. *Sports Med*. 2017 Aug;47(8):1589-1599. (a)
- Song QH, Xu RM, Zhang QH**, ym. Glutamine supplementation and immune function during heavy load training. *Int J Clin Pharmacol Ther*. 2015 May;53(5):372-6.
- Sosa Henríquez M, Gómez de Tejada Romero MJ**. Cholecalciferol or Calcifediol in the Management of Vitamin D Deficiency. *Nutrients*. 2020;12(6):1617.
- Spence L, Brown WJ, Pyne DB**, ym. Incidence, etiology, and symptomatology of upper respiratory illness in elite athletes. *Med Sci Sports Exerc*. 2007 Apr;39(4):577-86.
- Spendlove J, Mitchell L, Gifford J**, ym. Dietary Intake of Competitive Bodybuilders. *Sports Med*. 2015 Jul;45(7):1041-63.
- Stark KD, Van Elswyk ME, Higgins MR**, ym. Global survey of the omega-3 fatty acids, docosahexaenoic acid and eicosapentaenoic acid in the blood stream of healthy adults. *Prog Lipid Res*. 2016 Jul;63:132-52.
- Stellingwerff T, Peeling P, Garvican-Lewis LA**, ym. Nutrition and Altitude: Strategies to Enhance Adaptation, Improve Performance and Maintain Health: A Narrative Review. *Sports Med*. 2019 Dec;49(Suppl 2):169-184.
- Stenger T, Ledo A, Ziller C**, ym. Timing of Vaccination after Training: Immune Response and Side Effects in Athletes. *Med Sci Sports Exerc*. 2020 Jul;52(7):1603-1609.
- Stephen AI, Avenell A**. A systematic review of multivitamin and multiminerals supplementation for infection. *J Hum Nutr Diet*. 2006 Jun;19(3):179-90.
- Stier H, Ebbeskotte V, Gruenwald J**. Immune-modulatory effects of dietary Yeast Beta-1,3/1,6-D-glucan. *Nutr J*. 2014 Apr 28;13:38.
- Strasser B, Geiger D, Schauer M**, ym. Probiotic Supplements Beneficially Affect Tryptophan-Kynurenone Metabolism and Reduce the Incidence of Upper Respiratory Tract Infections in Trained Athletes: A Randomized, Double-Blinded, Placebo-Controlled Trial. *Nutrients*. 2016 Nov 23;8(11). pii: E752.
- Svendsen IS, Killer SC, Gleeson M**. Influence of Hydration Status on Changes in Plasma Cortisol, Leukocytes, and Antigen-Stimulated Cytokine Production by Whole Blood Culture following Prolonged Exercise. *ISRN Nutr*. 2014 Mar 12;2014:561401.
- Svendsen IS, Taylor IM, Tonnessen E**, ym. Training-related and competition-related risk factors for respiratory tract and gastrointestinal infections in elite cross-country skiers. *Br J Sports Med*. 2016 Jul;50(13):809-15.
- Takagi Y, Kurihara S, Higashi N**, y. Combined administration of (L)-cystine and (L)-theanine enhances immune functions and protects against influenza virus infection in aged mice. *J Vet Med Sci*. 2010 Feb;72(2):157-65.
- Talbott S, Talbott J**. Effect of BETA 1, 3/1, 6 GLUCAN on Upper Respiratory Tract Infection Symptoms and Mood State in Marathon Athletes. *J Sports Sci Med*. 2009 Dec 1;8(4):509-15. PMID: 24149590; PMCID: PMC3761532.
- Talbott SM, Talbott JA**. Baker's yeast beta-glucan supplement reduces upper respiratory symptoms and improves mood state in stressed women. *J Am Coll Nutr*. 2012 Aug;31(4):295-300.
- Tangpricha V, Kouktia P, Rieke SM**, ym. Fortification of orange juice with vitamin D: a novel approach for enhancing vitamin D nutritional health. *Am J Clin Nutr*. 2003 Jun;77(6):1478-83.
- Taylor PN, Davies JS**. A review of the growing risk of vitamin D toxicity from inappropriate practice. *Br J Clin Pharmacol*. 2018;84(6):1121-1127.
- Teixeira P, Santos AC, Casalta-Lopes J**, ym. Prevalence of vitamin D deficiency amongst soccer athletes and effects of 8 weeks supplementation. *J Sports Med Phys Fitness*. 2019 Apr;59(4):693-699.
- Tepper S, Shahar DR, Geva D**, ym. Predictors of serum 25(OH)D increase following bimonthly supplementation with 100,000IU vitamin D in healthy men aged 25-65 years. *J Steroid Biochem Mol Biol*. 2014 Oct;144 Pt A:163-6.
- Teymoori-Rad M, Shokri F, Salimi V**, ym. The interplay between vitamin D and viral infections. *Rev Med Virol*. 2019 Mar;29(2):e2032.
- Thomas CM, Versalovic J**. Probiotics-host communication: Modulation of signaling pathways in the intestine. *Gut Microbes*. 2010 May-Jun;1(3):148-63.
- Thomas DT, Erdman KA, Burke LM**. Position of the Academy of nutrition and dietetics, dietitians of Canada, and the American college of sports medicine: nutrition and athletic performance. *J Acad Nutr Diet* 116: 501–528, 2016.
- Tiollier E, Chennaoui M, Gomez-Merino D**, ym. Effect of a probiotics supplementation on respiratory infections and immune and hormonal parameters during intense military training. *Mil Med*. 2007 Sep;172(9):1006-11.
- Trang H, Cole DE, Rubin LA**, ym. Evidence that vitamin D₃ increases serum 25-hydroxyvitamin D more efficiently than does vitamin D₂. *Am J Clin Nutr* 1998;68:854-8.
- Trippkovic L, Wilson LR, Hart K**, ym. Daily supplementation with 15 µg vitamin D₂ compared with vitamin D₃ to increase wintertime 25-hydroxyvitamin D status in healthy South Asian and white European women: a 12-wk randomized, placebo-controlled food-fortification trial. *Am J Clin Nutr*. 2017 Aug;106(2):481-490.
- Tritto ACC, Amano MT, De Cillo ME**, ym. Effect of rapid weight loss and glutamine supplementation on immunosuppression of combat athletes: a double-blind, placebo-controlled study. *J Exerc Rehabil*. 2018 Feb 26;14(1):83-92.
- Tsyprykov O, Chen X, Hoher CF**, ym. Why should we measure free 25(OH) vitamin D? *J Steroid Biochem Mol Biol*. 2018 Jun;180:87-104.
- Tunturi S**. Nuhakuume, flunssa. Lääkärirkirja Duodecim 26.8.2020. www.terveyssirkasto.fi
- Umarov J, Kerimov F, Toychiev A**, ym. Association of the 25(OH) vitamin D status with upper respiratory tract infections morbidity in water sports elite athletes. *J Sports Med Phys Fitness*. 2019 Dec;59(12):2058-2065.
- Uwitonne AM, Razzaque MS**. Role of Magnesium in Vitamin D Activation and Function. *J Am Osteopath Assoc*. 2018 Mar 1;118(3):181-189.

- Vaisberg M, Paixão V, Almeida EB**, ym. Daily Intake of Fermented Milk Containing Lactobacillus casei Shirota (Lcs) Modulates Systemic and Upper Airways Immune/Inflammatory Responses in Marathon Runners. *Nutrients*. 2019 Jul 22;11(7):1678.
- Valsta L, Kaartinen N, Tapanainen H**, ym. Ravitsemus Suomessa – FinRavinto 2017 -tutkimus. Tervyden ja hyvinvoinnin laitos (THL), Raportti 12/2018.
- Valtonen M, Waris M, Vuorinen T**, ym. Common cold in Team Finland during 2018 Winter Olympic Games (PyeongChang): epidemiology, diagnosis including molecular point-of-care testing (POCT) and treatment. *Br J Sports Med*. 2019;53(17):1093-1098.
- VanDusseldorp TA, Escobar KA, Johnson KE**, ym. Effect of Branched-Chain Amino Acid Supplementation on Recovery Following Acute Eccentric Exercise. *Nutrients*. 2018;10(10):1389.
- van Groningen L, Opdenoordt S, van Sorge A**, ym. Cholecalciferol loading dose guideline for vitamin D-deficient adults. *Eur J Endocrinol*. 2010 Apr;162(4):805-11.
- Van Tonder A, Schwellnus M, Swanevelder S**, ym. A prospective cohort study of 7031 distance runners shows that 1 in 13 report systemic symptoms of an acute illness in the 8–12 day period before a race, increasing their risk of not finishing the race 1.9 times for those runners who started the race: SAFER study IV. *Br J Sports Med*. 2016 Aug;50(15):939-45.
- Vakili R, Vahedian M, Khodaei GH**, ym. Effects of zinc supplementation in occurrence and duration of common cold in school aged children during cold season: a double-blind placebo-controlled trial. *Iran J Pediatr* 2009;19:376–80
- Venderley AM, Campbell WW**. Vegetarian diets : nutritional considerations for athletes. *Sports Med*. 2006;36(4):293-305.
- Venkatraman JT, Leddy J, Pendergast D**. Dietary fats and immune status in athletes: clinical implications. *Med Sci Sports Exerc*. 2000 Jul;32(7 Suppl):S389-95.
- Venkatraman JT, Feng X, Pendergast D**. Effects of dietary fat and endurance exercise on plasma cortisol, prostaglandin E2, interferon-gamma and lipid peroxides in runners. *J Am Coll Nutr*. 2001 Oct;20(5):529-36.
- Ververka DV, Wilson C, Martinez MA**, ym. Use of zinc supplements to reduce upper respiratory infections in United States Air Force Academy cadets. *Complement Ther Clin Pract*. 2009 May;15(2):91-5.
- Vieth R**. Vitamin D supplementation, 25-hydroxyvitamin D concentrations, and safety. *Am J Clin Nutr*. 1999 May;69(5):842-56.
- Villacis D, Yi A, Jahn R**, ym. Prevalence of abnormal vitamin D levels among Division I NCAA athletes. *Sports Health*. 2014 Jul;6(4):340-7.
- Vimaleswaran KS, Berry DJ, Lu C**, ym. Causal relationship between obesity and vitamin D status: bi-directional Mendelian randomization analysis of multiple cohorts. *PLoS Med*. 2013;10(2):e1001383.
- Vitale K, Getzin A**. Nutrition and Supplement Update for the Endurance Athlete: Review and Recommendations. *Nutrients*. 2019 Jun; 11(6): 1289.
- Vitetta L, Coulson S, Beck SL**, ym. The clinical efficacy of a bovine lactoferrin/whey protein Ig-rich fraction (Lf/IgF) for the common cold: a double blind randomized study. *Complement Ther Med*. 2013 Jun;21(3):164-71.
- Vlahoyiannis A, Aphamis G, Bogdanis GC**, ym. Deconstructing athletes' sleep: A systematic review of the influence of age, sex, athletic expertise, sport type, and season on sleep characteristics. *J Sport Health Sci*. 2020 Mar 19:S2095-2546(20)30037-5.
- Vorilhon P, Arpajou B, Vaillant Roussel H**, ym. Efficacy of vitamin C for the prevention and treatment of upper respiratory tract infection. A meta-analysis in children. *Eur J Clin Pharmacol*. 2019 Mar;75(3):303-311.
- VRN (Valtion ravitsemusneuvottelukunta)**. Tervettä ruuasta – Suomalaiset ravitsemussuositukset 2014. 5. korjattu painos (pdf) 2018.
- Wakabayashi H, Oda H, Yamauchi K**, ym. Lactoferrin for prevention of common viral infections. *J Infect Chemother*. 2014 Nov;20(11):666-71.
- Walsh NP, Gleeson M, Shephard RJ**, ym. Position statement. Part one: immune function and exercise. *Exerc Immunol Rev*. 2011;17:6-63.
- Walsh NP, Gleeson M, Pyne DB**, ym. Position statement. Part two: maintaining immune health. *Exerc Immunol Rev* 17: 64–103, 2011. (a)
- Walsh NP**. Recommendations to maintain immune health in athletes. *Eur J Sport Sci*. 18 1–12. (2018).
- Walsh NP**. Nutrition and Athlete Immune Health: New Perspectives on an Old Paradigm. *Sports Med*. 2019;49(Suppl 2):153-168.
- Wang A, Huen SC, Luan HH**, ym. Opposing Effects of Fasting Metabolism on Tissue Tolerance in Bacterial and Viral Inflammation. *Cell*. 2016 Sep 8;166(6):1512-1525.e12.
- Wang H, Lee IS, Braun C** ym. Effect of Probiotics on Central Nervous System Functions in Animals and Humans: A Systematic Review. *J Neurogastroenterol Motil*. 2016 Oct 30;22(4):589-605. (a)
- Wang MX, Win SS, Pang J**. Zinc Supplementation Reduces Common Cold Duration among Healthy Adults: A Systematic Review of Randomized Controlled Trials with Micronutrients Supplementation. *Am J Trop Med Hyg*. 2020;103(1):86-99.
- Webb AR, Kazantzidis A, Kift RC**, ym. Colour Counts: Sunlight and Skin Type as Drivers of Vitamin D Deficiency at UK Latitudes. *Nutrients*. 2018;10(4):457.
- Wentz LM, Nieman DC, McBride JE**, ym. Carbohydrate Intake Does Not Counter the Post-Exercise Decrease in Natural Killer Cell Cytotoxicity. *Nutrients*. 2018;10(11):1658.
- Wentz LM, Ward MD, Potter C**, ym. Increased Risk of Upper Respiratory Infection in Military Recruits Who Report Sleeping Less Than 6 h per night. *Mil Med*. 2018 Nov 1;183(11-12):e699-e704. (a)
- West NP, Pyne DB, Cripps AW**, ym. Lactobacillus fermentum (PCC®) supplementation and gastrointestinal and respiratory-tract illness symptoms: a randomised control trial in athletes. *Nutr J* 2011; 10: 30
- West NP, Horn PL, Pyne DB**, ym. Probiotic supplementation for respiratory and gastrointestinal illness symptoms in healthy physically active individuals. *Clin Nutr*. 2014 Aug;33(4):581-7.
- WHO (World Health Organization) Scientific Group on the Prevention and Management of Osteoporosis**. 2003. Prevention and management of osteoporosis: report of a WHO scientific group. World Health Organization: Geneva.
- Wilder-Smith A, Mustafa FB, Peng CM**, . Transient immune impairment after a simulated ymlong-haul flight. *Aviat Space Environ Med*. 2012 Apr;83(4):418-23.
- Wishart K**. Increased micronutrient requirements during physiologically demanding situations: Review of the current evidence. *Vitamin. Miner.* 2017;6:1-16.
- Witard OC, Turner JE, Jackman SR**, ym. High-intensity training reduces CD8+ T-cell redistribution in response to exercise. *Med Sci Sports Exerc*. 2012 Sep;44(9):1689-97.
- Witard OC, Turner JE, Jackman SR**, ym. High dietary protein restores overreaching induced impairments in leukocyte trafficking and reduces the incidence of upper respiratory tract infection in elite cyclists. *Brain Behav Immun*. 2014 Jul;39:211-9.
- Witard OC, Jackman SR, Breen L**, ym. Myofibrillar muscle protein synthesis rates subsequent to a meal in response to increasing doses of whey protein at rest and after resistance exercise. *Am J Clin Nutr*. 2014 Jan;99(1):86-95. (a)
- Wolf G**. The Discovery of Vitamin D: The Contribution of Adolf Windaus, The Journal of Nutrition, Volume 134, Issue 6, June 2004, Pages 1299–1302
- Woods JA, Davis JM, Smith JA**, ym. Exercise and cellular innate immune function. *Med Sci Sports Exerc*. 1999;31:57-66
- World Health Organization**. Global recommendations on physical activity for health. WHO Library Cataloguing-in-Publication Data. Press, Geneva, Switzerland: World Health Organization; 2010.

- Wu D, Lewis ED, Pae M**, ym. Nutritional Modulation of Immune Function: Analysis of Evidence, Mechanisms, and Clinical Relevance. *Front Immunol.* 2019 Jan 15;9:3160.
- Yadav R, Angolkar T, Kaur G**, ym. Antibacterial and antiinflammatory properties of bovine colostrum. *Recent Pat Inflamm Allergy Drug Discov* 10: 49–53, 2016.
- Zamora-Ros R, Knaze V, Luján-Barroso L**, ym. Differences in dietary intakes, food sources and determinants of total flavonoids between Mediterranean and non-Mediterranean countries participating in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Br J Nutr.* 2013 Apr 28;109(8):1498-507.
- Zamora-Ros R, Knaze V, Rothwell JA**, ym. Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Eur J Nutr* 55: 1359–1375, 2016.
- Zhang H, Yeh C, Jin Z**, ym. Prospective study of probiotic supplementation results in immune stimulation and improvement of upper respiratory infection rate. *Synth Syst Biotechnol.* 2018;3(2):113-120.
- Zimmermann P, Curtis N**. The influence of probiotics on vaccine responses - A systematic review. *Vaccine.* 2018 Jan 4;36(2):207-213.
- Zimmermann P, Curtis N**. Coronavirus Infections in Children Including COVID-19: An Overview of the Epidemiology, Clinical Features, Diagnosis, Treatment and Prevention Options in Children. *Pediatr Infect Dis J.* 2020 May;39(5):355-368.

LUKU 4 Kasvisruokavaliot, terveys ja suorituskyky

- Aalto K** (2018) Elintarvikkeiden kulutus kotitalouksissa vuonna 2016 ja muutokset vuosista 2012, 2006 ja 1998. Faculty of Social Sciences - Publications; nro 2018:80. Helsinki: Helsingin yliopisto, Kuluttajatutkimuskeskus.
- Abrams SA, Griffin IJ, Hicks PD**, ym. Pubertal girls only partially adapt to low dietary calcium intakes. *J Bone Miner Res.* 2004 May;19(5):759-63.
- Adgent MA, Umbach DM, Zemel BS**, ym. A Longitudinal Study of Estrogen-Responsive Tissues and Hormone Concentrations in Infants Fed Soy Formula. *J Clin Endocrinol Metab.* 2018;103(5):1899-1909.
- Agarwal U**. Rethinking Red Meat as a Prevention Strategy for Iron Deficiency. *ICAN: Infant, Child, & Adolescent Nutrition.* 2013;5(4):231-235.
- Agnoli C, Baroni L, Bertini I**, ym. Position paper on vegetarian diets from the working group of the Italian Society of Human Nutrition. *Nutr Metab Cardiovasc Dis.* 2017 Dec;27(12):1037-1052.
- Ahmad Fuzi SF, Koller D, Bruggraber S**, ym. A 1-h time interval between a meal containing iron and consumption of tea attenuates the inhibitory effects on iron absorption: a controlled trial in a cohort of healthy UK women using a stable iron isotope. *Am J Clin Nutr.* 2017 Dec;106(6):1413-1421.
- Allès B, Baudry J, Méjean C**, ym. Comparison of Sociodemographic and Nutritional Characteristics between Self-Reported Vegetarians, Vegans, and Meat-Eaters from the NutriNet-Santé Study. *Nutrients.* 2017 Sep 15;9(9):1023.
- Alves C, Saleh A, Alaoofe H**, ym. Iron-containing cookware for the reduction of iron deficiency anemia among children and females of reproductive age in low- and middle-income countries: A systematic review. *PLoS One.* 2019 Sep 3;14(9):e0221094.
- Andon MB, Peacock M, Kanerva RL**, ym. Calcium absorption from apple and orange juice fortified with calcium citrate malate (CCM). *J Am Coll Nutr.* 1996 Jun;15(3):313-6.
- Appleby PN, Key TJ**. The long-term health of vegetarians and vegans. *Proc Nutr Soc.* 2016 Aug;75(3):287-93.
- Appleby & Key**. The long-term health of vegetarians and vegans. *Proc Nutr Soc.* 2016 Aug; 75(3):287-93.
- Aragon AA, Schoenfeld BJ, Wildman R**, ym. International society of sports nutrition position stand: diets and body composition. *J Int Soc Sports Nutr.* 2017 Jun 14;14:16.
- Arenas-Jal M, Suñé-Negre JM, Pérez-Lozano P**, ym. Trends in the food and sports nutrition industry: A review. *Crit Rev Food Sci Nutr.* 2020;60(14):2405-2421.
- Armah SM, Boy E, Chen D**, ym. Regular Consumption of a High-Phytate Diet Reduces the Inhibitory Effect of Phytate on Nonheme-Iron Absorption in Women with Suboptimal Iron Stores. *J Nutr.* 2015 Aug;145(8):1735-9.
- Askari M, Daneshzad E, Darooghegi Mofrad M**, ym. Vegetarian diet and the risk of depression, anxiety, and stress symptoms: a systematic review and meta-analysis of observational studies. *Crit Rev Food Sci Nutr.* 2020 Sep 4:1-11.
- Attia YA, Alagawany MM, Farag MR**, ym. Phytopenic Products and Phytochemicals as a Candidate Strategy to Improve Tolerance to Coronavirus. *Front Vet Sci.* 2020 Oct 20;7:573159.
- Axling U, Önning G, Combs MA**, ym. The Effect of Lactobacillus plantarum 299v on Iron Status and Physical Performance in Female Iron-Deficient Athletes: A Randomized Controlled Trial. *Nutrients.* 2020 Apr 30;12(5):1279.
- Babault N, Paízis C, Deley G**, ym. Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, Placebo-controlled clinical trial vs. Whey protein. *J Int Soc Sports Nutr.* 2015 Jan 21;12(1):3.
- Bakaloudi DR, Halloran A, Rippin HL**, ym. Intake and adequacy of the vegan diet. A systematic review of the evidence. *Clin Nutr.* 2020 Dec 7:S0261-5614(20)30656-7.
- Balestrino M, Adriano E**. Beyond sports: Efficacy and safety of creatine supplementation in pathological or parapathological conditions of brain and muscle. *Med Res Rev.* 2019 Nov;39(6):2427-2459.
- Banaszek A, Townsend JR, Bender D**, ym. The Effects of Whey vs. Pea Protein on Physical Adaptations Following 8-Weeks of High-Intensity Functional Training (HIFT): A Pilot Study. *Sports (Basel).* 2019 Jan 4;7(1):12.
- Bardone-Cone AM, Fitzsimmons-Craft EE, Harney MB**, ym. The inter-relationships between vegetarianism and eating disorders among females. *J Acad Nutr Diet.* 2012 Aug;112(8):1247-52.
- Barnard** ym. The effects of a low-fat, plant-based dietary intervention on body weight, metabolism, and insulin sensitivity. *Am. J. Med.* 2005;118:991–997.
- Barnard ND, Goldman DM, Loomis JE**, ym. Plant-Based Diets for Cardiovascular Safety and Performance in Endurance Sports. *Nutrients.* 2019 Jan 10;11(1):130.
- Barron E, Cano Sokoloff N, Maffazioli GDN**, ym. Diets High in Fiber and Vegetable Protein Are Associated with Low Lumbar Bone Mineral Density in Young Athletes with Oligoamenorrhea. *J Acad Nutr Diet.* 2016 Mar;116(3):481-489.
- Barry DW, Hansen KC, van Pelt RE**, ym. Acute calcium ingestion attenuates exercise-induced disruption of calcium homeostasis. *Med Sci Sports Exerc.* 2011 Apr;43(4):617-23.
- Barthels F, Meyer F, Pietrowsky R**. Orthorexic and restrained eating behaviour in vegans, vegetarians, and individuals on a diet. *Eat Weight Disord.* 2018 Apr;23(2):159-166.
- Bartholomae E, Incollingo A, Vizcaino M**, ym. Mung Bean Protein Supplement Improves Muscular Strength in Healthy, Underactive Vegetarian Adults. *Nutrients.* 2019;11(10):2423.
- Bath SC, Rayman MP**. Iodine deficiency in the U.K.: an overlooked cause of impaired neurodevelopment? *Proc Nutr Soc.* 2013 May;72(2):226-35.
- Bath SC, Rayman MP**. A review of the iodine status of UK pregnant women and its implications for the offspring. *Environ Geochem Health.* 2015 Aug;37(4):619-29.
- Baye K, Guyot JP, Mouquet-Rivier C**. The unresolved role of dietary fibers on mineral absorption. *Crit Rev Food Sci Nutr.* 2017 Mar 24;57(5):949-957.
- BDA**. Iodine food fact sheet. <https://www.bda.uk.com/resource/iodine.html>. Viitattu 19.3.2021.
- Beck K, Conlon CA, Kruger R**, ym. Gold kiwifruit consumed with an iron-fortified breakfast cereal meal improves iron status in women with low iron stores: a 16-week randomised controlled trial. *Br J Nutr.* 2011 Jan;105(1):101-9.
- Beezhold BL, Johnston CS, Daigle DR**. Vegetarian diets are associated with healthy mood states: a cross-sectional study in seventh day adventist adults. *Nutr J.* 2010 Jun 1;9:26.
- Beezhold BL, Johnston CS**. Restriction of meat, fish, and poultry in omnivores improves mood: a pilot randomized controlled trial. *Nutr J.* 2012 Feb 14;11:9.
- Berenbaum & van den Berg**. Inflammation in osteoarthritis: Changing views. *Osteoarthritis Cartilage.* 2015;23:1823–1824.
- Berrazaga I, Micard V, Gueugneau M**, ym. The Role of the Anabolic Properties of Plant- versus Animal-Based Protein Sources in Supporting Muscle Mass Maintenance: A Critical Review. *Nutrients.* 2019 Aug 7;11(8):1825.
- Berryman N, Mujika I, Arvisais D**, ym. Strength Training for Middle- and Long-Distance Performance: A Meta-Analysis. *Int J Sports Physiol Perform.* 2018 Jan 1;13(1):57-63.

- Bioló G, Maggi SP, Williams BD**, ym. Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans. *Am J Physiol.* 1995 Mar;268(3 Pt 1):E514-20.
- Blagrove RC, Howatson G, Hayes PR**. Effects of Strength Training on the Physiological Determinants of Middle- and Long-Distance Running Performance: A Systematic Review. *Sports Med*
- Blanco-Rojo R, Toxqui L, López-Parra AM**, ym. Influence of diet, menstruation and genetic factors on iron status: a cross-sectional study in Spanish women of childbearing age. *Int J Mol Sci.* 2014 Mar 6;15(3):4077-87.
- Blanco-Rojo R., Vaquero M.P.** Iron bioavailability from food fortification to precision nutrition. A review. *Innov. Food Sci. Emerg. Technol.* 2019;51:126-138.
- Blancquaert L, Baguet A, Bex T**, ym. Changing to a vegetarian diet reduces the body creatine pool in omnivorous women, but appears not to affect carnitine and carnosine homeostasis: a randomised trial. *Br J Nutr.* 2018 Apr;119(7):759-770.
- Blencowe A.** Ravitsemustielijä uskoo kasvisruokavalion olevan tulevaisuuden megatrendi – mutta pärjääkö ihmisen kokonaan ilman lihaa? Saatavilla: <https://yle.fi/uutiset/3-10473281>. Julkaistu 16.12.2018. (Viitattu 3.3.2021).
- Boldt P, Knechtle B, Nikolaidis P**, ym. Quality of life of female and male vegetarian and vegan endurance runners compared to omnivores - results from the NURMI study (step 2). *J Int Soc Sports Nutr.* 2018 Jul 17;15(1):33.
- Borba GL, Batista JSF, Novais LMQ**, ym. Acute Caffeine and Coconut Oil Intake, Isolated or Combined, Does Not Improve Running Times of Recreational Runners: A Randomized, Placebo-Controlled and Crossover Study. *Nutrients.* 2019 Jul 20;11(7):1661.
- Borrione P, Grasso L., Quaranta F**, ym. Vegetarian diet and athletes. *Int. SportMed J.* 2009;10:20-24
- Boutros GH, Landry-Duval MA, Garzon M**, ym. Is a vegan diet detrimental to endurance and muscle strength? *Eur J Clin Nutr.* 2020 Nov;74(11):1550-1555.
- Bowtell J, Kelly V.** Fruit-Derived Polyphenol Supplementation for Athlete Recovery and Performance. *Sports Med.* 2019 Feb;49(Suppl 1):3-23.
- Braakhuis AJ, Campion P, Bishop KS.** Reducing Breast Cancer Recurrence: The Role of Dietary Polyphenolics. *Nutrients.* 2016;8(9):547.
- Brytek-Matera A, Czepczor-Bernat K, Jurzak H**, ym. Strict health-oriented eating patterns (orthorexic eating behaviours) and their connection with a vegetarian and vegan diet. *Eat Weight Disord.* 2019;24(3):441-452.
- Burckhardt P.** The role of low acid load in vegetarian diet on bone health: a narrative review. *Swiss Med Wkly.* 2016 Feb 22;146:w14277.
- Burden** ym. Is iron treatment beneficial in, iron-deficient but non-anaemic (IDNA) endurance athletes? A systematic review and meta-analysis. *Br J Sports Med.* 2015 Nov; 49(21):1389-97.
- Bye JW, Cowieson NP, Cowieson AJ**, ym. Dual effects of sodium phytate on the structural stability and solubility of proteins. *J Agric Food Chem.* 2013 Jan 16;61(2):290-5.
- Camaschella C.** Iron deficiency. *Blood.* 2019 Jan 3;133(1):30-39.
- Candow DG, Burke NC, Smith-Palmer T**, ym. Effect of whey and soy protein supplementation combined with resistance training in young adults. *Int J Sport Nutr Exerc Metab.* 2006 Jun;16(3):233-44.
- Chambers** ym. Optimising foods for satiety. *Trends Food Sci Technol.* 2015;41(2):149–160.
- Chen LR, Ko NY, Chen KH.** Isoflavone Supplements for Menopausal Women: A Systematic Review. *Nutrients.* 2019 Nov 4;11(11):2649.
- Chu A, Holdaway C, Varma T**, ym. Lower Serum Zinc Concentration Despite Higher Dietary Zinc Intake in Athletes: A Systematic Review and Meta-analysis. *Sports Med.* 2018 Feb;48(2):327-336.
- Cialdella-Kam L, Kulpins D, Manore MM.** Vegetarian, Gluten-Free, and Energy Restricted Diets in Female Athletes. *Sports (Basel).* 2016 Oct 21;4(4):50.
- Çiçekoglu P, Tunçay GY.** A Comparison of Eating Attitudes Between Vegans/Vegetarians and Nonvegans/Nonvegetarians in Terms of Orthorexia Nervosa. *Arch Psychiatr Nurs.* 2018 Apr;32(2):200-205.
- Ciuris C, Lynch HM, Wharton C**, ym. A Comparison of Dietary Protein Digestibility, Based on DIAAS Scoring, in Vegetarian and Non-Vegetarian Athletes. *Nutrients.* 2019 Dec 10;11(12):3016.
- Clarys P, Deliens T, Huybrechts I**, ym. Comparison of nutritional quality of the vegan, vegetarian, semi-vegetarian, pesco-vegetarian and omnivorous diet. *Nutrients.* 2014 Mar 24; 6(3):1318-32.
- Clénin GE.** The treatment of iron deficiency without anaemia (in otherwise healthy persons). *Swiss Med Wkly.* 2017 Jun 14;147:w14434.
- Cordova A, Alvarez-Mon M.** Behaviour of zinc in physical exercise: a special reference to immunity and fatigue. *Neurosci Biobehav Rev.* 1995 Fall;19(3):439-45.
- Cosgrove K, Johnston CS.** Examining the Impact of Adherence to a Vegan Diet on Acid-Base Balance in Healthy Adults. *Plant Foods Hum Nutr.* 2017 Sep;72(3):308-313.
- Couzy F, Lafargue P, Guezenne CY.** Zinc metabolism in the athlete: influence of training, nutrition and other factors. *Int J Sports Med.* 1990 Aug;11(4):263-6.
- Craddock JC, Probst YC, Peoples GE.** Vegetarian and Omnivorous Nutrition - Comparing Physical Performance. *Int J Sport Nutr Exerc Metab.* 2016 Jun;26(3):212-20.
- Craddock J.C., Neale E.P., Peoples G.E.,** ym. Plant-based eating patterns and endurance performance: A focus on inflammation, oxidative stress and immune responses. *Nutr. Bull.* 2020;45:123-132.
- Craig WJ.** Health effects of vegan diets. *Am J Clin Nutr.* 2009 May; 89(5):1627S-1633S.
- Craine EB, Murphy KM.** Seed Composition and Amino Acid Profiles for Quinoa Grown in Washington State. *Front Nutr.* 2020 Aug 12;7:126.
- Curhan GC, Willett WC, Knight EL, ym.** Dietary factors and the risk of incident kidney stones in younger women: Nurses' Health Study II. *Arch Intern Med.* 2004 Apr 26;164(8):885-91. doi: 10.1001/archinte.164.8.885. PMID: 15111375.
- Dakhili S, Abdolalizadeh L, Hosseini SM**, ym. Quinoa protein: Composition, structure and functional properties. *Food Chem.* 2019 Nov 30;299:125161.
- Dallas DC, Sanctuary MR, Qu Y**, et al. Personalizing protein nourishment. *Crit Rev Food Sci Nutr.* 2017;57(15):3313-3331.
- Davey ym.** EPIC-Oxford: lifestyle characteristics and nutrient intakes in a cohort of 33 883 meat-eaters and 31 546 non meat-eaters in the UK. *Public Health Nutr.* 2003;6(3):259-268.
- Dawson A.** These 19 elite athletes are vegan — here's what made them switch their diet. <https://www.businessinsider.com/vegan-athletes-and-why-they-changed-their-diet-11?ref=US&IR=T>. Julkaistu 1.11.2018. Viitattu 4.3.2021.
- Deane CS, Bass JJ, Crossland H**, ym. Animal, Plant, Collagen and Blended Dietary Proteins: Effects on Musculoskeletal Outcomes. *Nutrients.* 2020;12(9):2670.
- De Biase SG, Fernandes SF, Gianini RJ**, ym. Vegetarian diet and cholesterol and triglycerides levels. *Arq Bras Cardiol.* 2007 Jan;88(1):35-9.
- Deehan EC, Walter J.** The Fiber Gap and the Disappearing Gut Microbiome: Implications for Human Nutrition. *Trends Endocrinol Metab.* 2016;27(5):239-242.
- Del Bo' C, Bernardi S, Marino M**, ym. Systematic Review on Polyphenol Intake and Health Outcomes: Is there Sufficient Evidence to Define a Health-Promoting Polyphenol-Rich Dietary Pattern? *Nutrients.* 2019 Jun 16;11(6):1355.
- Delimont NM, Haub MD, Lindshield BL.** The Impact of Tannin Consumption on Iron Bioavailability and Status: A Narrative Review. *Curr Dev Nutr.* 2017 Jan 19;1(2):1-12.

- DellaValle DM, Haas JD.** Iron supplementation improves energetic efficiency in iron-depleted female rowers. *Med Sci Sports Exerc.* 2014 Jun;46(6):1204-15.
- Devalia V, Hamilton MS, Molloy AM, British Committee for Standards in Haematology.** Guidelines for the diagnosis and treatment of cobalamin and folate disorders. *Br J Haematol.* 2014;166(4):496-513.
- Devries MC, Phillips SM.** Supplemental protein in support of muscle mass and health: advantage whey. *J Food Sci.* 2015 Mar;80 Suppl 1:A8-A15.
- Devrim-Lanpir A, Hill L, Knechtle B.** Efficacy of Popular Diets Applied by Endurance Athletes on Sports Performance: Beneficial or Detrimental? A Narrative Review. *Nutrients.* 2021 Feb 2;13(2):491.
- Dineva M, Rayman MP, Bath SC.** Iodine status of consumers of milk-alternative drinks v. cows' milk: data from the UK National Diet and Nutrition Survey. *Br J Nutr.* 2020 Sep 30:1-9.
- Dinu M, Abbate R, Gensini GF,** ym. Vegetarian, vegan diets and multiple health outcomes: A systematic review with meta-analysis of observational studies. *Crit Rev Food Sci Nutr.* 2017 Nov 22;57(17):3640-3649.
- Dittfeld A, Gwizdek K, Jagielski P,** ym. A Study on the relationship between orthorexia and vegetarianism using the BOT (Bratman Test for Orthorexia). *Psychiatr Pol.* 2017 Dec 30;51(6):1133-1144.
- Dolin BJ.** Effects of a proprietary Bacillus coagulans preparation on symptoms of diarrhea-predominant irritable bowel syndrome. *Methods Find Exp Clin Pharmacol.* 2009 Dec;31(10):655-9.
- Domínguez R, Sánchez-Oliver AJ, Mata-Ordoñez F,** ym. Effects of an Acute Exercise Bout on Serum Hepcidin Levels. *Nutrients.* 2018;10(2):209.
- EFSA.** Scientific Opinion on Dietary Reference Values for cobalamin (vitamin B12). *EFSA Journal* 2015;13(7):4150.
- Eijsvogels TMH, Thompson PD, Franklin BA.** The "Extreme Exercise Hypothesis": Recent Findings and Cardiovascular Health Implications. *Curr Treat Options Cardiovasc Med.* 2018 Aug 28;20(10):84.
- Elorinne AL, Alfttan G, Erlund I,** ym. Food and Nutrient Intake and Nutritional Status of Finnish Vegans and Non-Vegetarians. *PLoS One.* 2016;11(2):e0148235.
- El-Sayed & El-Sayed.** Haemorheology in exercise and training. *Sports Med.* 2005;35:649-670.
- Emkey RD, Emkey GR.** Calcium metabolism and correcting calcium deficiencies. *Endocrinol Metab Clin North Am.* 2012 Sep;41(3):527-56.
- Endres JR, Clewell A, Jade KA,** ym. Safety assessment of a proprietary preparation of a novel Probiotic, Bacillus coagulans, as a food ingredient. *Food Chem Toxicol.* 2009 Jun;47(6):1231-8.
- Ernst** ym. Blood rheology in vegetarians. *Br. J. Nutr.* 1986;56:555-560.
- ETL Tutkimus:** Neljä viidestä suomalaisesta pitää tärkeänä syödä kotimaista ruokaa. <https://www.etl.fi/ajankohtaista/tiedotteet/tutkimus-nelja-viides-suomalaisesta-pitaa-tarkeana-syoda-kotimaista-ruokaa.html>. Julkaistu 9.12.2020. Viitattu 10.3.2021.
- Eveleigh ER, Coneyworth LJ, Avery A,** ym. Vegans, Vegetarians, and Omnivores: How Does Dietary Choice Influence Iodine Intake? A Systematic Review. *Nutrients.* 2020;12(6):1606.
- Evenepoel P, Geypens B, Luypaerts A,** ym. Digestibility of cooked and raw egg protein in humans as assessed by stable isotope techniques. *J Nutr.* 1998 Oct;128(10):1716-22.
- Everaert I, Mooyaart A, Baguet A,** ym. Vegetarianism, female gender and increasing age, but not CNDP1 genotype, are associated with reduced muscle carnosine levels in humans. *Amino Acids.* 2011 Apr;40(4):1221-9.
- Fahey JW, Zalcmann AT, Talalay P.** The chemical diversity and distribution of glucosinolates and isothiocyanates among plants. *Phytochemistry.* 2001 Jan;56(1):5-51.
- Fallon N, Dillon SA.** Low Intakes of Iodine and Selenium Amongst Vegan and Vegetarian Women Highlight a Potential Nutritional Vulnerability. *Front Nutr.* 2020;7:72.
- Fang AP, Li KJ, Shi HY,** ym. Habitual dietary calcium intakes and calcium metabolism in healthy adults Chinese: a systematic review and meta-analysis. *Asia Pac J Clin Nutr.* 2016 Dec;25(4):776-784.
- Fang A, Li K, Shi H,** ym. Calcium requirements for Chinese adults by cross-sectional statistical analyses of calcium balance studies: an individual participant data and aggregate data meta-regression. *Chin Med J (Engl).* 2014;127(24):4250-7. (a)
- Felker P, Bunch R, Leung AM.** Concentrations of thiocyanate and goitrin in human plasma, their precursor concentrations in brassica vegetables, and associated potential risk for hypothyroidism. *Nutr Rev.* 2016 Apr;74(4):248-58.
- Fields & Borak.** Iodine deficiency in vegetarian and vegan diets: evidence-based review of the World's literature on iodine content in vegetarian diets. In: Preedy VR, Burrow GN, Watson R, editors. *Comprehensive handbook of iodine: nutritional, biochemical, and therapeutic aspects.* Atlanta: Elsevier; 2009. pp. 521-531.
- Forestell CA.** Flexitarian Diet and Weight Control: Healthy or Risky Eating Behavior? *Front Nutr.* 2018;5:59.
- Fredlund K, Isaksson M, Rossander-Hulthén L,** ym. Absorption of zinc and retention of calcium: dose-dependent inhibition by phytate. *J Trace Elem Med Biol.* 2006;20(1):49-57.
- Freese R, Voutilainen E.** Vitamiinit ja kivennäisaineet sekä muut ravinnon yhdisteet. Kirjassa: Aro A, Mutanen M, Uusitupa M (toim.). *Ravitsemustiede.* Kustannus Oy Duodecim. Otavan Kirjapaino Oy, Keuruu 2016.
- Fresán U, Sabaté J.** Vegetarian Diets: Planetary Health and Its Alignment with Human Health. *Adv Nutr.* 2019 Nov 1;10(Suppl_4):S380-S388.
- Fuhrman & Ferreri.** Fueling the vegetarian (vegan) athlete. *Curr Sports Med Rep.* 2010 Jul-Aug; 9(4):233-41.
- Gallego-Narbón A, Zapatera B, Vaquero MP.** Physiological and Dietary Determinants of Iron Status in Spanish Vegetarians. *Nutrients.* 2019 Jul 26;11(8):1734.
- García-Mantrana I, Monedero V, Haros M.** Reduction of Phytate in Soy Drink by Fermentation with Lactobacillus casei Expressing Phytases From Bifidobacteria. *Plant Foods Hum Nutr.* 2015 Sep;70(3):269-74.
- García-Mantrana I, Monedero V, Haros M.** Myo-inositol hexakisphosphate degradation by Bifidobacterium pseudocatenulatum ATCC 27919 improves mineral availability of high fibre rye-wheat sour bread. *Food Chem.* 2015 Jul 1;178:267-75. (a)
- Gaspar SR, Mendonça T, Oliveira P,** ym. Urolithiasis and crohn's disease. *Urol Ann.* 2016 Jul-Sep;8(3):297-304.
- Gautam AK, Sharma D, Sharma J,** ym. Legume lectins: Potential use as a diagnostics and therapeutics against the cancer. *Int J Biol Macromol.* 2020 Jan 1;142:474-483.
- GBD 2013 Risk Factors Collaborators, Forouzanfar MH, Alexander L, Anderson HR,** ym. Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet.* 2015 Dec 5;386(10010):2287-323.
- Gibson RS.** Content and bioavailability of trace elements in vegetarian diets. *Am J Clin Nutr.* 1994 May;59(5 Suppl):1223S-1232S.
- Gibson-Smith E, Storey R, Ranchordas M.** Dietary Intake, Body Composition and Iron Status in Experienced and Elite Climbers. *Front Nutr.* 2020 Aug 5;7:122.
- Gilani GS, Cockell KA, Sepehr E.** Effects of antinutritional factors on protein digestibility and amino acid availability in foods. *J AOAC Int.* 2005 May-Jun;88(3):967-87. **Gilani GS, Xiao C, Lee noin** Need for accurate and standardized determination of amino acids and bioactive peptides for evaluating protein quality and potential health effects of foods and dietary supplements. *J AOAC Int.* 2008 Jul-Aug;91(4):894-900.

- Gilsing** ym. Serum concentrations of vitamin B12 and folate in British male omnivores, vegetarians and vegans: results from a cross-sectional analysis of the EPIC-Oxford cohort study. *Eur J Clin Nutr.* 2010 Sep; 64(9):933-9.
- González N, Marqués M, Nadal M**, ym. Meat consumption: Which are the current global risks? A review of recent (2010-2020) evidences. *Food Res Int.* 2020 Nov;137:109341.
- Gorissen SHM, Witard OC**. Characterising the muscle anabolic potential of dairy, meat and plant-based protein sources in older adults. *Proc Nutr Soc.* 2018 Feb;77(1):20-31.
- Gorissen SHM, Crombag JJR, Senden JMG**, ym. Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino Acids.* 2018 Dec;50(12):1685-1695.
- Grases F, Costa-Bauza A**. Key Aspects of Myo-Inositol Hexaphosphate (Phytate) and Pathological Calcifications. *Molecules.* 2019;24(24):4434.
- Guasch-Ferré M, Liu G, Li Y**, ym. Olive Oil Consumption and Cardiovascular Risk in U.S. Adults. *J Am Coll Cardiol.* 2020 Apr 21;75(15):1729-1739.
- Guelfi KJ, Donges CE, Duffield R**. Beneficial effects of 12 weeks of aerobic compared with resistance exercise training on perceived appetite in previously sedentary overweight and obese men. *Metabolism.* 2013 Feb;62(2):235-43.
- Gupta RK, Gangoliya SS, Singh NK**. Reduction of phytic acid and enhancement of bioavailable micronutrients in food grains. *J Food Sci Technol.* 2015;52(2):676-684.
- Gwin JA, Church DD, Wolfe RR**, ym. Muscle Protein Synthesis and Whole-Body Protein Turnover Responses to Ingesting Essential Amino Acids, Intact Protein, and Protein-Containing Mixed Meals with Considerations for Energy Deficit. *Nutrients.* 2020 Aug 15;12(8):2457.
- Gwin JA, Church DD, Hatch-McChesney A**, ym. Essential amino acid-enriched whey enhances post-exercise whole-body protein balance during energy deficit more than iso-nitrogenous whey or a mixed-macronutrient meal: a randomized, crossover study. *J Int Soc Sports Nutr.* 2021 Jan 7;18(1):4.
- Haghhighatdoost** ym. Association of vegetarian diet with inflammatory biomarkers: A systematic review and meta-analysis of observational studies. *Public Health Nutr.* 2017;20:2713-2721.
- Haider LM, Schwingsackl L, Hoffmann G**, ym. The effect of vegetarian diets on iron status in adults: A systematic review and meta-analysis. *Crit Rev Food Sci Nutr.* 2018 May 24;58(8):1359-1374.
- Hamilton-Reeves, J.M., G. Vazquez, S.J. Duval, W.R.** ym. (2010). Clinical studies show no effects of soy protein or isoflavones on reproductive hormones in men: results of a meta-analysis. *Fertil. Steril.* 94:997-1007.
- Hansen M, Thilsted SH, Sandström B**, ym. Calcium absorption from small soft-boned fish. *J Trace Elem Med Biol.* 1998 Nov;12(3):148-54.
- Harnly J**. Importance of accurate measurements in nutrition research: dietary flavonoids as a case study. *Adv Nutr* 7: 375 - 382, 2016.
- Heaney RP, Weaver CM, Hinders S**, ym. Absorbability of calcium from brassica vegetables: broccoli, bok choy, and kale. *J Food Sci.* (1993) 58:1378-80.
- Hector AJ, Phillips SM**. Protein Recommendations for Weight Loss in Elite Athletes: A Focus on Body Composition and Performance. *Int J Sport Nutr Exerc Metab.* 2018 Mar 1;28(2):170-177.
- Hemler EC, Hu FB**. Plant-Based Diets for Cardiovascular Disease Prevention: All Plant Foods Are Not Created Equal. *Curr Atheroscler Rep.* 2019 Mar 20;21(5):18.
- Hevia-Larraín V, Gualano B, Longobardi I**, ym. High-Protein Plant-Based Diet Versus a Protein-Matched Omnivorous Diet to Support Resistance Training Adaptations: A Comparison Between Habitual Vegans and Omnivores. *Sports Med.* 2021 Feb 18.
- Hietavala EM, Stout JR, Hulmi JJ**, ym. Effect of diet composition on acid-base balance in adolescents, young adults and elderly at rest and during exercise. *Eur J Clin Nutr.* 2015 Mar;69(3):399-404.
- Hietavala EM, Stout JR, Frassetto LA**, ym. Dietary acid load and renal function have varying effects on blood acid-base status and exercise performance across age and sex. *Appl Physiol Nutr Metab.* 2017 Dec;42(12):1330-1340.
- Hinton PS, Giordano C, Brownlie T**, ym. Iron supplementation improves endurance after training in iron-depleted, nonanemic women. *J Appl Physiol (1985).* 2000 Mar;88(3):1103-11.
- Hinton PS**. Iron and the endurance athlete. *Appl Physiol Nutr Metab.* 2014 Sep;39(9):1012-8.
- Horvath PJ, Eagen CK, Ryer-Calvin SD**, ym. The effects of varying dietary fat on the nutrient intake in male and female runners. *J Am Coll Nutr.* 2000 Feb;19(1):42-51.
- Hsu E**. Plant-based diets and bone health: sorting through the evidence. *Curr Opin Endocrinol Diabetes Obes.* 2020 Aug;27(4):248-252.
- Hurrell R, Egli I**. Iron bioavailability and dietary reference values. *Am J Clin Nutr.* 2010 May;91(5):1461S-1467S.
- Hunt**. Moving toward a plant-based diet: are iron and zinc at risk? *Nutr Rev.* 2002 May; 60(5 Pt 1):127-34.
- Hunt JR**. Bioavailability of iron, zinc and other trace minerals from vegetarian diets. *Am J Clin Nutr.* 2003;78(suppl):633S-639S.
- Hunt A, Harrington D, Robinson S**. Vitamin B12 deficiency. *BMJ.* 2014;349:g5226.
- Iguacel I, Miguel-Berges ML, Gómez-Bruton A**, ym. Veganism, vegetarianism, bone mineral density, and fracture risk: a systematic review and meta-analysis. *Nutr Rev.* 2019 Jan 1;77(1):1-18.
- Inchley J, Currie D, Budisavljevic S**, ym. Spotlight on adolescent health and well-being. Findings from the 2017/2018 Health Behaviour in School-aged Children (HBSC) survey in Europe and Canada. International report. Volume 1. Key findings. Copenhagen: WHO Regional Office for Europe; 2020. Licence: CC BY-NC-SA 3.0 IGO.
- IOM**. Institute of Medicine. Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. Washington, DC: National Academies Press; 2003.
- Jabs J, Devine CM, Sobal J**. Maintaining Vegetarian Diets Personal Factors, Social Networks and Environmental Resources. *Can J Diet Pract Res.* 1998 Winter;59(4):183-189.
- Jacobs & Sherman**. The efficacy of carbohydrate supplementation and chronic high- carbohydrate diets for improving endurance performance. *Int. J. Sport Nutr.* 1999;9:92-115.
- Janelle & Barr**. Nutrient intakes and eating behavior see of vegetarian and nonvegetarian women. *J Am Diet Assoc.* 1995;95(2):180-189.
- Jansman AJ, Enting H, Verstegen MW**, ym. Effect of condensed tannins in hulls of faba beans (*Vicia faba L.*) on the activities of trypsin (EC 2.4.21.4) and chymotrypsin (EC 2.4.21.1) in digesta collected from the small intestine of pigs. *Br J Nutr.* 1994 Apr;71(4):627-41.
- Jespersen SE, Agergaard J**. Evenness of dietary protein distribution is associated with higher muscle mass but not muscle strength or protein turnover in healthy adults: a systematic review. *Eur J Nutr.* 2021 Feb 6.
- Jiang L, Wang K, Lo K**, ym. Sex-Specific Association of Circulating Ferritin Level and Risk of Type 2 Diabetes: A Dose-Response Meta-Analysis of Prospective Studies. *J Clin Endocrinol Metab.* 2019 Oct 1;104(10):4539-4551.
- Joy JM** ym. The effects of 8 weeks of whey or rice protein supplementation on body composition and exercise performance. *Nutr J.* 2013 Jun 20; 12():86.
- Jäger R, Shields KA, Lowery RP**, ym. Probiotic Bacillus coagulans GBI-30, 6086 reduces exercise-induced muscle damage and increases recovery. *PeerJ.* 2016 Jul 21;4:e2276.
- Jäger R, Kerksick CM, Campbell BI**, ym. International Society of Sports Nutrition Position Stand: protein and exercise. *J Int Soc Sports Nutr.* 2017 Jun 20;14:20.
- Jäger R, Purpura M, Farmer S**, ym. Probiotic Bacillus coagulans GBI-30, 6086 Improves Protein Absorption and Utilization. *Probiotics Antimicrob Proteins.* 2018;10(4):611-615.

- Kahleova** ym. A plant-based dietary intervention improves beta-cell function and insulin resistance in overweight adults: A 16-week randomized clinical trial. *Nutrients*. 2018;10:189.
- Kalman DS, Schwartz HI, Alvarez P**, ym. A prospective, randomized, double-blind, placebo-controlled parallel-group dual site trial to evaluate the effects of a Bacillus coagulans-based product on functional intestinal gas symptoms. *BMC Gastroenterol*. 2009 Nov 18;9:85.
- Karamać M**. Chelation of Cu(II), Zn(II), and Fe(II) by tannin constituents of selected edible nuts. *Int J Mol Sci*. 2009 Dec 22;10(12):5485-97.
- Kashyap S, Shivakumar N, Varkey A**, ym. Ileal digestibility of intrinsically labeled hen's egg and meat protein determined with the dual stable isotope tracer method in Indian adults. *Am J Clin Nutr*. 2018 Nov 1;108(5):980-987.
- Kashyap S, Varkey A, Shivakumar N**, ym. True ileal digestibility of legumes determined by dual-isotope tracer method in Indian adults. *Am J Clin Nutr*. 2019 Oct 1;110(4):873-882.
- Kato H, Suzuki K, Bannai M**, ym. Protein Requirements Are Elevated in Endurance Athletes after Exercise as Determined by the Indicator Amino Acid Oxidation Method. *PLoS One*. 2016 Jun 20;11(6):e0157406.
- Kaviani M, Shaw K, Chilibeck PD**. Benefits of Creatine Supplementation for Vegetarians Compared to Omnivorous Athletes: A Systematic Review. *Int J Environ Res Public Health*. 2020;17(9):3041.
- Kelly**. Can excess iron increase the risk for coronary heart disease and cancer? *Nutr Bull*. 2002;27(3):165-179.
- Kennedy DO**. Phytochemicals for Improving Aspects of Cognitive Function and Psychological State Potentially Relevant to Sports Performance. *Sports Med*. 2019 Feb;49(Suppl 1):39-58.
- Kerksick CM, Wilborn CD, Roberts MD**, ym. ISSN exercise & sports nutrition review update: research & recommendations. *J Int Soc Sports Nutr*. 2018 Aug 1;15(1):38.
- King NA, Blundell JE**. High-fat foods overcome the energy expenditure induced by high-intensity cycling or running. *Eur J Clin Nutr*. 1995 Feb;49(2):114-23.
- Klopp SA, Heiss CJ, Smith HS**. Self-reported vegetarianism may be a marker for college women at risk for disordered eating. *J Am Diet Assoc*. 2003 Jun;103(6):745-7.
- Kniskern MA, Johnston CS**. Protein dietary reference intakes may be inadequate for vegetarians if low amounts of animal protein are consumed. *Nutrition*. 2011 Jun;27(6):727-30.
- Koehler** ym. Iron status in elite young athletes: gender-dependent influences of diet and exercise. *Eur J Appl Physiol*. 2012;112:513-23.
- Koivisto AE, Paulsen G, Paur I**, ym. Antioxidant-rich foods and response to altitude training: A randomized controlled trial in elite endurance athletes. *Scand J Med Sci Sports*. 2018 Sep;28(9):1982-1995.
- Krajcovicová-Kudláčková** ym. Iodine deficiency in vegetarians and vegans. *Ann Nutr Metab*. 2003; 47(5):183-5.
- Kreider RB, Kalman DS, Antonio J**, ym. International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr*. 2017 Jun 13;14:18.
- Król W, Price S, Śliż D**, ym. A Vegan Athlete's Heart-Is It Different? Morphology and Function in Echocardiography. *Diagnostics (Basel)*. 2020 Jul 14;10(7):477.
- Krzywański J, Mikulski T, Pokrywka A**, ym. Vitamin B12 Status and Optimal Range for Hemoglobin Formation in Elite Athletes. *Nutrients*. 2020 Apr 9;12(4):1038.
- Kuchakulla M, Nackeeraan S, Blachman-Braun R**, ym. The association between plant-based content in diet and testosterone levels in US adults. *World J Urol*. 2020 May 28.
- Kuiper GG, Lemmen JG, Carlsson B**, ym. Interaction of estrogenic chemicals and phytoestrogens with estrogen receptor beta. *Endocrinology*. 1998 Oct;139(10):4252-63.
- Kunstel K**. Calcium requirements for the athlete. *Curr sports med rep*. 2005;4(4):203-206.
- Kärkkäinen MU, Wiersma JW, Lamberg-Allardt CJ**. Postprandial parathyroid hormone response to four calcium-rich foodstuffs. *Am J Clin Nutr*. 1997 Jun;65(6):1726-30.
- Lane LA, Rojas-Fernandez C**. Treatment of vitamin b(12)-deficiency anemia: oral versus parenteral therapy. *Ann Pharmacother*. 2002 Jul-Aug;36(7-8):1268-72.
- Langan RC, Zawistoski KJ**. Update on vitamin B12 deficiency. *Am Fam Physician*. 2011;83(12):1426.
- Langan RC, Goodbred AJ**. Vitamin B12 Deficiency: Recognition and Management. *Am Fam Physician*. 2017 Sep 15;96(6):384-389.
- Larson-Meyer E**. Vegetarian and vegan diets for athletic training and performance. <https://www.gssiweb.org/sports-science-exchange/article/vegetarian-and-vegan-diets-for-athletic-training-and-performance>. Julkaistu 12/2018. Viittautuu 12.3.2021.
- Larsson CL, Johansson GK**. Dietary intake and nutritional status of young vegans and omnivores in Sweden. *Am J Clin Nutr*. 2002 Jul;76(1):100-6.
- Latunde-Dada GO**. Iron metabolism in athletes--achieving a gold standard. *Eur J Haematol*. 2013 Jan;90(1):10-5.
- Leenhardt F, Levrat-Verny MA, Chanliaud E**, ym. Moderate decrease of pH by sourdough fermentation is sufficient to reduce phytate content of whole wheat flour through endogenous phytase activity. *J Agric Food Chem*. 2005 Jan 12;53(1):98-102.
- Lehto J**. Lihasta luovutaan pikkuhiljaa – myös muualla kuin pääkaupunkiseudulla. [46](http://www.stat.fi/tietotrendit/artikkelit/2018/lihasta-luovutaan-pikkuhiljaa-myos-muualla-kuin-paakaupunkiseudulla/>.Julkaisupäivä 14.8.2018. (Viittauspäivä 3.3.2021)</p>
<p>Leischik R, Spelsberg noin Vegan triple-ironman (raw vegetables/fruits). <i>Case Rep Cardiol</i>. 2014;2014:317246.</p>
<p>Lemarie D, Maizes V. Advising Women Undergoing Treatment for Breast Cancer: A Narrative Review. <i>J Altern Complement Med</i>. 2018 Sep/Oct;24(9-10):902-909.</p>
<p>Lestienne I, Icard-Vernière C, Mouquet C, ym. Effects of soaking whole cereal and legume seeds on iron, zinc and phytate contents. <i>Food Chem</i>. 2005;89:421-425.</p>
<p>Levrat-Verny MA, Coudray C, Bellanger J, ym. Wholewheat flour ensures higher mineral absorption and bioavailability than white wheat flour in rats. <i>Br J Nutr</i>. 1999 Jul;82(1):17-21.</p>
<p>Li K, Wang XF, Li DY, ym. The good, the bad, and the ugly of calcium supplementation: a review of calcium intake on human health. <i>Clin Interv Aging</i>. 2018;13:2443-2452.</p>
<p>Lightowler & Davies. Iodine intake and iodine deficiency in vegans as assessed by the duplicate-portion technique and urinary iodine excretion. <i>Br J Nutr</i>. 1998 Dec; 80(6):529-35.</p>
<p>Liu RH. Health-promoting components of fruits and vegetables in the diet. <i>Adv Nutr</i>. 2013 May 1;4(3):384S-92S.</p>
<p>Logue DM, Madigan SM, Melin A, ym. Low Energy Availability in Athletes 2020: An Updated Narrative Review of Prevalence, Risk, Within-Day Energy Balance, Knowledge, and Impact on Sports Performance. <i>Nutrients</i>. 2020 Mar 20;12(3):835.</p>
<p>Lopez HW, Leenhardt F, Coudray C, ym. Minerals and phytic acid interactions: Is it a real problem for human nutrition? <i>Int. J. Food Sci. Technol</i>. 2002;37:727-739.</p>
<p>Loucks AB. Energy balance and body composition in sports and exercise. <i>J Sports Sci</i>. 2004 Jan;22(1):1-14.</p>
<p>Loucks AB. Energy availability in athletes. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010</p>
<p>Lynch SR. The effect of calcium on iron absorption. <i>Nutr Res Rev</i>. 2000 Dec;13(2):141-58.</p>
</div>
<div data-bbox=)

- Lynch H** ym. Cardiorespiratory Fitness and Peak Torque Differences between Vegetarian and Omnivore Endurance Athletes: A Cross-Sectional Study. *Nutrients*. 2016 Nov 15;8(11).
- Lynch H, Johnston C, Wharton C**. Plant-Based Diets: Considerations for Environmental Impact, Protein Quality, and Exercise Performance. *Nutrients*. 2018;10(12):1841.
- Lönnerdal**. Dietary factors influencing zinc absorption. *J Nutr*. 2000 May; 130(5S Suppl):1378S-83S.
- Ma F, Wu T, Zhao J**, ym. Plasma Homocysteine and Serum Folate and Vitamin B12 Levels in Mild Cognitive Impairment and Alzheimer's Disease: A Case-Control Study. *Nutrients*. 2017 Jul 8;9(7):725.
- Maathuis AJ, Keller D, Farmer S**. Survival and metabolic activity of the GanedenBC30 strain of *Bacillus coagulans* in a dynamic in vitro model of the stomach and small intestine. *Benef Microbes*. 2010 Mar;1(1):31-6.
- Macdiarmid JI, Douglas F, Campbell J**. Eating like there's no tomorrow: Public awareness of the environmental impact of food and reluctance to eat less meat as part of a sustainable diet. *Appetite*. 2016 Jan 1;96:487-493.
- MacDougal ym**. Muscle performance and enzymatic adaptations to sprint interval training. *J Appl Physiol (1985)*. 1998 Jun; 84(6):2138-42.
- Maggos F, Tetens I, Bügel SG**, ym. A Perspective on the Transition to Plant-Based Diets: a Diet Change May Attenuate Climate Change, but Can It Also Attenuate Obesity and Chronic Disease Risk?. *Adv Nutr*. 2020;11(1):1-9.
- Mahmood L**. The metabolic processes of folic acid and Vitamin B12 deficiency. *J. Health Res. Rev*. 2014;1:5.
- Malde MK, Bügel S, Kristensen M**, ym. Calcium from salmon and cod bone is well absorbed in young healthy men: a double-blinded randomised crossover design. *Nutr Metab (Lond)*. 2010;7:61.
- Mamerow MM, Mettler JA, English KL**, ym. Dietary protein distribution positively influences 24-h muscle protein synthesis in healthy adults. *J Nutr*. 2014 Jun;144(6):876-80.
- Marin L, Miguélez EM, Villar CJ**, ym. Bioavailability of dietary polyphenols and gut microbiota metabolism: antimicrobial properties. *Biomed Res Int*. 2015;2015:905215.
- Mariotti F, Gardner CD**. Dietary Protein and Amino Acids in Vegetarian Diets-A Review. *Nutrients*. 2019 Nov 4;11(11):2661.
- Marsh KA, Munn EA, Baines SK**. Protein and vegetarian diets. *Med J Aust*. 2013 Aug 19;199(S4):S7-S10.
- Marsh** ym. Health implications of a vegetarian diet: a review. *Am J Life Med*. 2012;6:250–267.
- Martins C, Morgan LM, Bloom SR**, ym. Effects of exercise on gut peptides, energy intake and appetite. *J Endocrinol*. 2007 May;193(2):251-8.
- Massey LK**. Dietary influences on urinary oxalate and risk of kidney stones. *Front Biosci*. 2003 May 1;8:s584-94.
- Masson** ym. Many non-elite multisport endurance athletes do not meet sports nutrition recommendations for carbohydrates. *Appl. Physiol. Nutr. Metab*. 2016;41:728–734
- Maughan RJ, Burke LM, Dvorak J**, ym. IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med*. 2018 Apr;52(7):439-455.
- McCarver G, Bhatia J, Chambers C**, ym. NTP-CERHR expert panel report on the developmental toxicity of soy infant formula. *Birth Defects Res B Dev Reprod Toxicol*. 2011 Oct;92(5):421-68.
- Melin A, Tornberg ÅB, Skouby S**, ym. Low-energy density and high fiber intake are dietary concerns in female endurance athletes. *Scand J Med Sci Sports*. 2016 Sep;26(9):1060-71.
- Melina V, Craig W, Levin S**. Position of the Academy of Nutrition and Dietetics: Vegetarian Diets. *J Acad Nutr Diet*. 2016 Dec;116(12):1970-1980.
- Melse-Boonstra A**. Bioavailability of Micronutrients From Nutrient-Dense Whole Foods: Zooming in on Dairy, Vegetables, and Fruits. *Front Nutr*. 2020;7:101.
- Mennen L, Hirvonen T, Arnault N**, ym. Consumption of black, green and herbal tea and iron status in French adults. *Eur J Clin Nutr*. 2007 Oct;61(10):1174-9.
- Merghani** ym. Prevalence of subclinical coronary artery disease in masters endurance athletes with a low atherosclerotic risk profile. *Circulation*. 2017;136:126-137.
- Messina M**. Impact of Soy Foods on the Development of Breast Cancer and the Prognosis of Breast Cancer Patients. *Fortsch Komplementmed*. 2016;23(2):75-80.
- Meyer N, Reguant-Closa A**. "Eat as If You Could Save the Planet and Win!" Sustainability Integration into Nutrition for Exercise and Sport. *Nutrients*. 2017;9(4):412.
- Micheletti A, Rossi R and Rufini S**. Zinc status in athletes: relation to diet and exercise. *Sports Med* 31: 577–582, 2001.
- Mickleborough** ym. Effect of fish oil-derived omega-3 polyunsaturated Fatty Acid supplementation on exercise-induced bronchoconstriction and immune function in athletes. *Phys Sportsmed*. 2008 Dec; 36(1):11-7.
- Milanović V, Osimani A, Garofalo C**, ym. Selection of cereal-sourced lactic acid bacteria as candidate starters for the baking industry. *PLoS One*. 2020 Jul 23;15(7):e0236190.
- Miller** ym. Comparative effects of three popular diets on lipids, endothelial function, and C-reactive protein during weight maintenance. *J. Am. Diet. Assoc*. 2009;109:713-717
- Miller LV, Hambidge KM, Krebs NF**. Zinc Absorption Is Not Related to Dietary Phytate Intake in Infants and Young Children Based on Modeling Combined Data from Multiple Studies. *J Nutr*. 2015 Aug;145(8):1763-9.
- Min J, Zhao Y, Slivka L**, ym. Double burden of diseases worldwide: coexistence of undernutrition and overnutrition-related non-communicable chronic diseases. *Obes Rev*. 2018 Jan;19(1):49-61. **Minevich, J., Olson, M.A., Mannion, J.P.** ym. Digestive enzymes reduce quality differences between plant and animal proteins: a double-blind crossover study. *J Int Soc Sports Nutr* 12, P26 (2015).
- Mishra A, Behura A, Mawatwal S**, ym. Structure-function and application of plant lectins in disease biology and immunity. *Food Chem Toxicol*. 2019 Dec;134:110827.
- Moon JM, Ratliff KM, Blumkaitis JC**, ym. Effects of daily 24-gram doses of rice or whey protein on resistance training adaptations in trained males. *J Int Soc Sports Nutr*. 2020;17(1):60.
- Moore DR, Churchward-Venne TA, Witard O**, ym. Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. *J Gerontol A Biol Sci Med Sci*. 2015 Jan;70(1):57-62.
- Mondal & Mishra**. Effect of BMI, body fat percentage and fat free mass on Maximal oxygen consumption in healthy young adults. *J. Clin. Diagn. Res*. 2017;11:CC17–CC20.
- Morton RW, Murphy KT, McKellar SR**, ym. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med*. 2018 Mar;52(6):376-384.
- Mountjoy M, Sundgot-Borgen J, Burke L**, ym. International Olympic Committee (IOC) Consensus Statement on Relative Energy Deficiency in Sport (RED-S): 2018 Update. *Int J Sport Nutr Exerc Metab*. 2018 Jul 1;28(4):316-331.
- Mourouti N, Kontogianni MD, Papavagelis C**, ym. Diet and breast cancer: a systematic review. *Int J Food Sci Nutr*. 2015 Feb;66(1):1-42.
- Mustajoki P**. Kilpirauhasen vajaatoiminta (hypothyreosi). *Terveyskirjasto Duodecim*. <https://www.terveyskirjasto.fi/dlk00667>. Julkaistu 6.12.2020. Viitattu 19.3.2021.

- Nabhan D, Bielko S, Sinex JA**, ym. Serum ferritin distribution in elite athletes. *J Sci Med Sport*. 2020 Jun;23(6):554-558.
- Najjar RS, Moore CE, Montgomery BD**. A defined, plant-based diet utilized in an outpatient cardiovascular clinic effectively treats hypercholesterolemia and hypertension and reduces medications. *Clin Cardiol*. 2018 Mar;41(3):307-313.
- Nciri N, Cho N, El Mhamdi F**, ym. Toxicity Assessment of Common Beans (*Phaseolus vulgaris* L.) Widely Consumed by Tunisian Population. *J Med Food*. 2015 Sep;18(9):1049-64.
- Nebel J, Haufe S, Eigendorf J**, ym. Exercise capacity of vegan, lacto-ovo-vegetarian and omnivorous recreational runners. *J Int Soc Sports Nutr*. 2019 May 20;16(1):23.
- Nicholls** ym. Consumption of saturated fat impairs the anti-inflammatory properties of high-density lipoproteins and endothelial function. *J Am Coll Cardiol*. 2006;48:715-720.
- Nkhata SG, Ayua E, Kamau EH**, ym. Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food Sci Nutr*. 2018 Oct 16;6(8):2446-2458.
- Oikawa SY, Bahniwal R, Holloway TM**, ym. Potato Protein Isolate Stimulates Muscle Protein Synthesis at Rest and with Resistance Exercise in Young Women. *Nutrients*. 2020 Apr 27;12(5):1235.
- Okuda T, Ito H**. Tannins of constant structure in medicinal and food plants-hydrolysable tannins and polyphenols related to tannins. *Molecules*. 2011;16:2191-2217.
- Osuna-Padilla IA, Leal-Escobar G, Garza-García CA**, ym. Dietary Acid Load: mechanisms and evidence of its health repercussions. *Nefrologia*. 2019 Jul-Aug;39(4):343-354. English, Spanish.
- Panacer K, Whorwell PJ**. Dietary Lectin exclusion: The next big food trend?. *World J Gastroenterol*. 2019;25(24):2973-2976.
- Park S, Church DD, Azhar G**, ym. Anabolic response to essential amino acid plus whey protein composition is greater than whey protein alone in young healthy adults. *J Int Soc Sports Nutr*. 2020 Feb 10;17(1):9.
- Paslakis G, Richardson C, Nöhre M**, ym. Prevalence and psychopathology of vegetarians and vegans - Results from a representative survey in Germany. *Sci Rep*. 2020 Apr 22;10(1):6840.
- Patitsas HB**. Endocrine disruption by dietary phyto-oestrogens: impact on dimorphic sexual systems and behaviours. *Proc Nutr Soc*. 2017;76(2):130-144.
- Pattini A, Schena F, Guidi GC**. Serum ferritin and serum iron changes after cross-country and roller ski endurance races. *Eur J Appl Physiol Occup Physiol*. 1990;61(1-2):55-60.
- Pawlak R, Berger J, Hines I**. Iron Status of Vegetarian Adults: A Review of Literature. *Am J Lifestyle Med*. 2016 Dec 16;12(6):486-498.
- Pedlar CR, Brugnara C, Bruunvels G**, ym. Iron balance and iron supplementation for the female athlete: A practical approach. *Eur J Sport Sci*. 2018 Mar;18(2):295-305.
- Peeling P, Dawson B, Goodman C**, ym. Athletic induced iron deficiency: new insights into the role of inflammation, cytokines and hormones. *Eur J Appl Physiol*. 2008 Jul;103(4):381-91.
- Pelkonen L**. Kasvisruokavalioit. Lääkärikirja Duodecim. <https://www.terveyskirjasto.fi/dlk01198>. Julkaistu 5.10.2020. Viitattu 16.3.2021.
- Pelly FE, Burkhardt SJ**. Dietary regimens of athletes competing at the Delhi 2010 Commonwealth Games. *Int J Sport Nutr Exerc Metab*. 2014 Feb;24(1):28-36.
- Petroski W, Minich DM**. Is There Such a Thing as "Anti-Nutrients"? A Narrative Review of Perceived Problematic Plant Compounds. *Nutrients*. 2020;12(10):2929.
- Peumans WJ, Van Damme EJ**. Lectins as plant defense proteins. *Plant physiology*. 1995 Oct;109(2):347.
- Phan MAT, Paterson J, Bucknall M**, ym. Interactions between phytochemicals from fruits and vegetables: Effects on bioactivities and bioavailability. *Crit Rev Food Sci Nutr*. 2018 May 24;58(8):1310-1329.
- Phillips F**. Vegetarian nutrition. *Nutr Bull*. 2005;30(2):132-167.
- Phillips SM**. The impact of protein quality on the promotion of resistance exercise-induced changes in muscle mass. *Nutr Metab (Lond)*. 2016;13:64.
- Phillips SM, Chevallier S, Leidy HJ**. Protein "requirements" beyond the RDA: implications for optimizing health. *Appl Physiol Nutr Metab*. 2016 May;41(5):565-72.
- Prochaska ML, Taylor EN, Curhan GC**. Insights Into Nephrolithiasis From the Nurses' Health Studies. *Am J Public Health*. 2016 Sep;106(9):1638-43.
- Purpura M, Lowery RP, Joy JM**, ym. A comparison of blood amino acid concentrations following ingestion of rice and whey protein: a double-blind crossover study. *Journal of Nutrition and Health Sciences*. 2014, 1 (3):
- Pääväranta E, Itkonen ST, Pellinen T**, ym. Replacing Animal-Based Proteins with Plant-Based Proteins Changes the Composition of a Whole Nordic Diet-A Randomised Clinical Trial in Healthy Finnish Adults. *Nutrients*. 2020 Mar 28;12(4):943.
- Raben A, Kiens B, Richter EA**, ym. Serum sex hormones and endurance performance after a lacto-ovo vegetarian and a mixed diet. *Med Sci Sports Exerc*. 1992 Nov;24(11):1290-7. PMID: 1435181.
- Radnitz C, Beezhold B, DiMatteo J**. Investigation of lifestyle choices of individuals following a vegan diet for health and ethical reasons. *Appetite*. 2015 Jul;90:31-6.
- Rand WM, Pellett PL, Young VR**. Meta-analysis of nitrogen balance studies for estimating protein requirements in healthy adults. *Am J Clin Nutr*. 2003 Jan;77(1):109-27.
- Rauma** ym. Effect of a strict vegan diet on energy and nutrient intakes by Finnish rheumatoid patients. *Eur J Clin Nutr*. 1993 Oct; 47(10):747-9.
- Ravintotase**. Ravintotase 2018 lopullinen ja ennakkoo 2019. Julkaistu 25.06.2020. <https://stat.luke.fi/ravintotase>. Viitattu 22.2.2021.
- Raysmith BP, Drew MK**. Performance success or failure is influenced by weeks lost to injury and illness in elite Australian track and field athletes: A 5-year prospective study. *J Sci Med Sport*. 2016 Oct;19(10):778-83.
- Reguant-Closa A, Roesch A, Lansche J**, ym. The Environmental Impact of the Athlete's Plate Nutrition Education Tool. *Nutrients*. 2020 Aug 18;12(8):2484.
- Robbins M**. Plant-based food sales grow 20 percent. <https://plantbasedfoods.org/wp-content/uploads/2018/07/PBFA-Release-on-Nielsen-Data-7.30.18.pdf>. Julkaistu 30.7.2018. Viitattu 5.3.2021.
- Rogerson**. Vegan diets: practical advice for athletes and exercisers. *J Int Soc Sports Nutr*. 2017 Sep 13;14:36. Saatavilla: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5598028/>
- Rothschild JA, Bishop DJ**. Effects of Dietary Supplements on Adaptations to Endurance Training. *Sports Med*. 2020 Jan;50(1):25-53.
- Rubeor A, Goojha C, Manning J**, ym. Does Iron Supplementation Improve Performance in Iron-Deficient Nonanemic Athletes? *Sports Health*. 2018 Sep/Oct;10(5):400-405.
- Sabaté J, Soret S**. Sustainability of plant-based diets: back to the future. *Am J Clin Nutr*. 2014 Jul;100 Suppl 1:476S-82S.
- Sabaté J, Wien M**. A perspective on vegetarian dietary patterns and risk of metabolic syndrome. *Br J Nutr*. 2015 Apr;113 Suppl 2:S136-43.
- Sakkas H, Bozidis P, Touzios C**, ym. Nutritional Status and the Influence of the Vegan Diet on the Gut Microbiota and Human Health. *Medicina (Kaunas)*. 2020;56(2):88.
- Sale C, Elliott-Sale KJ**. Nutrition and Athlete Bone Health. *Sports Med*. 2019;49(Suppl 2):139-151.
- Samtiya M, Aluko RE, Dhewa T**. Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Prod Process and Nutr* 2, 6 (2020).

- Santos HO, Howell S, Earnest CP**, ym. Coconut oil intake and its effects on the cardiometabolic profile - A structured literature review. *Prog Cardiovasc Dis.* 2019 Sep-Oct;62(5):436-443.
- Santos JAR, Christoforou A, Trieu K**, ym. Iodine fortification of foods and condiments, other than salt, for preventing iodine deficiency disorders. *Cochrane Database Syst Rev.* 2019 Feb 12;2(2):CD010734.
- Sarwar Gilani G, Wu Xiao C, Cockell KA**. Impact of antinutritional factors in food proteins on the digestibility of protein and the bioavailability of amino acids and on protein quality. *Br J Nutr.* 2012 Aug;108 Suppl 2:S315-32.
- Schlesier K., Kühn B., Kiehntopf M.**, ym. Comparative evaluation of green and black tea consumption on the iron status of omnivorous and vegetarian people. *Food Res. Int.* 2012;46:S22-S27.
- Schoenfeld BJ, Aragon AA**. How much protein can the body use in a single meal for muscle-building? Implications for daily protein distribution. *J Int Soc Sports Nutr.* 2018 Feb 27;15:10.
- Sebastiani G, Herranz Barbero A, Borrás-Novell C**, ym. The Effects of Vegetarian and Vegan Diet during Pregnancy on the Health of Mothers and Offspring. *Nutrients.* 2019 Mar 6;11(3):557.
- Scheers N, Rossander-Hulthen L, Torsdottir I**, ym. Increased iron bioavailability from lactic-fermented vegetables is likely an effect of promoting the formation of ferric iron (Fe(3+)). *Eur J Nutr.* 2016;55(1):373-382.
- Schlemmer U, Frölich W, Prieto RM**, ym. Phytate in foods and significance for humans: food sources, intake, processing, bioavailability, protective role and analysis. *Mol Nutr Food Res.* 2009 Sep;53 Suppl 2:S330-75.
- Schreiner P, Yilmaz B, Rossel JB**, ym. Swiss IBD Cohort Study Group. Vegetarian or gluten-free diets in patients with inflammatory bowel disease are associated with lower psychological well-being and a different gut microbiota, but no beneficial effects on the course of the disease. *United European Gastroenterol J.* 2019 Jul;7(6):767-781.
- Schuchardt JP, Hahn A.** Intestinal Absorption and Factors Influencing Bioavailability of Magnesium-An Update. *Curr Nutr Food Sci.* 2017 Nov;13(4):260-278.
- Schüpbach R, Wegmüller R, Berguerand C**, ym. Micronutrient status and intake in omnivores, vegetarians and vegans in Switzerland. *Eur J Nutr.* 2017 Feb;56(1):283-293.
- Schwingshackl L, Boggensberger B, Benčić A**, ym. Effects of oils and solid fats on blood lipids: a systematic review and network meta-analysis. *J Lipid Res.* 2018;59(9):1771-1782.
- Scofield KL, Hecht S.** Bone health in endurance athletes: runners, cyclists, and swimmers. *Curr Sports Med Rep.* 2012 Nov-Dec;11(6):328-34.
- Seiwert N, Heylmann D, Hasselwander S**, ym. Mechanism of colorectal carcinogenesis triggered by heme iron from red meat. *Biochim Biophys Acta Rev Cancer.* 2020 Jan;1873(1):188334.
- Shivakumar N, Kashyap S, Kishore S**, ym. Protein-quality evaluation of complementary foods in Indian children. *Am J Clin Nutr.* 2019 May 1;109(5):1319-1327.
- Siegenberg D, Baynes RD, Bothwell TH**, ym. Ascorbic acid prevents the dose-dependent inhibitory effects of polyphenols and phytates on non-heme-iron absorption. *Am J Clin Nutr.* 1991 Feb;53(2):537-41.
- Sim M, Dawson B, Landers G**, ym. Effect of exercise modality and intensity on post-exercise interleukin-6 and hepcidin levels. *Int J Sport Nutr Exerc Metab.* 2013 Apr;23(2):178-86.
- Sinclair LM, Hinton PS.** Prevalence of iron deficiency with and without anemia in recreationally active men and women. *J Am Diet Assoc.* 2005 Jun;105(6):975-8.
- Silva EO, Bracarense AP.** Phytic Acid: From Antinutritional to Multiple Protection Factor of Organic Systems. *J Food Sci.* 2016 Jun;81(6):R1357-62.
- Slater J, McLay-Cooke R, Brown R**, ym. Female Recreational Exercisers at Risk for Low Energy Availability. *Int J Sport Nutr Exerc Metab.* 2016 Oct;26(5):421-427.
- Slavin & Green**. Dietary fibre and satiety. *Nutr Bull.* 2007;32:32-42.
- Smeriglio A, Barreca D, Bellocchio E**, ym. Proanthocyanidins and hydrolysable tannins: occurrence, dietary intake and pharmacological effects. *Br J Pharmacol.* 2017;174(11):1244-1262.
- Smith** ym. Associations among hemorheological factors and maximal oxygen consumption. Is there a role for blood viscosity in explaining athletic performance? *Clin. Hemorheol. Microcirc.* 2015;60:347-362.
- Snyder** ym. Influence of dietary iron source on measures of iron status among female runners. *Med Sci Sports Exerc.* 1989 Feb; 21(1):7-10.
- Sobiecki JG, Appleby PN, Bradbury KE**, ym. High compliance with dietary recommendations in a cohort of meat eaters, fish eaters, vegetarians, and vegans: results from the European Prospective Investigation into Cancer and Nutrition-Oxford study. *Nutr Res.* 2016 May;36(5):464-77.
- Somerville VS, Braakhuis AJ, Hopkins WG.** Effect of Flavonoids on Upper Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. *Adv Nutr.* 2016 May 16;7(3):488-97.
- Speer H, D'Cunha NM, Botek M**, ym. The Effects of Dietary Polyphenols on Circulating Cardiovascular Disease Biomarkers and Iron Status: A Systematic Review. *Nutr Metab Insights.* 2019 Oct 21;12:1178638819882739.
- Sranacharoenpong K, Soret S, Harwatt H**, ym. The environmental cost of protein food choices. *Public Health Nutr.* 2015 Aug;18(11):2067-73.
- Stensel D.** Exercise, appetite and appetite-regulating hormones: implications for food intake and weight control. *Ann Nutr Metab.* 2010;57 Suppl 2:36-42.
- Stokes T, Hector AJ, Morton RW**, ym. Recent Perspectives Regarding the Role of Dietary Protein for the Promotion of Muscle Hypertrophy with Resistance Exercise Training. *Nutrients.* 2018 Feb 7;10(2):180.
- Stoll-Kleemann S, Schmidt UJ.** Reducing meat consumption in developed and transition countries to counter climate change and biodiversity loss: A review of influence factors. *Reg. Environ. Chang.* 2017;17:1261-1277.
- Strom BL, Schinnar R, Ziegler EE**, ym. Exposure to soy-based formula in infancy and endocrinological and reproductive outcomes in young adulthood. *JAMA.* 2001 Aug 15;286(7):807-14.
- Surampudi P, Enkhmaa B, Anuurad E**, ym. Lipid Lowering with Soluble Dietary Fiber. *Curr Atheroscler Rep.* 2016 Dec;18(12):75.
- Sutcliffe JT, Fuhrman JH, Carnot MJ**, ym. Nutrient-dense, Plant-rich Dietary Intervention Effective at Reducing Cardiovascular Disease Risk Factors for Worksites: A Pilot Study. *Altern Ther Health Med.* 2016 Sep;22(5):32-6.
- Szeto YT, Kwok TC, Benzie IF.** Effects of a long-term vegetarian diet on biomarkers of antioxidant status and cardiovascular disease risk. *Nutrition.* 2004 Oct;20(10):863-6.
- Tang AL, Shah NP, Wilcox G**, ym. Fermentation of calcium-fortified soymilk with Lactobacillus: effects on calcium solubility, isoflavone conversion, and production of organic acids. *J Food Sci.* 2007 Nov;72(9):M431-6.
- Tang AL, Walker KZ, Wilcox G**, ym. Calcium absorption in Australian osteopenic post-menopausal women: an acute comparative study of fortified soymilk to cows' milk. *Asia Pac J Clin Nutr.* 2010;19(2):243-9.
- Taylor EN, Fung TT, Curhan GC.** DASH-style diet associates with reduced risk for kidney stones. *J Am Soc Nephrol.* 2009 Oct;20(10):2253-9.
- Team USA Nutrition.** <http://www.teamusa.org/nutrition>. Viitatu 5.3.2021.
- Teas J, Pino S, Critchley A**, ym. Variability of iodine content in common commercially available edible seaweeds. *Thyroid.* 2004 Oct;14(10):836-41.
- Telford RD, Sly GJ, Hahn AG**, ym. Footstrike is the major cause of hemolysis during running. *J Appl Physiol (1985).* 2003 Jan;94(1):38-42.

- Testa I, Salvatori C, Di Cara G**, ym. Soy-Based Infant Formula: Are Phyto-Oestrogens Still in Doubt? *Front Nutr.* 2018 Nov 23;5:110.
- Teucher B, Olivares M, Cori H**. Enhancers of iron absorption: ascorbic acid and other organic acids. *Int J Vitam Nutr Res.* 2004 Nov;74(6):403-19.
- Thomas DT, Erdman KA, Burke LM**. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and Athletic Performance. *J Acad Nutr Diet.* 2016 Mar;116(3):501-528.
- Timko CA, Hormes JM, Chubski J**. Will the real vegetarian please stand up? An investigation of dietary restraint and eating disorder symptoms in vegetarians versus non-vegetarians. *Appetite.* 2012 Jun;58(3):982-90.
- Tipton KD, Ferrando AA, Phillips SM**, ym. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am J Physiol.* 1999 Apr;276(4):E628-34.
- Toivonen J**. Halvalla lihalla on hintansa. <https://yle.fi/uutiset/3-11809545>. Julkaistu 5.3.2021. Viitattu 5.3.2021.
- Toivonen J**. Pitäisikö kasvisruuan määrä julkisissa ruokaloissa lisätä? Suomalaiset jakautuvat kahteen leiriin, kertoo Ylen kysely. <https://yle.fi/uutiset/3-11822394>. Julkaistu 10.3.2021. Viitattu 10.3.2021. (a)
- Tomova A, Bukovsky I, Rembert E**, ym. The Effects of Vegetarian and Vegan Diets on Gut Microbiota. *Front Nutr.* 2019 Apr 17;6:47.
- Tong TYN, Appleby PN, Armstrong MEG**, ym. Vegetarian and vegan diets and risks of total and site-specific fractures: results from the prospective EPIC-Oxford study. *BMC Med.* 2020 Nov 23;18(1):353.
- Tontisirin K, Nantel G, Bhattacharjee L**. Food-based strategies to meet the challenges of micronutrient malnutrition in the developing world. *Proc Nutr Soc.* 2002;61:243-50.
- Trapp D, Knez W, Sinclair W**. Could a vegetarian diet reduce exercise-induced oxidative stress? A review of the literature. *J Sports Sci.* 2010 Oct;28(12):1261-8.
- Traylor DA, Gorissen SHM, Phillips SM**. Perspective: Protein Requirements and Optimal Intakes in Aging: Are We Ready to Recommend More Than the Recommended Daily Allowance? *Adv Nutr.* 2018 May 1;9(3):171-182.
- Trefflich I, Jabakhanji A, Menzel J**, ym. Is a vegan or a vegetarian diet associated with the microbiota composition in the gut? Results of a new cross-sectional study and systematic review. *Crit Rev Food Sci Nutr.* 2020;60(17):2990-3004.
- Trommelen J, van Loon LJ**. Pre-Sleep Protein Ingestion to Improve the Skeletal Muscle Adaptive Response to Exercise Training. *Nutrients.* 2016 Nov 28;8(12):763.
- Turner-McGrievy GM, Moore WJ, Barr-Anderson D**. The Interconnectedness of Diet Choice and Distance Running: Results of the Research Understanding the NutritioN of Endurance Runners (RUNNER) Study. *Int J Sport Nutr Exerc Metab.* 2016 Jun;26(3):205-211.
- Turpin W, Humbot C, Thomas M**, ym. Lactobacilli as multifaceted probiotics with poorly disclosed molecular mechanisms. *Int J Food Microbiol.* 2010 Oct 15;143(3):87-102.
- Valsta L, Kaartinen N, Tapanainen H**, ym. Ravitsemus Suomessa – FinRavinto 2017 -tutkimus. Terveyden ja hyvinvoinnin laitos (THL), Raportti 12/2018.
- van Vliet** ym. The Skeletal Muscle Anabolic Response to Plant- versus Animal-Based Protein Consumption. *J Nutr.* 2015 Sep; 145(9):1981-91.
- Vasconcelos IM, Oliveira JT**. Antinutritional properties of plant lectins. *Toxicon.* 2004 Sep 15;44(4):385-403.
- Veleba J, Matoulek M, Hill M**, ym. "A Vegetarian vs. Conventional Hypocaloric Diet: The Effect on Physical Fitness in Response to Aerobic Exercise in Patients with Type 2 Diabetes." A Parallel Randomized Study. *Nutrients.* 2016 Oct 26;8(11):671.
- Venderley & Campbell**. Vegetarian diets : nutritional considerations for athletes. *Sports Med.* 2006; 36(4):293-305.
- Vojdani A**. Lectins, agglutinins, and their roles in autoimmune reactivities. *Altern Ther Health Med.* 2015;21 Suppl 1:46-51.
- Vojdani A, Afar D, Vojdani E**. Reaction of Lectin-Specific Antibody with Human Tissue: Possible Contributions to Autoimmunity. *J Immunol Res.* 2020 Feb 11;2020:1438957.
- Volek JS** ym. Whey protein supplementation during resistance training augments lean body mass. *J Am Coll Nutr.* 2013; 32(2):122-35.
- Vonderheide SC, Tussing-Humphreys L, Park C**, ym. A Systematic Review and Meta-Analysis on the Effects of Probiotic Species on Iron Absorption and Iron Status. *Nutrients.* 2019;11(12):2938.
- VRN** (Valtion ravitsemusneuvottelukunta). Terveytä ruuasta – Suomalaiset ravitsemussuoituskuvaus 2014. 5. korjattu painos (pdf) 2018. Juvenes Oy.
- Vucenik I**. Anticancer Properties of Inositol Hexaphosphate and Inositol: An Overview. *J Nutr Sci Vitaminol (Tokyo).* 2019;65(Supplement):S18-S22.
- Waldmann A, Koschizke JW, Leitzmann C**, ym. Dietary iron intake and iron status of German female vegans: results of the German vegan study. *Ann Nutr Metab.* 2004;48(2):103-8.
- Walther B, Lett AM, Bordoni A**, ym. GutSelf: Interindividual Variability in the Processing of Dietary Compounds by the Human Gastrointestinal Tract. *Mol Nutr Food Res.* 2019;63(21):e1900677.
- Wang** ym. Effects of vegetarian diets on blood lipids: A systematic review and meta-analysis of randomized controlled trials. *J. Am. Heart. Assoc.* 2015;4:e002408.
- Wang J, Ji H**. Influence of Probiotics on Dietary Protein Digestion and Utilization in the Gastrointestinal Tract. *Curr Protein Pept Sci.* 2019;20(2):125-131.
- Watanabe F**. Vitamin B12 sources and bioavailability. *Exp Biol Med (Maywood).* 2007 Nov;232(10):1266-74.
- Weigl J, Hauner H, Hauner D**. Can Nutrition Lower the Risk of Recurrence in Breast Cancer? *Breast Care (Basel).* 2018 Apr;13(2):86-91.
- Weikert C, Trefflich I, Menzel J**, ym. Vitamin and Mineral Status in a Vegan Diet. *Dtsch Arztebl Int.* 2020 Aug 31;117(35-36):575-582.
- Whisner CM, Castillo LF**. Prebiotics, Bone and Mineral Metabolism. *Calcif Tissue Int.* 2018 Apr;102(4):443-479.
- WHO**. World Health Organization, Food and Agriculture Organization of the United Nations, United Nations University. Protein and amino acid requirements in human nutrition. Report of a joint FAO/WHO/UNU expert consultation (WHO Technical Report Series 935). Viitattu 18.3.2021. https://apps.who.int/iris/bitstream/handle/10665/43411/WHO_TRS_935_eng.pdf?ua=1
- WHO/FAO/UNU** Expert Consultation Protein and amino acid requirements in human nutrition. *World Health Organ Tech Rep Ser.* 2007;935:1-265.
- Wilkinson** ym. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an iso-nitrogenous and isoenergetic soy-protein beverage. *Am J Clin Nutr.* 2007 Apr; 85(4):1031-40.
- Willet W, Rockström J, Loken B**, ym. Food in the Anthropocene: the EAT-Lancet Commission on healthy diets from sustainable food systems. *Lancet.* 2019 Feb 2;393(10170):447-492.
- Wilson PB**. Nutrition behaviors, perceptions, and beliefs of recent marathon finishers. *Phys Sportsmed.* 2016 Sep;44(3):242-51.
- Wirnitzer K, Boldt P, Lechleitner C**, ym. Health Status of Female and Male Vegetarian and Vegan Endurance Runners Compared to Omnivores-Results from the NURMI Study (Step 2). *Nutrients.* 2018 Dec 22;11(1):29.
- Woolf K, St Thomas MM, Hahn N**, ym. Iron status in highly active and sedentary young women. *Int J Sport Nutr Exerc Metab.* 2009 Oct;19(5):519-35.
- Yokoyama** ym. Vegetarian diets and blood pressure: A meta-analysis. *JAMA Int. Med.* 2014;174:577-587.
- Yoo JY, Kim SS**. Probiotics and Prebiotics: Present Status and Future Perspectives on Metabolic Disorders. *Nutrients.* 2016 Mar 18;8(3):173.
- Young VR, Pellett PL**. Plant proteins in relation to human protein and amino acid nutrition. *Am J Clin Nutr.* 1994 May;59(5 Suppl):1203S-1212S.
- Zeuschner CL, Hokin BD, Marsh KA**, ym. Vitamin B₁₂ and vegetarian diets. *Med J Aust.* 2013 Aug 19;199(S4):S27-32.
- Zhao Y, Martin BR, Weaver CM**. Calcium bioavailability of calcium carbonate fortified soymilk is equivalent to cow's milk in young women. *J Nutr.* 2005 Oct;135(10):2379-82.

- Zheng JJ, Mason JB, Rosenberg IH**, ym. Measurement of zinc bioavailability from beef and a ready-to-eat high-fiber breakfast cereal in humans: application of a whole-gut lavage technique. *Am J Clin Nutr.* 1993 Dec;58(6):902-7.
- Zhuo D, Li M, Cheng L**, ym. A Study of Diet and Lifestyle and the Risk of Urolithiasis in 1,519 Patients in Southern China. *Med Sci Monit.* 2019 Jun 6;25:4217-4224.
- Zijp IM, Korver O, Tijburg LB.** Effect of tea and other dietary factors on iron absorption. *Crit Rev Food Sci Nutr.* 2000 Sep;40(5):371-98.
- Zimmermann MB, Boelaert K.** Iodine deficiency and thyroid disorders. *Lancet Diabetes Endocrinol.* 2015 Apr;3(4):286-95.

LUKU 5 Ikääntyvien liikkujien ja urheilijoiden ravitsemus

- Baker JH, Runfola CD. Eating disorders in midlife women: A perimenopausal eating disorder? *Maturitas*. 2016;85:112-116.
- Baumert P, Lake MJ, Stewart CE, ym. Genetic variation and exercise-induced muscle damage: implications for athletic performance, injury and ageing. *Eur J Appl Physiol*. 2016;116(9):1595-625.
- Colpani V, Oppermann K, Spritzer PM. Association between habitual physical activity and lower cardiovascular risk in premenopausal, perimenopausal, and postmenopausal women: a population-based study. *Menopause*. 2013;20(5):525-31.
- Consitt LA, Dudley C, Saxena G. Impact of Endurance and Resistance Training on Skeletal Muscle Glucose Metabolism in Older Adults. *Nutrients*. 2019;3:11(11):2636.
- Deutz NE, Bauer JM, Barazzoni R, ym. Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. *Clin Nutr*. 2014;33(6):929-36.
- Drobniak S, Atsiz S, Ditzel B, ym. Restrained eating and self-esteem in premenopausal and postmenopausal women. *J Eat Disord*. 2014;2:23.
- Duval K, Prud'homme D, Rabasa-Lhoret R, ym. Effects of the menopausal transition on dietary intake and appetite: a MONET Group Study. *Eur J Clin Nutr*. 2014;68(2):271-6.
- Geiselman PJ, Smith SR. Estrogen's role in the regulation of appetite and body fat. Teoksessa: Kohlstadt I (toim.) *Scientific Evidence for Musculoskeletal, Bariatric, and Sports Nutrition*. CRC Press, Taylor and Francis Group, LLC; Boca Raton, London, and New York: 2006. s. 231-251.
- Goodpaster BH, Park SW, Harris TB, ym. The loss of skeletal muscle strength, mass, and quality in older adults: the health, aging and body composition study. *J Gerontol A Biol Sci Med Sci*. 2006;61(10):1059-64.
- Hilbert A, de Zwaan M, Braehler E. How frequent are eating disturbances in the population? Norms of the eating disorder examination-questionnaire. *PLoS One*. 2012;7(1):e29125.
- Juppi HK, Sipilä S, Cronin NJ, ym. Role of Menopausal Transition and Physical Activity in Loss of Lean and Muscle Mass: A Follow-Up Study in Middle-Aged Finnish Women. *J Clin Med*. 2020;9(5):1588.
- Klump KL. Puberty as a critical risk period for eating disorders: a review of human and animal studies. *Horm Behav*. 2013;64(2):399-410.
- Komulainen P, Vuori I. Ikääntymiseen liittyvät fysiologiset muutokset ja liikuntaharjoittelu. Käypä hoito -suosituksset. Duodecim. <https://www.kay-pahoito.fi/nix01182> 15.10.2015.
- Langley-Evans S. Nutrition, health and disease. A lifespan approach. John Wiley & Sons Ltd, United Kingdom: 2015.
- Lovejoy JC, Champagne CM, de Jonge L, ym. Increased visceral fat and decreased energy expenditure during the menopausal transition. *2008 Int J Obes (Lond)*, 32(6):949-58.
- Mangweth-Matzek B, Hoek HW, Rupp CI, ym. The menopausal transition — A possible window of vulnerability for eating pathology. *Int J Eat Disord*. 2013;46:609-616.
- Masot O, Miranda J, Santamaría AL, ym. Fluid Intake Recommendation Considering the Physiological Adaptations of Adults Over 65 Years: A Critical Review. *Nutrients*. 2020;12(11):3383.
- McLeod M, Breen L, Hamilton DL, ym. Live strong and prosper: the importance of skeletal muscle strength for healthy ageing. *Biogerontology*. 2016;17(3):497-510.
- Meredith CN, Frontera WR, Fisher EC, ym. Peripheral effects of endurance training in young and old subjects. *J Appl Physiol (1985)*. 1989;66(6):2844-9.
- Mora JC, Valencia WM. Exercise and Older Adults. *Clin Geriatr Med*. 2018;34(1):145-162.
- Reaburn P, Doering T, Borges N. Nutrition issues for the masters athlete. Teoksessa: Burke L, Deakin V (toim.) *Clinical Sports Nutrition*. McGraw-Hill Education, Australia: 2017. s. 619-637.
- Rivera HM, Stincic TL. Estradiol and the control of feeding behavior. *Steroids*. 2018;133:44-52.
- Rondanelli M, Perna S, Riva A, ym. Effects of n-3 EPA and DHA supplementation on fat free mass and physical performance in elderly. A systematic review and meta-analysis of randomized clinical trial. *Mech Ageing Dev*. 2021;196:111476.
- Rondanelli M, Rigon C, Perna S, ym. Novel Insights on Intake of Fish and Prevention of Sarcopenia: All Reasons for an Adequate Consumption. *Nutrients*. 2020;24:12(2):307.
- Simpson RJ, Campbell JP, Gleeson M, ym. Can exercise affect immune function to increase susceptibility to infection? *Exerc Immunol Rev*. 2020;26:8-22.
- Sipilä S, Törmäkangas T, Sillanpää E, ym. Muscle and bone mass in middle-aged women: role of menopausal status and physical activity. *J Cachexia Sarcopenia Muscle*. 2020;11(3):698-709.
- Van Vliet S, Burd NA, van Loon LJ. The Skeletal Muscle Anabolic Response to Plant- versus Animal-Based Protein Consumption. *J Nutr*. 2015;145(9):1981-91.
- Volpi E, Nazemi R, Fujita S. Muscle tissue changes with aging. *Curr Opin Clin Nutr Metab Care*. 2004;7(4):405-10.

LUKU 6 Ruoka, terveys ja painonhallinta yleisessä väestössä

- Abargouei AS, Janghorbani M, Salehi-Marzijarani M**, ym. Effect of dairy consumption on weight and body composition in adults: a systematic review and meta-analysis of randomized controlled clinical trials. *Int J Obes (Lond)*. 2012 Dec;36(12):1485-93.
- Abboud KY, Reis SK, Martelli ME**, ym. Oral Glutamine Supplementation Reduces Obesity, Pro-Inflammatory Markers, and Improves Insulin Sensitivity in DIO Wistar Rats and Reduces Waist Circumference in Overweight and Obese Humans. *Nutrients*. 2019 Mar 1;11(3):536.
- Abdelhamid AS, Brown TJ, Brainard JS**, ym. Omega-3 fatty acids for the primary and secondary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2018 Jul 18;7(7):CD003177.
- Abu-Salem FM, Mohamed R, Gibril A**, ym. Levels of Some Antinutritional Factors in Tempeh Produced From Some Legumes and Jojobas Seeds. *Int. Sch. Sci. Res. Innov.* 2014;8:296–301.
- Acheson KJ, Blondel-Lubrano A, Oguey-Araymon S**, ym. Protein choices targeting thermogenesis and metabolism. *Am J Clin Nutr*. 2011 Mar;93(3):525-34.
- Ahmad SY, Friel J, Mackay D**. The Effects of Non-Nutritive Artificial Sweeteners, Aspartame and Sucralose, on the Gut Microbiome in Healthy Adults: Secondary Outcomes of a Randomized Double-Blinded Crossover Clinical Trial. *Nutrients*. 2020 Nov 6;12(11):3408.
- Ahola AJ, Lassenius MI, Forsblom C**, ym. Dietary patterns reflecting healthy food choices are associated with lower serum LPS activity. *Sci Rep*. 2017 Jul 26;7(1):6511.
- Aicale R, Tarantino D, Maffulli N**. Overuse injuries in sport: a comprehensive overview. *J Orthop Surg Res*. 2018;13(1):309.
- Ajala O, English P, Pinkney J**. Systematic review and meta-analysis of different dietary approaches to the management of type 2 diabetes. *Am J Clin Nutr*. 2013 Mar;97(3):S05-16.
- Akinkuolie AO, Ngwa JS, Meigs JB, Djousse L** (2011) Omega-3 polyunsaturated fatty acid and insulin sensitivity: a meta-analysis of randomized controlled trials. *Clin Nutr* 30: 702–707
- Aldiss P, Betts J, Sale C**, ym. Exercise-induced ‘browning’ of adipose tissues. *Metabolism*. 2018 Apr;81:63-70.
- Alexander DD, Weed DL, Miller PE**, ym. Red Meat and Colorectal Cancer: A Quantitative Update on the State of the Epidemiologic Science. *J Am Coll Nutr*. 2015;34(6):521-43.
- Alexander J, Benford D, Cockburn A**, ym. Opinion of the Scientific Panel on Contaminants in the Food chain on a request from the European Commission to perform a scientific risk assessment on nitrate in vegetables. *The European Food Safety Authority Journal*. 2008;689:1–79.
- Alfenas RC, Mattes RD**. Effect of fat sources on satiety. *Obes Res*. 2003 Feb;11(2):183-7.
- Alhazmi A, Stojanovski E, McEvoy M, Garg ML**. The association between dietary patterns and type 2 diabetes: a systematic review and meta-analysis of cohort studies. *J Hum Nutr Diet*. 2014 Jun;27(3):251-60.
- Allouche Y, Jiménez A, Gaforio JJ, Uceda M, Beltrán G**. How heating affects extra virgin olive oil quality indexes and chemical composition. *J Agric Food Chem*. 2007 Nov 14;55(23):9646-54.
- Alvarez-Suarez JM, Giampieri F, Battino M**. Honey as a source of dietary antioxidants: structures, bioavailability and evidence of protective effects against human chronic diseases. *Curr Med Chem*. 2013;20(S):621-38.
- Ambalam P, Raman M, Purama RK**, ym. Probiotics, prebiotics and colorectal cancer prevention. *Best Pract Res Clin Gastroenterol*. 2016 Feb;30(1):119-31.
- Anderson JW, Baird P, Davis RH Jr**, ym. Health benefits of dietary fiber. *Nutr Rev*. 2009 Apr;67(4):188-205.
- Anderson GH, Foreyt J, Sigman-Grant M**, ym. The use of low-calorie sweeteners by adults: impact on weight management. *J Nutr*. 2012 Jun;142(6):1163S-9S.
- Anderson JW, Waters AR**. Raisin consumption by humans: effects on glycemia and insulinemia and cardiovascular risk factors. *J Food Sci*. 2013 Jun;78 Suppl 1:A11-7.
- Appel LJ, Sacks FM, Carey VJ**, ym. Effects of protein, monounsaturated fat, and carbohydrate intake on blood pressure and serum lipids: results of the OmniHeart randomized trial. *JAMA*. 2005 Nov 16;294(19):2455-64.
- Arciero PJ, Ormsbee MJ, Gentile CL**, ym. Increased protein intake and meal frequency reduces abdominal fat during energy balance and energy deficit. *Obesity (Silver Spring)*. 2013 Jul;21(7):1357-66.
- Armstrong LE, Muñoz CX, Armstrong EM**. Distinguishing Low and High Water Consumers-A Paradigm of Disease Risk. *Nutrients*. 2020 Mar 23;12(3):858.
- Artero EG, Lee DC, Lavie CJ**, ym. Effects of muscular strength on cardiovascular risk factors and prognosis. *J Cardiopulm Rehabil Prev*. 2012 Nov-Dec;32(6):351-8.
- Asgari-Taei F, Zerafati-Shoae N, Dehghani M**, ym. Association of sugar sweetened beverages consumption with non-alcoholic fatty liver disease: a systematic review and meta-analysis. *Eur J Nutr*. 2019 Aug;58(5):1759-1769.
- Ashwell M, Gibson S, Bellisle F**, ym. Expert consensus on low-calorie sweeteners: facts, research gaps and suggested actions. *Nutr Res Rev*. 2020 Jun;33(1):145-154.
- Astrup A, Geiker NRW, Magkos F**. Effects of Full-Fat and Fermented Dairy Products on Cardiometabolic Disease: Food Is More Than the Sum of Its Parts. *Adv Nutr*. 2019 Sep 1;10(5):924S-930S.
- Astrup A, Pedersen SD**. Is a protein calorie better for weight control? *Am J Clin Nutr*. 2012 Mar;95(3):535-6.
- Astrup A**. The role of dietary fat in obesity. *Semin Vasc Med*. 2005 Feb;5(1):40-7. Review.
- Astrup A**. Yogurt and dairy product consumption to prevent cardiometabolic diseases: epidemiologic and experimental studies. *Am J Clin Nutr*. 2014 May;99(5 Suppl):123S-42S.
- Atkins RC**. Dr. Atkins' diet revolution: the high calorie way to stay thin forever. New York: David McKay, 1972.
- Aune D, Norat T, Romundstad P**, ym. Dairy products and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *Am J Clin Nutr*. 2013 Oct;98(4):1066-83.
- Aune D, Keum N, Giovannucci E**, ym. Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. *MJ*. 2016 Jun 14;353:i2716.
- Azad MB, Abou-Setta AM, Chauhan BF**, ym. Nonnutritive sweeteners and cardiometabolic health: a systematic review and meta-analysis of randomized controlled trials and prospective cohort studies. *CMAJ*. 2017 Jul 17;189(28):E929-E939.
- Baladia E, Basulto J, Manera M**, ym. Effect of green tea or green tea extract consumption on body weight and body composition; systematic review and meta-analysis. *Nutr Hosp*. 2014 Mar 1;29(3):479-90.
- Balfegó M, Canivell S, Hanzu FA**, ym. Effects of sardine-enriched diet on metabolic control, inflammation and gut microbiota in drug-naïve patients with type 2 diabetes: a pilot randomized trial. *Lipids Health Dis*. 2016 Apr 18;15:78.

- Bao J, Atkinson F, Petocz P**, ym. Prediction of postprandial glycemia and insulinemia in lean, young, healthy adults: glycemic load compared with carbohydrate content alone. *Am J Clin Nutr.* 2011;93(5):984-96.
- Bao Y, Han J, Hu FB**, ym. Association of nut consumption with total and cause-specific mortality. *N Engl J Med.* 2013 Nov 21;369(21):2001-11.
- Barclay AW, Petocz P, McMillan-Price J**, ym. Glycemic index, glycemic load, and chronic disease risk—a meta-analysis of observational studies. *Am J Clin Nutr.* 2008 Mar;87(3):627-37. Review.
- Barrack MT, Ackerman KE, Gibbs JC**. Update on the female athlete triad. *Curr Rev Musculoskelet Med.* 2013 Jun;6(2):195-204.
- Battaglia Richi E, Baumer B, Conrad B**, ym. Health Risks Associated with Meat Consumption: A Review of Epidemiological Studies. *Int J Vitam Nutr Res.* 2015;85(1-2):70-8.
- Baxheinrich A, Stratmann B, Lee-Barkey YH**, ym. Effects of a rapeseed oil-enriched hypoenergetic diet with a high content of α-linolenic acid on body weight and cardiovascular risk profile in patients with the metabolic syndrome. *Br J Nutr.* 2012 Aug;108(4):682-91.
- Bazzano LA, Thompson AM, Tees MT**, ym. Non-soy legume consumption lowers cholesterol levels: a meta-analysis of randomized controlled trials. *Nutr Metab Cardiovasc Dis.* 2011 Feb;21(2):94-103.
- Bazzano LA**. Effects of soluble dietary fiber on low-density lipoprotein cholesterol and coronary heart disease risk. *Curr Atheroscler Rep.* 2008 Dec;10(6):473-7. Review.
- Becher T, Palanisamy S, Kramer DJ**, ym. Brown adipose tissue is associated with cardiometabolic health. *Nat Med.* 2021 Jan;27(1):58-65.
- Beermann C, Hartung J**. Physiological properties of milk ingredients released by fermentation. *Food Funct.* 2013 Feb;4(2):185-99.
- Belkaid Y, Hand TW**. Role of the microbiota in immunity and inflammation. *Cell.* 2014 Mar 27;157(1):121-41.
- Bell EA, Castellanos VH, Pelkman CL, Thorwart ML, Rolls BJ**. Energy density of foods affects energy intake in normal-weight women. *Am J Clin Nutr.* 1998 Mar;67(3):412-20.
- Bell PG, McHugh MP, Stevenson E**, ym. The role of cherries in exercise and health. *Scand J Med Sci Sports.* 2014 Jun;24(3):477-90.
- Bellou V, Belbasis L, Tzoulaki I**, ym. Risk factors for type 2 diabetes mellitus: An exposure-wide umbrella review of meta-analyses. *PLoS One.* 2018 Mar 20;13(3):e0194127.
- Bender N, Portmann M, Heg Z**, ym. Fish or n3-PUFA intake and body composition: a systematic review and meta-analysis. *Obes Rev.* 2014 May 29.
- Bendsen NT, Christensen R, Bartels EM**, ym. Consumption of industrial and ruminant trans fatty acids and risk of coronary heart disease: a systematic review and meta-analysis of cohort studies. *Eur J Clin Nutr.* 2011 Jul;65(7):773-83.
- Bernstein AM, Sun Q, Hu FB**, ym. Major dietary protein sources and risk of coronary heart disease in women. *Circulation.* 2010 Aug 31;122(9):876-83.
- Bhardwaj S, Passi SJ, Misra A**. Overview of trans fatty acids: biochemistry and health effects. *Diabetes Metab Syndr.* 2011 Jul-Sep;5(3):161-4.
- Bidwell AJ, Fairchild TJ, Redmond J**, ym. Physical Activity Offsets the Negative Effects of a High Fructose Diet. *Med Sci Sports Exerc.* 2014 May 20.
- Biedermann L, Rogler G**. The intestinal microbiota: its role in health and disease. *Eur J Pediatr.* 2015;174(2):151-167.
- Bijkerk CJ, Muris JW, Knottnerus JA**, ym. Systematic review: the role of different types of fibre in the treatment of irritable bowel syndrome. *Aliment Pharmacol Ther.* 2004 Feb 1;19(3):245-51.
- Bilsborough S, Mann N**. A review of issues of dietary protein intake in humans. *Int J Sport Nutr Exerc Metab.* 2006 Apr;16(2):129-52.
- Black CD, Herring MP, Hurley DJ**, ym. Ginger (*Zingiber officinale*) reduces muscle pain caused by eccentric exercise. *J Pain.* 2010 Sep;11(9):894-903.
- Blasbalg TL, Hibbeln JR, Ramsden CE**, ym. Changes in consumption of omega-3 and omega-6 fatty acids in the United States during the 20th century. *Am J Clin Nutr.* 2011 May;93(5):950-62.
- Blatt AD, Roe LS, Rolls BJ**. Increasing the protein content of meals and its effect on daily energy intake. *J Am Diet Assoc* 2011; 111: 290-4.
- Blundell JE, Hill AJ**. Paradoxical effects of an intense sweetener (aspartame) on appetite. *Lancet* 1986;1:1092-3
- Blundell JE, MacDiarmid JI**. Fat as a risk factor for overconsumption: satiation, satiety, and patterns of eating. *J Am Diet Assoc.* 1997 Jul;97(7 Suppl):S63-9. Review.
- Blundell JE, Stubbs RJ, Golding C**, ym. Resistance and susceptibility to weight gain: individual variability in response to a high-fat diet. *Physiol Behav.* 2005 Dec 15;86(5):614-22.
- Boden JM, Fergusson DM**. Alcohol and depression. *Addiction.* 2011 May;106(5):906-14.
- Boirie Y, Dangin M, Gachon P**, ym. Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc Natl Acad Sci U S A.* 1997 Dec 23;94(26):14930-5.
- Bonder MJ, Tigchelaar EF, Cai X**, ym. The influence of a short-term gluten-free diet on the human gut microbiome. *Genome Med.* 2016 Apr 21;8(1):45.
- Bonjour JP, Kraenzlin M, Levasseur R**, ym. Dairy in adulthood: from foods to nutrient interactions on bone and skeletal muscle health. *J Am Coll Nutr.* 2013;32(4):251-63.
- Bonnema AL, Kolberg LW, Thomas W**, ym. Gastrointestinal tolerance of chicory inulin products. *J Am Diet Assoc.* 2010 Jun;110(6):865-8.
- Booyse FM, Pan W, Grenett HE**, ym. Mechanism by which alcohol and wine polyphenols affect coronary heart disease risk. *Annals of epidemiology.* 2007 May 1;17(5):S24-31.
- Bordoni A, Danesi F, Dardevet**, ym. Dairy products and inflammation: A review of the clinical evidence. *Crit Rev Food Sci Nutr.* 2017 Aug 13;57(12):2497-2525.
- Borén J, Chapman MJ, Krauss RM**, ym. Low-density lipoproteins cause atherosclerotic cardiovascular disease: pathophysiological, genetic, and therapeutic insights: a consensus statement from the European Atherosclerosis Society Consensus Panel. *Eur Heart J.* 2020 Jun 21;41(24):2313-2330.
- Bornet FR**. Undigestible sugars in food products. *Am J Clin Nutr.* 1994 Mar;59(3 Suppl):763S-769S.
- Bottoms L, Sinclair J, Taylor K**, ym. The effects of carbohydrate ingestion on the badminton serve after fatiguing exercise. *J Sports Sci.* 2012;30(3):285-93.
- Bourre JM**. Dietary omega-3 Fatty acids and psychiatry: mood, behaviour, stress, depression, dementia and aging. *J Nutr Health Aging.* 2005;9(1):31-8. (b)
- Bourre JM**. Roles of unsaturated fatty acids (especially omega-3 fatty acids) in the brain at various ages and during ageing. *J Nutr Health Aging.* 2004;8(3):163-74. Review. (a)
- Bradford K, Shih W, Videbeck EJ**, ym. Association between early adverse life events and irritable bowel syndrome. *Clin Gastroenterol Hepatol.* 2012 Apr; 10(4):385-90.e1-3.
- Brandhagen M, Forslund HB, Lissner L**, ym. Alcohol and macronutrient intake patterns are related to general and central adiposity.. *Eur J Clin Nutr.* 2012 Mar;66(3):305-13.
- Brand-Miller J, Buyken AE**. The glycemic index issue. *Curr Opin Lipidol.* 2012 Feb;23(1):62-7.
- Brand-Miller J, Hayne S, Petocz P**, ym. (2003) Low-glycemic index diets in the management of diabetes: a meta-analysis of randomized controlled trials. *Diabetes Care* 26, 2261-2267.
- Bray G, Redman LM, Jonge LD**, ym. Effect of protein overfeeding on energy expenditure measured in a metabolic chamber. *Am. J. Clin. Nutr.* 2015, 101(3):496-505
- Bray GA, Paeratakul S, Popkin BM**. Dietary fat and obesity: a review of animal, clinical and epidemiological studies. *Physiol Behav.* 2004 Dec 30;83(4):S49-55.
- Bray GA**. Energy and fructose from beverages sweetened with sugar or high-fructose corn syrup pose a health risk for some people. *Adv Nutr.* 2013 Mar 1;4(2):220-5.

- Bressa C, Bailén-Andrion M, Pérez-Santiago J**, ym. Differences in gut microbiota profile between women with active lifestyle and sedentary women. *PLoS ONE* 2017;12:e0171352.
- Brien SE, Ronksley PE, Turner BJ**, ym. Effect of alcohol consumption on biological markers associated with risk of coronary heart disease: systematic review and meta-analysis of interventional studies. *BMJ*. 2011 Feb 22;342:d636
- Brouns F**. Overweight and diabetes prevention: is a low-carbohydrate-high-fat diet recommendable? *Eur J Nutr*. 2018 Jun;57(4):1301-1312.
- Brown MJ, Ferruzzi MG, Nguyen ML**, ym. Carotenoid bioavailability is higher from salads ingested with full-fat than with fat-reduced salad dressings as measured with electrochemical detection. *Am J Clin Nutr*. 2004 Aug;80(2):396-403.
- Bryan NS, Alexander DD, Coughlin JR**, ym. Ingested nitrate and nitrite and stomach cancer risk: an updated review. *Food Chem Toxicol*. 2012 Oct;50(10):3646-65.
- Buckley JD, Howe PR**. Long-chain omega-3 polyunsaturated fatty acids may be beneficial for reducing obesity-a review. *Nutrients*. 2010 Dec;2(12):1212-30.
- Buijse B, Feskens EJ, Schulze MB**, ym. Fruit and vegetable intakes and subsequent changes in body weight in European populations: results from the project on Diet, Obesity, and Genes (DiOGenes). *Am J Clin Nutr*. 2009 Jul;90(1):202-9.
- Bujnowski D, Xun P, Daviglus ML**, ym. Longitudinal association between animal and vegetable protein intake and obesity among men in the United States: the Chicago Western Electric Study. *J Am Diet Assoc*. 2011 Aug;111(8):1150-1155.e1.
- Burkhardt P**. The role of low acid load in vegetarian diet on bone health: a narrative review. *Swiss Med Wkly*. 2016 Feb 22;146:w14277.
- Bäckhed F, Ley RE, Sonnenburg JL**, ym. Host-bacterial mutualism in the human intestine. *Science*. 2005 Mar 25;307(5717):1915-20
- Bohn SK, Blomhoff R, Paur I**. Coffee and cancer risk, epidemiological evidence, and molecular mechanisms. *Mol Nutr Food Res*. 2014 May;58(5):915-30.
- Cai L, Ma D, Zhang Y, Liu Z, Wang P**. The effect of coffee consumption on serum lipids: a meta-analysis of randomized controlled trials. *Eur J Clin Nutr*. 2012 Aug;66(8):872-7.
- Caldeira D, Martins C, Alves LB**, ym. Caffeine does not increase the risk of atrial fibrillation: a systematic review and meta-analysis of observational studies. *Heart*. 2013 Oct;99(19):1383-9.
- Calder PC, Ahluwalia N, Brouns F**, ym. factors and low-grade inflammation in relation to overweight and obesity. *Br J Nutr*. 2011 Dec;106 Suppl 3:S5-78.
- Calder PC, Campoy C, Eilander A**. A systematic review of the effects of increasing arachidonic acid intake on PUFA status, metabolism and health-related outcomes in humans. *Br J Nutr*. 2019 Jun;121(11):1201-1214.
- Calder PC**. Omega-3 polyunsaturated fatty acids and inflammatory processes: nutrition or pharmacology? *Br J Clin Pharmacol*. 2013 Mar;75(3):645-62.
- Cândido FG, Valente FX, Grzeskowiak LM**, ym. Impact of dietary fat on gut microbiota and low-grade systemic inflammation: mechanisms and clinical implications on obesity. *Int J Food Sci Nutr*. 2018;69(2):125-143.
- Cani PD, Bibiloni R, Knauf C**, ym. Changes in gut microbiota control metabolic endotoxemia-induced inflammation in high-fat diet-induced obesity and diabetes in mice. *Diabetes*. 2008 Jun;57(6):1470-81.
- Carman AJ, Dacks PA, Lane RF**, ym. Current evidence for the use of coffee and caffeine to prevent age-related cognitive decline and Alzheimer's disease. *J Nutr Health Aging*. 2014 Apr;18(4):383-92.
- Carter P, Gray LJ, Troughton J**, ym. Fruit and vegetable intake and incidence of type 2 diabetes mellitus: systematic review and meta-analysis. *BMJ*. 2010 Aug 18;341:c4229.
- Casal S, Malheiro R, Sendas A**, ym. Olive oil stability under deep-frying conditions. *Food Chem Toxicol*. 2010 Oct;48(10):2972-9.
- Casas-Agustench P, López-Uriarte P, Bulló M**, ym. Acute effects of three high-fat meals with different fat saturations on energy expenditure, substrate oxidation and satiety. *Clin Nutr*. 2009 Feb;28(1):39-45*
- Castaldo L, Narváez A, Izzo L**, ym. Red Wine Consumption and Cardiovascular Health. *Molecules*. 2019 Oct 8;24(19):3626.
- Cerbulis J, Farrell HM Jr**. Composition of milks of dairy cattle. I. Protein, lactose, and fat contents and distribution of protein fraction. *J Dairy Sci*. 1975 Jun;58(6):817-27.
- Cerdá B**. Gut Microbiota Modification: Another Piece in the Puzzle of the Benefits of Physical Exercise in Health? *Front Physiol*. 2016; 7: 51.
- Çerman AA, Aktaş E, Altunay İK, Arıcı JE**, ym. Dietary glycemic factors, insulin resistance, and adiponectin levels in acne vulgaris. *J Am Acad Dermatol*. 2016 Jul;75(1):155-62.
- Chan Q, Stamler J, Brown IJ**, ym. Relation of raw and cooked vegetable consumption to blood pressure: the INTERMAP Study. *J Hum Hypertens*. 2014 Jun;28(6):353-9.
- Chan TF, Lin WT, Chen YL**, ym. Elevated serum triglyceride and retinol-binding protein 4 levels associated with fructose-sweetened beverages in adolescents. *PLoS One*. 2014 Jan 27;9(1):e82004. (a)
- Chapman CD, Benedict C, Brooks SJ**, ym. Lifestyle determinants of the drive to eat: a meta-analysis. *Am J Clin Nutr*. 2012 Sep;96(3):492-7.
- Charalampopoulos D, Rastall RA**. Prebiotics in foods. *Curr Opin Biotechnol*. 2012 Apr;23(2):187-91.
- Chatterton DE, Nguyen DN, Bering SB**, ym. Anti-inflammatory mechanisms of bioactive milk proteins in the intestine of newborns. *Int J Biochem Cell Biol*. 2013 Aug;45(8):1730-47.
- Chaudry O, Grimm A, Friedberger A**, ym. Magnetic Resonance Imaging and Bioelectrical Impedance Analysis to Assess Visceral and Abdominal Adipose Tissue. *Obesity (Silver Spring)*. 2020 Feb;28(2):277-283.
- Chen B, Shi HF, Wu SC**. Tea consumption didn't modify the risk of fracture: a dose-response meta-analysis of observational studies. *Diagn Pathol*. 2014 Mar 3;9(1):44.
- Chen GC, Lv DB, Pang Z**, ym. Red and processed meat consumption and risk of stroke: a meta-analysis of prospective cohort studies. *Eur J Clin Nutr*. 2013 Jan;67(1):91-5.
- Chen YE, Fischbach MA, Belkaid Y**. Skin microbiota-host interactions. *Nature*. 2018 Jan 24;553(7689):427-436.
- Chen Y, Feng R, Yang X**, ym. Yogurt improves insulin resistance and liver fat in obese women with nonalcoholic fatty liver disease and metabolic syndrome: a randomized controlled trial. *Am J Clin Nutr*. 2019 Jun 1;109(6):1611-1619.
- Chen H, Wang J, Li Z**, ym. Consumption of Sugar-Sweetened Beverages Has a Dose-Dependent Effect on the Risk of Non-Alcoholic Fatty Liver Disease: An Updated Systematic Review and Dose-Response Meta-Analysis. *Int J Environ Res Public Health*. 2019;16(12):2192. (a)
- Cheng M, Hu Z, Lu X**, ym. Caffeine intake and atrial fibrillation incidence: dose response meta-analysis of prospective cohort studies. *Can J Cardiol*. 2014 Apr;30(4):448-54.
- Chiu S, Sievenpiper JL, de Souza RJ**, ym. Effect of fructose on markers of non-alcoholic fatty liver disease (NAFLD): a systematic review and meta-analysis of controlled feeding trials. *Eur J Clin Nutr*. 2014 Apr;68(4):416-23.
- Chiva-Blanch G, Urpi-Sarda M, Ros E**, ym. Effects of red wine polyphenols and alcohol on glucose metabolism and the lipid profile: a randomized clinical trial. *Clinical nutrition*. 2013 Apr 1;32(2):200-6.
- Chiva-Blanch G, Badimon L**. Effects of Polyphenol Intake on Metabolic Syndrome: Current Evidences from Human Trials. *Oxid Med Cell Longev*. 2017;2017:5812401.

- Cho SS, Qi L, Fahey GC Jr**, ym. Consumption of cereal fiber, mixtures of whole grains and bran, and whole grains and risk reduction in type 2 diabetes, obesity, and cardiovascular disease. *Am J Clin Nutr.* 2013 Aug;98(2):594-619.
- Choi Y, Giovannucci E, Lee JE**. Glycaemic index and glycaemic load in relation to risk of diabetes-related cancers: a meta-analysis. *Br J Nutr.* 2012 Dec 14;108(11):1934-47
- Choi Y, Song S, Song Y, Lee JE**. Consumption of red and processed meat and esophageal cancer risk: meta-analysis. *World J Gastroenterol.* 2013 Feb 21;19(7):1020-9.
- Cholesterol Treatment Trialists' (CTT) Collaboration, Baigent C, Blackwell L, Emberson J**, ym. Efficacy and safety of more intensive lowering of LDL cholesterol: a meta-analysis of data from 170,000 participants in 26 randomised trials. *Lancet.* 2010 Nov 13;376(9753):1670-81.
- Chou SW, Lai CH, Hsu TH**, ym. Characteristics of glycemic control in elite power and endurance athletes. *Prev Med.* 2005 May;40(5):564-9.
- Chowdhury R, Stevens S, Gorman D**, ym. Association between fish consumption, long chain omega 3 fatty acids, and risk of cerebrovascular disease: systematic review and meta-analysis. *BMJ.* 2012 Oct 30;345:e6698.
- Christensen AS, Viggers L, Hasselström K**, ym. Effect of fruit restriction on glycemic control in patients with type 2 diabetes--a randomized trial. *Nutr J.* 2013 Mar 5;12:29.
- Chung WSF, Meijerink M, Zeuner B**, ym. Prebiotic potential of pectin and pectic oligosaccharides to promote anti-inflammatory commensal bacteria in the human colon. *FEMS Microbiol Ecol.* 2017 Nov 1;93(11).
- Cicerale S, Conlan XA, Barnett NW**, ym. Influence of heat on biological activity and concentration of oleocanthal--a natural anti-inflammatory agent in virgin olive oil. *J Agric Food Chem.* 2009 Feb 25;57(4):1326-30.
- Claesson AL, Holm G, Ernersson A**, ym. Two weeks of overfeeding with candy, but not peanuts, increases insulin levels and body weight. *Scand J Clin Lab Invest.* 2009;69(5):598-605.
- Claeys W**, ym. Raw or heated cow milk consumption: Review of risks and benefits. *Food Control Volume 31, Issue 1, May 2013, Pages 25-1-26*
- Clarke R, Frost C, Collins R**, ym. Dietary lipids and blood cholesterol: quantitative meta-analysis of metabolic ward studies. *BMJ.* 1997 Jan 11;314(7074):112-7.
- Clarke SF, Murphy EF, O'Sullivan O**, ym. Exercise and associated dietary extremes impact on gut microbial diversity. *Gut.* 2014;63:1913-1920.
- Clarys P, Deliens T, Huybrechts I**, ym. Comparison of nutritional quality of the vegan, vegetarian, semi-vegetarian, pesco-vegetarian and omnivorous diet. *Clegg ME.* Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *Int J Food Sci Nutr.* 2010 Nov;61(7):653-79.
- Clifton PM, Condo D, Keogh JB**. Long term weight maintenance after advice to consume low carbohydrate, higher protein diets - A systematic review and meta analysis. *Nutr Metab Cardiovasc Dis.* 2014 Mar;24(3):224-35
- Clifton PM**. Palm oil and LDL cholesterol. *Am J Clin Nutr.* 2011 Dec;94(6):1392-3.
- Codex Alimentarius Commision**. Amended. (2003). Codex Standard for Named Vegetable Oils. Codex Stan 210, p. 13
- Collier G, McLean A, O'Dea K**. Effect of co-ingestion of fat on the metabolic responses to slowly and rapidly absorbed carbohydrates. *Diabetologia.* 1984 Jan;26(1):50-4.
- Cooney MT, Dudina A, De Bacquer D**, ym. HDL cholesterol protects against cardiovascular disease in both genders, at all ages and at all levels of risk. *Atherosclerosis.* 2009 Oct;206(2):611-6.
- Cordain L, Eaton SB, Miller JB**, ym. The paradoxical nature of hunter-gatherer diets: meat-based, yet non-atherogenic. *Eur J Clin Nutr.* 2002 Mar;56 Suppl 1:S42-52. Review.
- Costa RJS, Snipe RMJ, Kitic CM**, ym. Systematic review: exercise-induced gastrointestinal syndrome-implications for health and intestinal disease. *Aliment Pharmacol Ther.* 2017 Aug;46(3):246-265.
- Costabile A, Klinder A, Fava F**, ym. Whole-grain wheat breakfast cereal has a prebiotic effect on the human gut microbiota: a double-blind, placebo-controlled, crossover study. *Br J Nutr.* 2008 Jan;99(1):110-20.
- Costanzo S, Di Castelnovo A, Donati MB**, ym. Wine, beer or spirit drinking in relation to fatal and non-fatal cardiovascular events: a meta-analysis. *Eur J Epidemiol.* 2011 Nov;26(11):833-50.
- Cozma AI, Sievenpiper JL, de Souza RJ**, ym. Effect of fructose on glycemic control in diabetes: a systematic review and meta-analysis of controlled feeding trials. *Diabetes Care.* 2012 Jul;35(7):1611-20.
- Çubukçu HC, Kılıçsan NSD, Durak İ. Different effects of heating and freezing treatments on the antioxidant properties of broccoli, cauliflower, garlic and onion. An experimental in vitro study. *Sao Paulo Med J.* 2019 Sep-Oct;137(5):407-413.
- Cuenca-Sánchez M, Navas-Carrillo D, Orenes-Piñero E**. Controversies surrounding high-protein diet intake: satiating effect and kidney and bone health. *Adv Nutr.* 2015;6(3):260-266.
- Cui H, Yang Y, Bian L**, ym. [Effect of food composition of mixed food on glycemic index]. *Wei Sheng Yan Jiu.* 1999 Nov;28(6):356-8. Chinese.
- Daher MI, Matta JM, Abdel Nour AM**. Non-nutritive sweeteners and type 2 diabetes: Should we ring the bell? *Diabetes Res Clin Pract.* 2019 Sep;155:107786.
- Darzi J, Frost GS, Robertson MD**. Do SCFA have a role in appetite regulation? *Proc Nutr Soc.* 2011 Feb;70(1):119-28.
- David LA, Maurice CF, Carmody RN**, ym. Diet rapidly and reproducibly alters the human gut microbiome. *Nature.* 2014 Jan 23;505(7484):559-63.
- David Wang D, Sievenpiper JL, de Souza RJ**, ym. Effect of fructose on postprandial triglycerides: a systematic review and meta-analysis of controlled feeding trials. *Atherosclerosis.* 2014 Jan;232(1):125-33.
- Davis JM, Murphy EA, Carmichael MD**, ym. Curcumin effects on inflammation and performance recovery following eccentric exercise-induced muscle damage. *Am J Physiol Regul Integr Comp Physiol.* 2007 Jun;292(6):R2168-73.
- Davison KM, Temple NJ**. Cereal fiber, fruit fiber, and type 2 diabetes: Explaining the paradox. *J Diabetes Complications.* 2018 Feb;32(2):240-245.
- de Koning L, Malik VS, Rimm EB**, ym. Sugar-sweetened and artificially sweetened beverage consumption and risk of type 2 diabetes in men. *Am J Clin Nutr.* 2011 Jun;93(6):1321-7.
- de Oliveira MC, Sichieri R, Venturini Mozzer R**. A low-energy-dense diet adding fruit reduces weight and energy intake in women. *Appetite.* 2008 Sep;51(2):291-5.
- de Oliveira Otto MC, Mozaffarian D, Kromhout D**, ym. Dietary intake of saturated fat by food source and incident cardiovascular disease: the Multi-Ethnic Study of Atherosclerosis. *Am J Clin Nutr.* 2012 Aug;96(2):397-404.
- de Ruyter JC, Katan MB, Kuijper LD**, ym. The effect of sugar-free versus sugar-sweetened beverages on satiety, liking and wanting: an 18 month randomized double-blind trial in children. *PLoS One.* 2013 Oct 22;8(10):e78039 (b)
- de Ruyter JC, Olthof MR, Seidell JC**, ym. A trial of sugar-free or sugar-sweetened beverages and body weight in children. *N Engl J Med.* 2012 Oct 11;367(15):1397-406. (a)
- de Souza R.J., A. Mente, A. Maroleanu**, ym. Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease, and type 2 diabetes: systematic review and meta-analysis of observational studies *BMJ.* 351 (2015), p.h3978
- de Souza RJ, Bray GA, Carey VJ**, ym. Effects of 4 weight-loss diets differing in fat, protein, and carbohydrate on fat mass, lean mass, visceral adipose tissue, and hepatic fat: results from the POUNDS LOST trial. *Am J Clin Nutr.* 2012 Mar;95(3):614-25.

- Deehan EC, Duar RM, Armet AM**, ym. Modulation of the Gastrointestinal Microbiome with Nondigestible Fermentable Carbohydrates To Improve Human Health. *Microbiol Spectr*. 2017;5(5):10.1128/microbiolspec.BAD-0019-2017.
- Deehan EC, Walter J**. The Fiber Gap and the Disappearing Gut Microbiome: Implications for Human Nutrition. *Trends Endocrinol Metab*. 2016;27(5):239-242.
- Derrien M, van Hylckama Vlieg JE**. Fate, activity, and impact of ingested bacteria within the human gut microbiota. *Trends Microbiol*. 2015 Jun; 23(6):354-66.
- Desai MS, Seekatz AM, Koropatkin NM**, ym. A Dietary Fiber-Deprived Gut Microbiota Degrades the Colonic Mucus Barrier and Enhances Pathogen Susceptibility. *Cell*. 2016 Nov 17;167(5):1339-1353.e21
- Devkota S, Chang EB**. Interactions between Diet, Bile Acid Metabolism, Gut Microbiota, and Inflammatory Bowel Diseases. *Dig Dis*. 2015;33(3):351-356.
- Dhillon J, Craig BA, Leidy HJ**, ym. The Effects of Increased Protein Intake on Fullness: A Meta-Analysis and Its Limitations. *2016* 116(6), P968-983
- Dias CB, Garg R, Wood LG, Garg ML**. Saturated fat consumption may not be the main cause of increased blood lipid levels. *Med Hypotheses*. 2014 Feb;82(2):187-95.
- Dideriksen K, Reitelseder S, Holm L**. Influence of amino acids, dietary protein, and physical activity on muscle mass development in humans. *Nutrients*. 2013 Mar 13;5(3):852-76.
- Dimidi E, Cox SR, Rossi M**, ym. Fermented Foods: Definitions and Characteristics, Impact on the Gut Microbiota and Effects on Gastrointestinal Health and Disease. *Nutrients*. 2019 Aug 5;11(8).
- Ding M, Bhupathiraju SN, Chen M**, ym. Caffeinated and decaffeinated coffee consumption and risk of type 2 diabetes: a systematic review and a dose-response meta-analysis. *Diabetes Care*. 2014 Feb;37(2):569-86.(a)
- Ding M, Bhupathiraju SN, Satija A**, ym. Long-term coffee consumption and risk of cardiovascular disease: a systematic review and a dose-response meta-analysis of prospective cohort studies. *Circulation*. 2014 Feb 11;129(6):643-59. (b)
- Dinstel RR, Cascio J, Koukel S**. The antioxidant level of Alaska's wild berries: high, higher and highest. *Int J Circumpolar Health*. 2013 Aug 5;72.
- Djoussé L, Biggs ML, Mukamal KJ**, ym. Alcohol consumption and type 2 diabetes among older adults: the Cardiovascular Health Study. *Obesity*. 2007 Jul;15(7):1758-65.
- Djoussé L, Zhou G, McClelland RL, Ma N, Zhou X, Kabagambe EK, Talegawkar SA, Judd SE, Biggs ML, Fitzpatrick AL, Clark CR, Gagnon DR, Steffen LM, Gaziano JM, Lee IM, Buring JE, Manson JE**. Egg consumption, overall diet quality, and risk of type 2 diabetes and coronary heart disease: A pooling project of US prospective cohorts. *Clin Nutr*. 2021 Mar 11;40(5):2475-2482.
- Dolan LC, Potter SM, Burdock GA**. Evidence-based review on the effect of normal dietary consumption of fructose on development of hyperlipidemia and obesity in healthy, normal weight individuals. *Crit Rev Food Sci Nutr*. 2010 Jan;50(1):53-84. (a)
- Donahoo W, Wyatt HR, Kriehn J**, ym. Dietary fat increases energy intake across the range of typical consumption in the United States. *Obesity* (Silver Spring). 2008 Jan;16(1):64-9.
- Dong JY, Zhang L, Zhang YH**, ym. Dietary glycaemic index and glycaemic load in relation to the risk of type 2 diabetes: a meta-analysis of prospective cohort studies. *Br J Nutr*. 2011 Dec;106(11):1649-54.
- Dong JY, Zhang YH, Wang P**, ym. Meta-analysis of dietary glycemic load and glycemic index in relation to risk of coronary heart disease. *Am J Cardiol*. 2012 Jun 1;109(11):1608-13.
- Dong JY, Zhang ZL, Wang PY**, ym. Effects of high-protein diets on body weight, glycaemic control, blood lipids and blood pressure in type 2 diabetes: meta-analysis of randomised controlled trials. *Br J Nutr*. 2013 Sep 14;110(S):781-9.
- Dong JY, Szeto IM, Mäkinen K**, ym. Effect of probiotic fermented milk on blood pressure: a meta-analysis of randomised controlled trials. *Br J Nutr*. 2013 Oct;110(7):1188-94. (a)
- Donnelly JE, Sullivan DK, Smith BK**, ym. Alteration of dietary fat intake to prevent weight gain: Jayhawk Observed Eating Trial. *Obesity* (Silver Spring). 2008 Jan;16(1):107-12.
- Dougkas A, Reynolds CK, Givens ID**, ym. Associations between dairy consumption and body weight: a review of the evidence and underlying mechanisms. *Nutr Res Rev*. 2011 Jun;24(1):72-95.
- Downer MK, Bertoia ML, Mukamal KJ**, ym. Change in Alcohol Intake in Relation to Weight Change in a Cohort of US Men with 24 Years of Follow-Up. *Obesity*. 2017 Nov;25(11):1988-96
- Dreher ML, Davenport AJ**. Hass avocado composition and potential health effects. *Crit Rev Food Sci Nutr*. 2013;53(7):738-50
- Du H, van der A DL, Boshuizen HC**, ym. Dietary fiber and subsequent changes in body weight and waist circumference in European men and women. *Am J Clin Nutr*. 2010 Feb;91(2):329-36.
- Dubé JJ, Allison KF, Rousson V**, ym. Exercise dose and insulin sensitivity: relevance for diabetes prevention. *Med Sci Sports Exerc*. 2012 May;44(5):793-9.
- Durk RP, Castillo E, Márquez-Magaña L**, ym. Gut Microbiota Composition Is Related to Cardiorespiratory Fitness in Healthy Young Adults. *Int J Sport Nutr Exerc Metab*. 2019 May 1;29(3):249-253.
- Durstine JL, Grandjean PW, Cox CA**, ym. Lipids, lipoproteins, and exercise. *J Cardiopulm Rehabil*. 2002 Nov-Dec;22(6):385-98.
- Eales J, Lenoir-Wijnkoop I, King S**, ym. Is consuming yoghurt associated with weight management outcomes? Results from a systematic review. *Int J Obes (Lond)*. 2016 May;40(5):731-46.
- Eaton S, Eaton S, Konner M**. Paleolithic nutrition revisited: A twelve-year retrospective on its nature and implications. *Eur J Clin Nutr* 51, 207–216 (1997).
- Ebrahim IO, Shapiro CM, Williams AJ**, ym. Alcohol and sleep I: effects on normal sleep. *Alcohol Clin Exp Res*. 2013 Apr;37(4):539-49.
- Eelderink C, Rietsema S, van Vliet IMY**, ym. The effect of high compared with low dairy consumption on glucose metabolism, insulin sensitivity, and metabolic flexibility in overweight adults: a randomized crossover trial. *Am J Clin Nutr*. 2019 Jun 1;109(6):1555-1568.
- EFSA Panel on Dietetic Products, Nutrition and Allergies (NDA) (2011)**. Scientific Opinion on the substantiation of health claims related to caffeine and increased fat oxidation leading to a reduction in body fat mass (ID 735, 1484), increased energy expenditure leading to a reduction in body weight (ID 1487), increased alertness (ID 736, 1101, 1187, 1485, 1491, 2063, 2103) and increased attention (ID 736, 1485, 1491, 2375) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. EFSA Journal, 9(4):2054.
- EFSA Panel on Dietetic Products, Nutrition, and Allergies (NDA)** Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol EFSA Journal 2010;8(3):1461
- EFSA**. Nitrate in vegetables Scientific Opinion of the Panel on Contaminants in the Food chain 1 (Question No EFSA-Q-2006-071). The EFSA Journal (2008) 689, 1–79
- EFSA**. Scientific Opinion on Dietary Reference Values for energy. EFSA Journal 2013;11(1):3005 [112 pp.]
- EFSA**. The 2010 European Union Report on Pesticide Residues in Food. EFSA Journal 2013;11(3):3130 [808 pp.]
- Eftekhari MH, Mozaffari-Khosravi H, Shidfar F**, ym. Relation between Body Iron Status and Cardiovascular Risk Factors in Patients with Cardiovascular Disease. *Int J Prev Med*. 2013 Aug;4(8):911-6.

- Egert M, Simmering R, Riedel CU.** The Association of the Skin Microbiota With Health, Immunity, and Disease. *Clin Pharmacol Ther.* 2017 Jul;102(1):62-69.
- Egli L, Leclerc V, Theytaz F,** ym. Exercise prevents fructose-induced hypertriglyceridemia in healthy young subjects. *Diabetes.* 2013 Jul;62(7):2259-65.
- Ehnholm C, Lukka M, Kuusi T,** ym. Apolipoprotein E polymorphism in the Finnish population: gene frequencies and relation to lipoprotein concentrations. *J Lipid Res.* 1986 Mar;27(3):227-35.
- Eid N, Enani S, Walton G,** ym. The impact of date palm fruits and their component polyphenols, on gut microbial ecology, bacterial metabolites and colon cancer cell proliferation. *J Nutr Sci.* 2014;3:e46.
- Elfhag K, Tynelius P, Rasmussen F.** Sugar-sweetened and artificially sweetened soft drinks in association to restrained, external and emotional eating. *Physiol Behav.* 2007 Jun 8;91(2-3):191-5.
- Ello-Martin JA, Ledikas JH, Rolls BJ.** The influence of food portion size and energy density on energy intake: implications for weight management. *Am J Clin Nutr.* 2005 Jul;82(1 Suppl):236S-241S. Review.
- Eshorbagy A, Jernerén F, Basta M,** ym. Amino acid changes during transition to a vegan diet supplemented with fish in healthy humans. *Eur J Nutr.* 2017;56(5):1953-1962.
- Elwood PC, Pickering JE, Givens DI,** ym. The consumption of milk and dairy foods and the incidence of vascular disease and diabetes: an overview of the evidence. *Lipids.* 2010 Oct;45(10):925-39.
- Engle-Stone R, Yeung A, Welch R,** ym. Meat and ascorbic acid can promote Fe availability from Fe-phytate but not from Fe-tannic acid complexes. *J Agric Food Chem.* 2005 Dec 28;53(26):10276-84.
- Ericson U, Sonestedt E, Gullberg B,** ym. High intakes of protein and processed meat associate with increased incidence of type 2 diabetes. *Br J Nutr.* 2013 Mar 28;109(6):1143-53.
- Esfahani A, Wong JM, Mirrahimi A,** ym. The application of the glycemic index and glycemic load in weight loss: A review of the clinical evidence. *IUBMB Life.* 2011 Jan;63(1):7-13.
- Eslick GD, Howe PR, Smith C,** ym. Benefits of fish oil supplementation in hyperlipidemia: a systematic review and meta-analysis. *Int J Cardiol.* 2009 Jul 24;136(1):4-16.
- Esposito K, Kastorini CM, Panagiotakos DB,** ym. Mediterranean diet and weight loss: meta-analysis of randomized controlled trials. *Metab Syndr Relat Disord.* 2011 Feb;9(1):1-12.
- Estruch R, Ros E, Salas-Salvadó J,** ym. Primary prevention of cardiovascular disease with a Mediterranean diet. *N Engl J Med.* 2013 Apr 4;368(14):1279-90.
- Estruch R, Salas-Salvadó J.** "Towards an even healthier Mediterranean diet". *Nutr Metab Cardiovasc Dis.* 2013 Dec;23(12):1163-6.
- Eswaran S, Muir J, Chey WD.** Fiber and functional gastrointestinal disorders. *Am J Gastroenterol.* 2013 May;108(S):718-27.
- Evenepoel P, Geypens B, Luypaerts A,** ym. Digestibility of cooked and raw egg protein in humans as assessed by stable isotope techniques. *J Nutr.* 1998 Oct;128(10):1716-22.
- Evert AB, Dennison M, Gardner CD,** ym. Nutrition Therapy for Adults With Diabetes or Prediabetes: A Consensus Report. *Diabetes Care.* 2019 May;42(5):731-754.
- Evira.** Kvantiitatitiven riskinraviointi lasten ja aikuisten altistumisesta nitraatille ja nitriittile. *Eviran tutkimuksia* 2/2013 (a).
- Evira.** Ravinnon kasvinsuojeluainejäämät - kumulatiivinen riskinraviointi. *Eviran tutkimuksia* 3/2010.
- Fang H, Berg E, Cheng X,** ym. How to best assess abdominal obesity. *Curr Opin Clin Nutr Metab Care.* 2018;21(5):360-365.
- Fappi A, Mittendorfer B.** Dietary protein intake and obesity-associated cardiometabolic function. *Curr Opin Clin Nutr Metab Care.* 2020 Nov;23(6):380-386.
- Fechner E, Smeets ETHC, Schrauwen P,** ym. The Effects of Different Degrees of Carbohydrate Restriction and Carbohydrate Replacement on Cardiometabolic Risk Markers in Humans-A Systematic Review and Meta-Analysis. *Nutrients.* 2020;12(4):991.
- Feinman RD, Fine EJ.** Nonequilibrium thermodynamics and energy efficiency in weight loss diets. *Theor Biol Med Model.* 2007 Jul 30;4:27.
- Fernandes J, Fialho M, Santos R,** ym. Is olive oil good for you? A systematic review and meta-analysis on anti-inflammatory benefits from regular dietary intake. *Nutrition.* 2020 Jan;69:110559.
- Fernandez ML.** Dietary cholesterol provided by eggs and plasma lipoproteins in healthy populations. *Curr Opin Clin Nutr Metab Care.* 2006 Jan;9(1):8-12. Review.
- Fernandez MA, Panahi S, Daniel N,** ym. Yogurt and Cardiometabolic Diseases: A Critical Review of Potential Mechanisms. *Adv Nutr.* 2017 Nov 15;8(6):812-829.
- Fernandez-Cao JC, Arija V, Aranda N,** ym. Heme iron intake and risk of new-onset diabetes in a Mediterranean population at high risk of cardiovascular disease: an observational cohort analysis. *BMC Public Health.* 2013 Nov 4;13:1042.
- Fernstrom JD.** Non-nutritive sweeteners and obesity. *Annu Rev Food Sci Technol.* 2015;6:119-36.
- Ferracane R, Pellegrini N, Visconti A,** ym. Effects of different cooking methods on antioxidant profile, antioxidant capacity, and physical characteristics of artichoke. *J Agric Food Chem.* 2008 Sep 24;56(18):8601-8.
- Feskens EJ, Sluik D, van Woudenberg GJ.** Meat consumption, diabetes, and its complications. *Curr Diab Rep.* 2013 Apr;13(2):298-306.
- Field AE, Willett WC, Lissner L,** ym. Dietary fat and weight gain among women in the Nurses' Health Study. *Obesity (Silver Spring).* 2007 Apr;15(4):967-76.
- Filannino P, Bai Y, Di Cagno R,** ym. MG Metabolism of phenolic compounds by *Lactobacillus* spp. during fermentation of cherry juice and broccoli puree. *Food Microbiol.* 2015 Apr; 46():272-279.
- Flint A, Helt B, Raben A,** ym. Effects of different dietary fat types on postprandial appetite and energy expenditure. *Obes Res.* 2003;11:1449-55.
- Flores-Mateo G, Rojas-Rueda D, Basora J,** ym. Nut intake and adiposity: meta-analysis of clinical trials. *Am J Clin Nutr.* 2013 Jun;97(6):1346-55.
- Fogelholm M, Anderssen S, Gunnarsdottir I,** ym. Dietary macronutrients and food consumption as determinants of long-term weight change in adult populations: a systematic literature review. *Food Nutr Res.* 2012;56.
- Fogelholm M.** Suomalaiset ravitsemussuositukset 2014. Mitä, miksi ja miten? Ruokapohjaiset suositukset. Ravitsemussuositusten julkaisutilaisuus Helsinki 23.1.2014.
- Forouhi NG, Sharp SJ, Du H,** ym. Dietary fat intake and subsequent weight change in adults: results from the European Prospective Investigation into Cancer and Nutrition cohorts. *Am J Clin Nutr.* 2009 Dec;90(6):1632-41.
- Fowler SPG.** Low-calorie sweetener use and energy balance: Results from experimental studies in animals, and large-scale prospective studies in humans. *Physiol Behav.* 2016 Oct 1;164(Pt B):517-523.
- Francavilla R, Calasso M, Calace L,** ym. Effect of lactose on gut microbiota and metabolome of infants with cow's milk allergy. *Pediatr Allergy Immunol.* 2012 Aug;23(5):420-7.
- Frassetto LA, Schloetter M, Mietus-Synder M,** ym. Metabolic and physiologic improvements from consuming a paleolithic, hunter-gatherer type diet. *Eur J Clin Nutr.* 2009 Aug;63(8):947-55.
- Freudenheim JL.** Alcohol's Effects on Breast Cancer in Women. *Alcohol Res.* 2020 Jun 18;40(2):11.

- Fuke N, Nagata N, Suganuma H, ym. Regulation of Gut Microbiota and Metabolic Endotoxemia with Dietary Factors. *Nutrients*. 2019;11(10):2277.
- Fulgoni VL 3rd, Dreher M, Davenport AJ. Avocado consumption is associated with better diet quality and nutrient intake, and lower metabolic syndrome risk in US adults: results from the National Health and Nutrition Examination Survey (NHANES) 2001-2008. *Nutr J*. 2013 Jan 2;12:1.
- Fuller NR, Sainsbury A, Caterson ID, Denyer G, Fong M, Gerof J, Leung C, Lau NS, Williams KH, Januszewski AS, Jenkins AJ, Markovic TP. Effect of a high-egg diet on cardiometabolic risk factors in people with type 2 diabetes: the Diabetes and Egg (DIABEGG) Study-randomized weight-loss and follow-up phase. *Am J Clin Nutr*. 2018 Jun 1;107(6):921-931.
- Fung TT, van Dam RM, Hankinson SE, ym. Low-carbohydrate diets and all-cause and cause-specific mortality: two cohort studies. *Ann Intern Med*. 2010 Sep 7;153(5):289-98.
- Gao D, Ning N, Wang C, Wang Y, Li Q, Meng Z, Liu Y, Li Q. Dairy products consumption and risk of type 2 diabetes: systematic review and dose-response meta-analysis. *PLoS One*. 2013 Sep 27;8(9):e73965.
- Gardner C, Wylie-Rosett J, Gidding SS, ym. Nonnutritive sweeteners: current use and health perspectives: a scientific statement from the American Heart Association and the American Diabetes Association. *Diabetes Care*. 2012 Aug;35(8):1798-808.
- Gardner CD, Fortmann SP, Krauss RM. Association of small low-density lipoprotein particles with the incidence of coronary artery disease in men and women. *JAMA*. 1996;276:875-81.
- Gargallo Fernández M, Quiles Izquierdo J, ym. Evidence-based nutritional recommendations for the prevention and treatment of overweight and obesity in adults (FESNAD-SEEDO consensus document). The role of diet in obesity prevention (II/III). *Nutr Hosp*. 2012 May-Jun;27(3):800-32.
- Gebauer SK, Chardigny JM, Jakobsen MU, ym. Effects of ruminant trans fatty acids on cardiovascular disease and cancer: a comprehensive review of epidemiological, clinical, and mechanistic studies. *Adv Nutr*. 2011 Jul;2(4):332-54.
- Geiker NRW, Molgaard C, Iuliano S, ym. Impact of whole dairy matrix on musculoskeletal health and aging-current knowledge and research gaps. *Osteoporos Int*. 2020 Apr;31(4):601-615.
- Gerber PA, Nikolic D, Rizzo M. Small, dense LDL: an update. *Curr Opin Cardiol*. 2017 Jul;32(4):454-459.
- Ghanim H, Sia CL, Korzeniewski K, ym. A resveratrol and polyphenol preparation suppresses oxidative and inflammatory stress response to a high-fat, high-carbohydrate meal. *J Clin Endocrinol Metab*. 2011 May;96(S):1409-14.
- Giacco R, Della Pepa G, ym. Whole grain intake in relation to body weight: from epidemiological evidence to clinical trials. *Nutr Metab Cardiovasc Dis*. 2011 Dec;21(12):901-8.
- Gibson GR, Probert HM, Loo JV, ym. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutr Res Rev*. 2004 Dec;17(2):259-75.
- Gibson S, Drewnowski A, Hill J, ym. Consensus statement on benefits of low-calorie sweeteners. *Nutr Bull* 2014;39:386-389.
- Gibson AA, Seimon RV, Lee CM, ym. Do ketogenic diets really suppress appetite? A systematic review and meta-analysis. *Obes Rev*. 2015 Jan;16(1):64-76.
- Gill SK, Allerton DM, Ansley-Robson P, ym. Does acute high dose probiotic supplementation containing *Lactobacillus casei* attenuate exertional-heat stress induced endotoxaemia and cytokinaemia? *Int J Sports Nutr Exerc Metab*. 2016;26:268-275.
- Givens DI. Review: Dairy foods, red meat and processed meat in the diet: implications for health at key life stages. *Animal*. 2018 Aug;12(8):1709-1721
- Glanz K, Basil M, Maibach E, ym. Why Americans eat what they do: taste, nutrition, cost, convenience, and weight control concerns as influences on food consumption. *J Am Diet Assoc*. 1998 Oct;98(10):1118-26.
- Glatter KA, Myers R, Chiamvimonvat N. Recommendations regarding dietary intake and caffeine and alcohol consumption in patients with cardiac arrhythmias: what do you tell your patients to do or not to do? *Curr Treat Options Cardiovasc Med*. 2012 Oct;14(5):529-35.
- Gliszczynska-Swiglo A, Ciska E, Pawlak-Lemańska K, ym. Changes in the content of health-promoting compounds and antioxidant activity of broccoli after domestic processing. *Food Addit Contam*. 2006 Nov;23(11):1088-98.
- Goff LM, Cowland DE, Hooper L, ym. Low glycaemic index diets and blood lipids: a systematic review and meta-analysis of randomised controlled trials. *Nutr Metab Cardiovasc Dis*. 2013 Jan;23(1):1-10. doi: 10.1016/j.numecd.2012.06.002. Epub 2012 Jul 25. PMID: 22841185.
- Goldberg IJ, Ibrahim N, Bredefeld C, ym. Ketogenic diets, not for everyone. *J Clin Lipidol*. 2021 Jan-Feb;15(1):61-67.
- Gong L, Cao W, Chi H, ym. Whole cereal grains and potential health effects: Involvement of the gut microbiota. *Food Res Int*. 2018 Jan;103:84-102.
- González N, Marquès M, Nadal M, ym. Meat consumption: Which are the current global risks? A review of recent (2010-2020) evidences. *Food Res Int*. 2020 Nov;137:109341.
- Goossens GH. The Metabolic Phenotype in Obesity: Fat Mass, Body Fat Distribution, and Adipose Tissue Function. *Obes Facts*. 2017;10(3):207-215.
- Gow ML, Ho M, Burrows TL, ym. Impact of dietary macronutrient distribution on BMI and cardiometabolic outcomes in overweight and obese children and adolescents: a systematic review. *Nutr Rev*. 2014 Jun 11.
- Grabitske HA, Slavin JL. Gastrointestinal effects of low-digestible carbohydrates. *Crit Rev Food Sci Nutr*. 2009 Apr;49(4):327-60.
- Graf D, Di Cagno R, Fäk F, ym. Contribution of diet to the composition of the human gut microbiota. *Microb Ecol Health Dis*. 2015; 26():26164.
- Gray P, Chappell A, Jenkinson AM, ym. Fish oil supplementation reduces markers of oxidative stress but not muscle soreness after eccentric exercise. *Int J Sport Nutr Exerc Metab*. 2014 Apr;24(2):206-14.
- Gray P, Gabriel B, Thies F, ym. Fish oil supplementation augments post-exercise immune function in young males. *Brain Behav Immun*. 2012 Nov;26(8):1265-72.
- Greene NP, Martin SE, Crouse SF. Acute exercise and training alter blood lipid and lipoprotein profiles differently in overweight and obese men and women. *Obesity (Silver Spring)*. 2012 Aug;20(8):1618-27.
- Griffin JD, Lichtenstein AH. Dietary Cholesterol and Plasma Lipoprotein Profiles: Randomized-Controlled Trials. *Curr Nutr Rep*. 2013 Dec;2(4):274-282.
- Guasch-Ferré M, Bulló M, Martínez-González MA, ym; PREDIMED study group. Frequency of nut consumption and mortality risk in the PRE-DIMED nutrition intervention trial. *BMC Med*. 2013 Jul 16;11:164.
- Guasch-Ferré M, Hu FB, Martínez-González MA, ym. Olive oil intake and risk of cardiovascular disease and mortality in the PREDIMED Study. *BMC Med*. 2014 May 13;12(1):78.
- Guo J, Givens DI, Astrup A, ym. The Impact of Dairy Products in the Development of Type 2 Diabetes: Where Does the Evidence Stand in 2019? *Adv Nutr*. 2019 Nov 1;10(6):1066-1075.
- Halkjaer J, Olsen A, Overvad K, ym. Intake of total, animal and plant protein and subsequent changes in weight or waist circumference in European men and women: the Diogenes project. *Int J Obes (Lond)* 2011;35(8):1104-1113.
- Hall KD. What is the Required Energy Deficit per unit Weight Loss? *Int J Obes (Lond)* 2008; 32: 573-576.
- Hall KD, Guo J. Obesity Energetics: Body Weight Regulation and the Effects of Diet Composition. *Gastroenterology*. 2017;152(7):1718-1727.e3.
- Halmos EP, Christensen CT, Bird AR, ym. Diets that differ in their FODMAP content alter the colonic luminal microenvironment. *Gut*. 2015;64:93-100.
- Halton TL, Hu FB. The effects of high protein diets on thermogenesis, satiety and weight loss: a critical review.
- Hammad SS, Jones PJ. Dietary Fatty Acid Composition Modulates Obesity and Interacts with Obesity-Related Genes. *Lipids*. 2017 Oct;52(10):803-822.

- Hammond VJ, O'Donnell VB.** Esterified eicosanoids: generation, characterization and function. *Biochim Biophys Acta*. 2012 Oct;1818(10):2403-12
- Harman NL, Leeds AR, Griffin BA.** Increased dietary cholesterol does not increase plasma low density lipoprotein when accompanied by an energy-restricted diet and weight loss. *Eur J Nutr*. 2008 Sep;47(6):287-93.
- Hart MJ, Torres SJ, McNaughton SA**, ym. Dietary patterns and associations with biomarkers of inflammation in adults: a systematic review of observational studies. *Nutr J*. 2021 Mar;12(1):24.
- Hartley L, Igbinodion E, Holmes J**, ym. Increased consumption of fruit and vegetables for the primary prevention of cardiovascular diseases. *Cochrane Database Syst Rev*. 2013 Jun 4;6:CD009874.
- Hartley L, May MD, Loveman E**, ym. Dietary fibre for the primary prevention of cardiovascular disease. *Cochrane Database Syst Rev*. 2016 Jan 7;2016(1):CD011472.
- Harvard School of Public Health; The Nutrition Source.** Alcohol: Balancing risks and benefits. Viitattu: 22.4.2021. Saatavilla: <https://www.hsph.harvard.edu/nutritionsource/healthy-drinks/drinks-to-consume-in-moderation/alcohol-full-story/>
- Hauner H, Bechthold A, Boeing H**, ym. German Nutrition Society. Evidence-based guideline of the German Nutrition Society: carbohydrate intake and prevention of nutrition-related diseases. *Ann Nutr Metab*. 2012;60 Suppl 1:1-58
- Hayes KC, Pronczuk A.** Replacing trans fat: the argument for palm oil with a cautionary note on interesterification. *J Am Coll Nutr*. 2010 Jun;29(3 Suppl):253S-284S. Review.
- He FJ, Nowson CA, Lucas M**, ym. Increased consumption of fruit and vegetables is related to a reduced risk of coronary heart disease: meta-analysis of cohort studies. *J Hum Hypertens*. 2007 Sep;21(9):717-28.
- He K.** Fish, long-chain omega-3 polyunsaturated fatty acids and prevention of cardiovascular disease--eat fish or take fish oil supplement? *Prog Cardiovasc Dis*. 2009 Sep-Oct;52(2):95-114.
- Heaney RP, Layman DK.** Amount and type of protein influences bone health. *Am J Clin Nutr*. 2008 May;87(5):1567S-1570S.
- Hector AJ, Marcotte GR, Churchward-Venne TA**, ym. Whey protein supplementation preserves postprandial myofibrillar protein synthesis during short-term energy restriction in overweight and obese adults. *J Nutr*. 2015. Feb;145(2):246-52.
- Hiel S, Bindels LB, Pachikian BD**, ym. Effects of a diet based on inulin-rich vegetables on gut health and nutritional behavior in healthy humans. *Am J Clin Nutr*. 2019 Jun 1;109(6):1683-1695.
- Hill AM, Buckley JD, Murphy KJ**, ym. Combining fish-oil supplements with regular aerobic exercise improves body composition and cardiovascular disease risk factors. *Am J Clin Nutr*. 2007 May;85(5):1267-74.
- Hjerpsted J, Leedo E, Tholstrup T.** Cheese intake in large amounts lowers LDL-cholesterol concentrations compared with butter intake of equal fat content. *Am J Clin Nutr*. 2011 Dec;94(6):1479-84.
- Ho HV, Sievenpiper JL, Zurbau A**, ym. The effect of oat β -glucan on LDL-cholesterol, non-HDL-cholesterol and apoB for CVD risk reduction: a systematic review and meta-analysis of randomised-controlled trials. *Br J Nutr*. 2016 Oct;116(8):1369-1382.
- Hooper L, Abdelhamid A, Moore HJ**, ym. Effect of reducing total fat intake on body weight: systematic review and meta-analysis of randomised controlled trials and cohort studies. *BMJ*. 2012 Dec 6;345:e7666. (b)
- Hooper L, Summerbell CD, Thompson R**, ym. Reduced or modified dietary fat for preventing cardiovascular disease. *Cochrane Database Syst Rev*. 2012 May 16;5:CD002137. (a)
- Hooper L, N. Martin, A. Abdelhamid, G** ym. Reduction in saturated fat intake for cardiovascular disease. *Cochrane Database Syst Rev*, 6 (2015), p.
- Hooper L, Martin N, Jimoh OF**, ym. Reduction in saturated fat intake for cardiovascular disease. *Cochrane Database Syst Rev*. 2020 Aug 21;8:CD011737.
- Hoppe C, Molgaard C, Vaag A**, ym. High intakes of milk, but not meat, increase s-insulin and insulin resistance in 8-year-old boys. *Eur J Clin Nutr*. 2005 Mar;59(3):393-8.
- Howarth NC, Saltzman E, Roberts SB.** Dietary fiber and weight regulation. *Nutr Rev*. 2001 May;59(5):129-39.
- Howell S, Kones R.** "Calories in, calories out" and macronutrient intake: the hope, hype, and science of calories. *Am J Physiol Endocrinol Metab*. 2017 Nov 1;313(S):E608-E612.
- Hsu E.** Plant-based diets and bone health: sorting through the evidence. *Curr Opin Endocrinol Diabetes Obes*. 2020 Aug;27(4):248-252.
- Hu FB, Stampfer MJ, Rimm EB**, ym. A prospective study of egg consumption and risk of cardiovascular disease in men and women. *JAMA*. 1999 Apr 21;281(15):1387-94.
- Hu FB.** Are refined carbohydrates worse than saturated fat? *Am J Clin Nutr*. 2010 Jun;91(6):1541-2.
- Hu FB.** Resolved: there is sufficient scientific evidence that decreasing sugar-sweetened beverage consumption will reduce the prevalence of obesity and obesity-related diseases. *Obes Rev*. 2013 Aug;14(8):606-19.
- Huhtinen H, Rimpelä A.** Nuorison energiajauomien käyttö ja kofeiiniin liittyvät oireet. *Suomen Lääkärilehti* 2013;68(39):2451-2455.
- Huncharek M, Muscat J, Kupelnick B.** Impact of dairy products and dietary calcium on bone-mineral content in children: results of a meta-analysis. *Bone*. 2008 Aug;43(2):312-21
- Hursel R, Westerterp-Plantenga MS.** Catechin- and caffeine-rich teas for control of body weight in humans. *Am J Clin Nutr*. 2013 Dec;98(6 Suppl):1682S-1693S.
- Hurst S, Zainal Z, Caterson B**, ym. Dietary fatty acids and arthritis. *Prostaglandins Leukot Essent Fatty Acids*. 2010 Apr-Jun;82(4-6):315-8.
- Huth PJ, Park KM.** Influence of dairy product and milk fat consumption on cardiovascular disease risk: a review of the evidence. *Adv Nutr*. 2012 May 1;3(3):266-85.
- Hwang ES, Kim GH.** Effects of various heating methods on glucosinolate, carotenoid and tocopherol concentrations in broccoli. *Int J Food Sci Nutr*. 2013 Feb;64(1):103-11.
- Høstmark AT, Tomten SE.** The Oslo health study: cheese intake was negatively associated with the metabolic syndrome. *J Am Coll Nutr*. 2011 Jun;30(3):182-90.
- ICQC (International Carbohydrate Quality Consortium) Jenkins DJ, Willett WC, Astrup A** ym. Glycaemic index: did Health Canada get it wrong? Position from the International Carbohydrate Quality Consortium (ICQC). *Br J Nutr*. 2014 Jan 28;111(2):380-2.
- Ilich JZ, Kelly OJ, Liu PY**, ym. Role of Calcium and Low-Fat Dairy Foods in Weight-Loss Outcomes Revisited: Results from the Randomized Trial of Effects on Bone and Body Composition in Overweight/Obese Postmenopausal Women. *Nutrients*. 2019 May 23;11(5):1157
- Jackson CL, Hu FB.** Long-term associations of nut consumption with body weight and obesity. *Am J Clin Nutr*. 2014 Jun 4.
- Jakobsen MU, Dethlefsen C, Joensen AM**, ym. Intake of carbohydrates compared with intake of saturated fatty acids and risk of myocardial infarction: importance of the glycemic index. *Am J Clin Nutr*. 2010 Jun;91(6):1764-8.
- Jakobsen MU, O'Reilly EJ, Heitmann BL**, ym. Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies *Am J Clin Nutr*. 2009 May;89(5):1425-32.
- Jakulj F, Zernicke K, Bacon SL**, ym. A high-fat meal increases cardiovascular reactivity to psychological stress in healthy young adults. *J Nutr*. 2007 Apr;137(4):935-9.
- Jalilpiran Y, Jayedi A, Djafarian K**, ym. The Nordic diet and the risk of non-communicable chronic disease and mortality: a systematic review and dose-response meta-analysis of prospective cohort studies. *Crit Rev Food Sci Nutr*. 2020 Dec 23:1-13.

- Jang LG, Choi G, Kim SW**, ym. The combination of sport and sport-specific diet is associated with characteristics of gut microbiota: an observational study. *J Int Soc Sports Nutr.* 2019;16(1):21.
- Jantchou P, Morois S, Clavel-Chapelon F**, ym. Animal protein intake and risk of inflammatory bowel disease: the E3N prospective study. *Am. J. Gastroenterol.* 2010;105:2195-2201.
- Jaworski M, Panczyk M, Cedro M**, ym. Adherence to dietary recommendations in diabetes mellitus: disease acceptance as a potential mediator. *Patient Prefer Adherence.* 2018 Jan 24;12:163-174.
- Jayawardena R, Swarnamali H, Lanerolle P**, ym. Effect of coconut oil on cardio-metabolic risk: A systematic review and meta-analysis of intervention studies. *Diabetes Metab Syndr.* 2020 Nov-Dec;14(6):2007-2020.
- Je Y, Giovannucci E**. Coffee consumption and total mortality: a meta-analysis of twenty prospective cohort studies. *Br J Nutr.* 2014 Apr 14;111(7):1162-73.
- Jefferson A, Adolphus K**. The Effects of Intact Cereal Grain Fibers, Including Wheat Bran on the Gut Microbiota Composition of Healthy Adults: A Systematic Review. *Front Nutr.* 2019;6:33.
- Jeffery I, O'Toole P**. Diet-microbiota interactions and their implications for healthy living. *Nutrients.* 2013;5:234-52.
- Jenkins DJ, Kendall CW, Augustin LS**, ym. Glycemic index: overview of implications in health and disease. *Am J Clin Nutr.* 2002 Jul;76(1):266S-73S. Review.
- Jenkins DJ, Srichaikul K, Kendall CW**, ym. relation of low glycaemic index fruit consumption to glycaemic control and risk factors for coronary heart disease in type 2 diabetes. *Diabetologia.* 2011 Feb;54(2):271-9.
- Jenkins DJ, Kendall CW, Augustin LS**, ym. (2012) Effect of legumes as part of a low glycemic index diet on glycemic control and cardiovascular risk factors in type 2 diabetes mellitus: a randomized controlled trial. *Arch Intern Med* 172, 1653-1660.
- Jenkins B, West JA, Koulman A**. A review of odd-chain fatty acid metabolism and the role of pentadecanoic Acid (c15:0) and heptadecanoic Acid (c17:0) in health and disease. *Molecules.* 2015;20(2):2425-2444.
- Jeukendrup AE, Aldred S**. Fat supplementation, health, and endurance performance. *Nutrition.* 2004 Jul-Aug;20(7-8):678-88.
- Jeukendrup AE, Jentjens R**. Oxidation of carbohydrate feedings during prolonged exercise: current thoughts, guidelines and directions for future research. *Sports Med.* 2000 Jun;29(6):407-24.
- Jia Y, Hwang SY, House JD**, ym. (2010) Long-term high intake of whole proteins results in renal damage in pigs. *J Nutr* 140: 1646-1652
- Jiang PY, Jiang ZB, Shen KX, Yue Y**. Fish intake and ovarian cancer risk: a meta-analysis of 15 case-control and cohort studies. *PLoS One.* 2014 Apr 14;9(4):e94601. (a)
- Jiang X, Zhang D, Jiang W**. Coffee and caffeine intake and incidence of type 2 diabetes mellitus: a meta-analysis of prospective studies. *Eur J Nutr.* 2014 Feb;53(1):25-38. (b)
- Jiang C, Li G, Huang P**, ym. The Gut Microbiota and Alzheimer's Disease. *J Alzheimers Dis.* 2017;58(1):1-15
- Jiménez-Monreal AM, García-Díz L, Martínez-Tomé M**, ym. Influence of cooking methods on antioxidant activity of vegetables. *J Food Sci.* 2009 Apr;74(3):H97-H103.
- Jin M, Cai S, Guo J**, ym. Alcohol drinking and all cancer mortality: a meta-analysis. *Ann Oncol.* 2013 Mar;24(3):807-16.
- Johnson RJ, Murray R**. Fructose, exercise, and health. *Curr Sports Med Rep.* 2010 Jul-Aug;9(4):253-8.
- Johnson GH, Fritzsche K**. Effect of dietary linoleic acid on markers of inflammation in healthy persons: a systematic review of randomized controlled trials. *J Acad Nutr Diet.* 2012 Jul;112(7):1029-41, **Johnson CM, Wei C, Ensor JE**, ym. Meta-analyses of colorectal cancer risk factors. *Cancer Causes Control.* 2013 Jun;24(6):1207-22.
1041.e1-15.
- Johnston CA, Foreyt JP**. Robust scientific evidence demonstrates benefits of artificial sweeteners. *Trends Endocrinol Metab.* 2014 Jan;25(1):1.
- Jones PJ, Jew S, AbuMweis S**. The effect of dietary oleic, linoleic, and linolenic acids on fat oxidation and energy expenditure in healthy men. *Metabolism.* 2008 Sep;57(9):1198-203.
- Jones PJ**. Dietary cholesterol and the risk of cardiovascular disease in patients: a review of the Harvard Egg Study and other data. *Int J Clin Pract Suppl.* 2009 Oct; (163):1-8, 28-36.
- Jones G**. Early life nutrition and bone development in children. *Nestle Nutr Workshop Ser Pediatr Program.* 2011;68:227-33; discussion 233-6.
- Josse AR, Kendall CW, Augustin LS**, ym. Almonds and postprandial glycemia--a dose-response study. *Metabolism.* 2007 Mar;56(3):400-4.
- Josse AR, Phillips SM**. Impact of milk consumption and resistance training on body composition of female athletes. *Med Sport Sci.* 2012;59:94-103.
- Jouris KB, McDaniel JL, Weiss EP**. The Effect of Omega-3 Fatty Acid Supplementation on the Inflammatory Response to eccentric strength exercise. *J Sports Sci Med.* 2011 Sep 1;10(3):432-8. eCollection 2011.
- Jovanovski E, Yashpal S, Komishon A**, ym. Effect of psyllium (*Plantago ovata*) fiber on LDL cholesterol and alternative lipid targets, non-HDL cholesterol and apolipoprotein B: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2018 Nov 1;108(5):922-932.
- Júdice PB, Silva AM, Magalhães JP**, ym. Sedentary behaviour and adiposity in elite athletes. *J Sports Sci.* 2014 Jun 10:1-8.
- Jurgens TM, Whelan AM, Killian L**, ym. Green tea for weight loss and weight maintenance in overweight or obese adults. *Cochrane Database Syst Rev.* 2012 Dec 12;12:CD008650.
- Jäger R, Mohr AE, Carpenter KC**, ym. International Society of Sports Nutrition Position Stand: Probiotics. *J Int Soc Sports Nutr.* 2019;16(1):62.
- Jönsson T, Granfeldt Y, Ahrén B**, ym. Beneficial effects of a Paleolithic diet on cardiovascular risk factors in type 2 diabetes: a randomized cross-over pilot study. *Cardiovasc Diabetol.* 2009 Jul 16;8:35.
- Jönsson T, Granfeldt Y, Erlanson-Albertsson C**, ym. A paleolithic diet is more satiating per calorie than a mediterranean-like diet in individuals with ischemic heart disease. *Nutr Metab (Lond).* 2010 Nov 30;7:85.
- Jönsson T, Granfeldt Y, Lindeberg S**, ym. Subjective satiety and other experiences of a Paleolithic diet compared to a diabetes diet in patients with type 2 diabetes. *Nutr J.* 2013 Jul 29;12:105.
- Kai SH, Bongard V, Simon C**, ym. Low-fat and high-fat dairy products are differently related to blood lipids and cardiovascular risk score. *Eur J Prev Cardiol.* 2013 Sep 3.
- Kalergis M, Leung Yinko SS, Nedelcu R**. Dairy products and prevention of type 2 diabetes: implications for research and practice. *Front Endocrinol (Lausanne).* 2013 Jul 23;4:90.
- Kallus SJ, Brandt LJ**. The intestinal microbiota and obesity. *J Clin Gastroenterol.* 2012 Jan;46(1):16-24.
- Kanerva N, Kaartinen NE, Ovaskainen ML**, ym. A diet following Finnish nutrition recommendations does not contribute to the current epidemic of obesity. *Public Health Nutr* 2013 May;16(5):786-94. (a)
- Kanerva N, Kaartinen NE, Rissanen H**, ym. Associations of the Baltic Sea diet with cardiometabolic risk factors - a meta-analysis of three Finnish studies. *Br J Nutr.* 2014 May 27:1-11.
- Kanerva N, Kaartinen NE, Rissanen H**, ym. Associations of the Baltic Sea diet with cardiometabolic risk factors - a meta-analysis of three Finnish studies. *Br J Nutr.* 2014 May 27:1-11.

- Kanerva N, Kaartinen NE, Schwab U**, ym. Adherence to the Baltic Sea diet consumed in the Nordic countries is associated with lower abdominal obesity. *Br J Nutr.* 2013 Feb 14;109(3):520-8. (b)
- Kanerva N, Loo BM, Eriksson JG**, ym. Associations of the Baltic Sea diet with obesity-related markers of inflammation. *Ann Med.* 2014 Mar;46(2):90-6 (a)
- Katan MB**. Weight-loss diets for the prevention and treatment of obesity. *N Engl J Med.* 2009 Feb 26;360(9):923-5.
- Kathiresan S, Otvos JD, Sullivan LM, et al.** Increased small low-density lipoprotein particle number: a prominent feature of the metabolic syndrome in the Framingham Heart Study. *Circulation.* 2006;113:20-29.
- Keim NL, Martin RJ**. Dietary whole grain-microbiota interactions: insights into mechanisms for human health. *Adv Nutr.* 2014 Sep;5(5):556-7.
- Keith SW, Redden DT, Katzmarzyk PT**, ym. Putative contributors to the secular increase in obesity: exploring the roads less traveled. *Int J Obes (Lond).* 2006 Nov;30(11):1585-94.
- Kelley GA, Kelley KS, Roberts S**, ym. Comparison of aerobic exercise, diet or both on lipids and lipoproteins in adults: a meta-analysis of randomized controlled trials. *Clin Nutr.* 2012 Apr;31(2):156-67.
- Kelley GA, Kelley KS**. Impact of progressive resistance training on lipids and lipoproteins in adults: a meta-analysis of randomized controlled trials. *Prev Med.* 2009 Jan;48(1):9-19.
- Kendall CW, Esfahani A, Josse AR**, ym. The glycemic effect of nut-enriched meals in healthy and diabetic subjects. *Nutr Metab Cardiovasc Dis.* 2011 Jun;21 Suppl 1:S34-9.
- Khan AS, Keast R, Khan NA**. Preference for dietary fat: From detection to disease. *Prog Lipid Res.* 2020 Apr;78:101032.
- Kien CL, Bunn JY, Tompkins CL**, ym. Substituting dietary monounsaturated fat for saturated fat is associated with increased daily physical activity and resting energy expenditure and with changes in mood. *Am J Clin Nutr.* 2013 Apr;97(4):689-97.
- Kien CL, Bunn JY, Ugrasbul F**. Increasing dietary palmitic acid decreases fat oxidation and daily energy expenditure. *Am J Clin Nutr.* 2005 Aug;82(2):320-6.
- Killer SC, Blannin AK, Jeukendrup AE**. No evidence of dehydration with moderate daily coffee intake: a counterbalanced cross-over study in a free-living population. *PLoS One.* 2014 Jan 9;9(1):e84154.
- Kim KH, Oh SW, Kwon H**, ym. Alcohol consumption and its relation to visceral and subcutaneous adipose tissues in healthy male Koreans. *Ann Nutr Metab.* 2012;60(1):52-61.
- Kim MH, Kim H**. The Roles of Glutamine in the Intestine and Its Implication in Intestinal Diseases. *Int J Mol Sci.* 2017 May 12;18(5):1051.
- Kim HJ, Jung S, Eliassen AH**, ym. Alcohol consumption and breast cancer risk in younger women according to family history of breast cancer and folate intake. *American journal of epidemiology.* 2017 Aug 10;186(5):524-31. (a)
- King NA, Blundell JE**. High-fat foods overcome the energy expenditure induced by high-intensity cycling or running. *Eur J Clin Nutr.* 1995 Feb;49(2):114-23.
- Kirkpatrick CF, Bolick JP, Kris-Etherton PM**, ym. Review of current evidence and clinical recommendations on the effects of low-carbohydrate and very-low-carbohydrate (including ketogenic) diets for the management of body weight and other cardiometabolic risk factors: A scientific statement from the National Lipid Association Nutrition and Lifestyle Task Force. *J. Clin. Lipidol.* 2019, 13(5), Sept–Oct
- Knight C**. "Most people are simply not designed to eat pasta": evolutionary explanations for obesity in the low-carbohydrate diet movement. *Public Underst Sci.* 2011 Sep;20(5):706-19.
- Kobyliak N, Virchenko O, Falalyeyeva T**. Pathophysiological role of host microbiota in the development of obesity. *Nutr J.* 2016 Apr 23;15:43.
- Kodama S, Tanaka S, Saito K**, ym. Effect of aerobic exercise training on serum levels of high-density lipoprotein cholesterol: a meta-analysis. *Arch Intern Med.* 2007;167:999-1008.
- Koh-Banerjee P, Chu NF, Spiegelman D**, ym. Prospective study of the association of changes in dietary intake, physical activity, alcohol consumption, and smoking with 9-y gain in waist circumference among 16 587 US men. *Am J Clin Nutr.* 2003 Oct;78(4):719-27.
- Koh-Banerjee P, Franz M, Sampson L**, ym. Changes in whole-grain, bran, and cereal fiber consumption in relation to 8-y weight gain among men. *Am J Clin Nutr.* 2004;80(5):1237-45.
- Kokubo Y, Iso H, Saito I**, ym. The impact of green tea and coffee consumption on the reduced risk of stroke incidence in Japanese population: the Japan public health center-based study cohort. *Stroke.* 2013 May;44(5):1369-74.
- Kolb H, Mandrup-Poulsen T**. The global diabetes epidemic as a consequence of lifestyle-induced low-grade inflammation. *Diabetologia.* 2010 Jan;53(1):10-20.
- Koloverou E, Esposito K, Giugliano D**, ym. The effect of Mediterranean diet on the development of type 2 diabetes mellitus: A meta-analysis of 10 prospective studies and 136,846 participants. *Metabolism.* 2014 Jul;63(7):903-911.
- Kopf JC, Suhr MJ, Clarke J**, ym. Role of whole grains versus fruits and vegetables in reducing subclinical inflammation and promoting gastrointestinal health in individuals affected by overweight and obesity: a randomized controlled trial. *Nutr J.* 2018 Jul 30;17(1):72.
- Koppes LL, Dekker JM, Hendriks HF**, ym. Moderate alcohol consumption lowers the risk of type 2 diabetes: a meta-analysis of prospective observational studies. *Diabetes Care.* 2005 Mar 1;28(3):719-25.
- Kratz M, Baars T, Guyenet S**. The relationship between high-fat dairy consumption and obesity, cardiovascular, and metabolic disease. *Eur J Nutr.* 2013 Feb;52(1):1-24.
- Kratz M, Marcovina S, Nelson JE**, ym. Dairy fat intake is associated with glucose tolerance, hepatic and systemic insulin sensitivity, and liver fat but not β -cell function in humans. *Am J Clin Nutr.* 2014 Apr 16;99(6):1385-1396.
- Krishnan S, Cooper JA**. Effect of dietary fatty acid composition on substrate utilization and body weight maintenance in humans. *Eur J Nutr.* 2014 Apr;53(3):691-710.
- Krittawong C, Narasimhan B, Wang Z, Virk HUH, Farrell AM, Zhang H, Tang WHW**. Association Between Egg Consumption and Risk of Cardiovascular Outcomes: A Systematic Review and Meta-Analysis. *Am J Med.* 2021 Jan;134(1):76-83.e2.
- Kromhout D, de Goede J**. Update on cardiometabolic health effects of ω -3 fatty acids. *Curr Opin Lipidol.* 2014 Feb;25(1):85-90.
- Kuehl KS**. Cherry juice targets antioxidant potential and pain relief. *Med Sport Sci.* 2012;59:86-93.
- Kumar Singh A, Cabral C, Kumar R**, ym. Beneficial Effects of Dietary Polyphenols on Gut Microbiota and Strategies to Improve Delivery Efficiency. *Nutrients.* 2019 Sep 13;11(9):2216.
- Kunutsor SK, Apekey TA, Walley J**, ym. Ferritin levels and risk of type 2 diabetes mellitus: an updated systematic review and meta-analysis of prospective evidence. *Diabetes Metab Res Rev.* 2013 May;29(4):308-18.
- Käypä hoito -suositus**. Dyslipidemiat. Suomalaisen Lääkäriseuran Duodecimin ja Suomen Sisätautilääkärien Yhdistys ry:n asettama työryhmä. Helsinki: Suomalainen Lääkärisseura Duodecim, 2021 (viitattu 17.4.2021). Saatavilla internetissä: www.kaypahoito.fi
- Laatikainen R, Koskenpalo J, Hongisto SM**, ym. Randomised clinical trial: low-FODMAP rye bread vs. regular rye bread to relieve the symptoms of irritable bowel syndrome. *Aliment Pharmacol Ther.* 2016 Sep;44(5):460-70.
- Lackey DE, Lynch CJ, Olson KC**, ym. Regulation of adipose branched-chain amino acid catabolism enzyme expression and cross-adipose amino acid flux in human obesity. *Am J Physiol Endocrinol Metab.* 2013 Jun 1;304(11):E1175-87.

- Lacroix M, Bos C, Léonil J**, ym. Compared with casein or total milk protein, digestion of milk soluble proteins is too rapid to sustain the anabolic postprandial amino acid requirement. *Am J Clin Nutr.* 2006 Nov;84(5):1070-9.
- Laitinen K, Gylling H**. Dose-dependent LDL-cholesterol lowering effect by plant stanol ester consumption: clinical evidence. *Lipids Health Dis.* 2012 Oct 22;11:140.
- Lamprecht M, Bogner S, Schipplinger G**, ym. Probiotic supplementation affects markers of intestinal barrier, oxidation, and inflammation in trained men; a randomized, double-blinded, placebo-controlled trial. *J Int Soc Sports Nutr.* 2012;9:45.
- Lappi J, Kolehmainen M, Mykkänen H**, ym. Do large intestinal events explain the protective effects of whole grain foods against type 2 diabetes? *Crit Rev Food Sci Nutr.* 2013;53(6):631-40.
- Lappi J**. Effects of wholegrain foods and grain fibre in intestinal tract in relation to glucose metabolism : with an emphasis on wheat and rye bread effects. University of Eastern Finland, Faculty of Health Sciences. Publications of the University of Eastern Finland. Dissertations in Health Sciences. 227. 2014 p. 140
- Lasheras I, Seral P, Alonso-Ventura V**, ym. The impact of acute energy drink consumption on electrical heart disease: A systematic review and meta-analysis. *J Electrocardiol.* 2021 Mar-Apr;65:128-135.
- Laurila S, Lahesmaa M, Nuutila P**, ym. Ruskean rasvakudoksen toiminta ja merkitys. Lääketieteellinen aikakauskirja duodecim. 2020;136(6):625-32
- Laviada-Molina H, Molina-Segui F, Pérez-Gaxiola G**, ym. Effects of nonnutritive sweeteners on body weight and BMI in diverse clinical contexts: Systematic review and meta-analysis. *Obes Rev.* 2020 Jul;21(7):e13020.
- Lawton CL, Delargy HJ, Brockman J**, ym. The degree of saturation of fatty acids influences post-ingestive satiety. *Br J Nutr.* 2000;83:473-82.
- Lee DR, Lee J, Rota M**, ym. Coffee consumption and risk of fractures: a systematic review and dose-response meta-analysis. *Bone.* 2014 Jun;63:20-8.
- Lee LC, Hsu PS, Hsieh KC**, ym. Standing 8-Electrode Bioelectrical Impedance Analysis as an Alternative Method to Estimate Visceral Fat Area and Body Fat Mass in Athletes. *Int J Gen Med.* 2021 Feb 24;14:539-548.
- Leidy HJ, Clifton PM, Astrup A**, ym. The role of protein in weight loss and maintenance. *Am J Clin Nutr.* 2015 Jun;101(6):1320S-1329S.
- Lenhart A, Chey WD**. A Systematic Review of the Effects of Polyols on Gastrointestinal Health and Irritable Bowel Syndrome. *Adv Nutr.* 2017 Jul; 8(4):587-596.
- Lepe M, Bacardi Gascón M, Jiménez Cruz A**. Long-term efficacy of high-protein diets: a systematic review. *Nutr Hosp.* 2011 Nov-Dec;26(6):1256-9.
- Leung Yinko SS, Stark KD, Thanassoulis G**, ym. Fish Consumption and Acute Coronary Syndrome: A Meta-Analysis. *Am J Med.* 2014 May;3.
- Lewington S, Whitlock G, Clarke R, ym.** Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55,000 vascular deaths. *Lancet.* 2007 Dec 1;370(9602):1829-39. Review.
- Li Q, Zhang Q, Wang M**, ym. n-3 polyunsaturated fatty acids prevent disruption of epithelial barrier function induced by proinflammatory cytokines. *Mol Immunol.* 2008 Mar;45(5):1356-65.
- Li Y, Zhou C, Zhou X**, ym. Egg consumption and risk of cardiovascular diseases and diabetes: a meta-analysis. *Atherosclerosis.* 2013 Aug;229(2):524-30
- Lin HV, Frassetto A, Kowalik EJ Jr**, ym. Butyrate and propionate protect against diet-induced obesity and regulate gut hormones via free fatty acid receptor 3-independent mechanisms. *PLoS One.* 2012;7(4):e35240.
- Lindeberg S, Jönsson T, Granfeldt Y**, ym. A Palaeolithic diet improves glucose tolerance more than a Mediterranean-like diet in individuals with ischaemic heart disease. *Diabetologia.* 2007 Sep;50(9):1795-807.
- Liu H, Yao K, Zhang W**, ym. Coffee consumption and risk of fractures: a meta-analysis. *Arch Med Sci.* 2012 Nov 9;8(5):776-83.
- Liu RH**. Health-promoting components of fruits and vegetables in the diet. *Adv Nutr.* 2013 May 1;4(3):384S-92S.
- Liu F, Li P, Chen M**, ym. Fructooligosaccharide (FOS) and Galactooligosaccharide (GOS) Increase Bifidobacterium but Reduce Butyrate Producing Bacteria with Adverse Glycemic Metabolism in healthy young population. *Sci Rep.* 2017 Sep 18;7(1):11789.
- Livesey G, Taylor R, Livesey H**, ym. Is there a dose-response relation of dietary glycemic load to risk of type 2 diabetes? Meta-analysis of prospective cohort studies. *Am J Clin Nutr.* 2013 Mar;97(3):584-96.
- Livesey G, Taylor R, Livesey HF**, ym. Dietary Glycemic Index and Load and the Risk of Type 2 Diabetes: A Systematic Review and Updated Meta-Analyses of Prospective Cohort Studies. *Nutrients.* 2019 Jun 5;11(6):1280.
- Lohner S, Kuellenberg de Gaudry D, Toews I**, ym. Non-nutritive sweeteners for diabetes mellitus. *Cochrane Database Syst Rev.* 2020 May 25;5(5):CD012885.
- Lomax AR, Calder PC**. Prebiotics, immune function, infection and inflammation: a review of the evidence. *Br J Nutr.* 2009 Mar;101(5):633-58.
- Lucas L, Russell A, Keast R**. Molecular mechanisms of inflammation. Anti-inflammatory benefits of virgin olive oil and the phenolic compound oleocanthal. *Curr Pharm Des.* 2011;17(8):754-68. Review.
- Lucas López R, Grande Burgos MJ, Gálvez A**, ym. The human gastrointestinal tract and oral microbiota in inflammatory bowel disease: a state of the science review. *APMIS.* 2017 Jan;125(1):3-10.
- Ma JK, Zhang H, Tsuchiya T**, ym. Frying stability of rapeseed Kizakinonatanate (*Brassica napus*) oil in comparison with canola oil. *Food Sci Technol Int.* 2014 Jan 28.
- Macaluso F, Barone R, Cataneo P**, ym. Do fat supplements increase physical performance? *Nutrients.* 2013 Feb 7;5(2):509-24.
- Machha A, Schechter AN**. Inorganic nitrate: a major player in the cardiovascular health benefits of vegetables? *Nutr Rev.* 2012 Jun;70(6):367-72.
- Mackey AL**. Does an NSAID a day keep satellite cells at bay? *J Appl Physiol.* (1985). 2013 Sep;115(6):900-8.
- Madero M, Arriaga JC, Jalal D**, ym. The effect of two energy-restricted diets, a low-fructose diet versus a moderate natural fructose diet, on weight loss and metabolic syndrome parameters: a randomized controlled trial. *Metabolism.* 2011 Nov;60(11):1551-9.
- Magalhães B, Peleteiro B, Lunet N**. Dietary patterns and colorectal cancer: systematic review and meta-analysis. *Eur J Cancer Prev.* 2012 Jan;21(1):15-23.
- Magkos F, Tetens I, Bügel SG**, ym. A Perspective on the Transition to Plant-Based Diets: a Diet Change May Attenuate Climate Change, but Can It Also Attenuate Obesity and Chronic Disease Risk?. *Adv Nutr.* 2020;11(1):1-9.
- Magnusson BA, Carakostas MC, Moore NH**, ym. Biological fate of low-calorie sweeteners. *Nutr. Rev.* 2016;74:670–689.
- Makkai K, Deehan EC, Walter J**, ym. The Impact of Dietary Fiber on Gut Microbiota in Host Health and Disease. *Cell Host Microbe.* 2018;23(6):705-715.
- Malik VS, Pan A, Willett WC**, ym. Sugar-sweetened beverages and weight gain in children and adults: a systematic review and meta-analysis. *Am J Clin Nutr.* 2013 Oct;98(4):1084-102.
- Malik VS, Popkin BM, Bray GA**, ym. Sugar-sweetened beverages and risk of metabolic syndrome and type 2 diabetes: a meta-analysis. *Diabetes Care.* 2010 Nov;33(11):2477-83.
- Manolopoulos KN, Karpe F, Frayn KN**. Gluteofemoral body fat as a determinant of metabolic health. *Int J Obes (Lond).* 2010 Jun;34(6):949-59.
- Manore MM**. Dietary supplements for improving body composition and reducing body weight: where is the evidence? *Int J Sport Nutr Exerc Metab.* 2012 Apr;22(2):139-54. Review.
- Marcos A, Serra-Majem L, Pérez-Jiménez F**, ym. Moderate Consumption of Beer and Its Effects on Cardiovascular and Metabolic Health: An Updated Review of Recent Scientific Evidence. *Nutrients.* 2021 Mar 9;13(3):879
- Mariani J, Doval HC, Nul D**, ym. N-3 polyunsaturated fatty acids to prevent atrial fibrillation: updated systematic review and meta-analysis of randomized controlled trials. *J Am Heart Assoc.* 2013 Feb 19;2(1):e005033..

- Marina AM, Man YB, Nazimah SA**, ym. Antioxidant capacity and phenolic acids of virgin coconut oil. *Int J Food Sci Nutr.* 2009;60 Suppl 2:114-23.
- Marina AM**, ym. Virgin coconut oil: emerging functional food oil. *Trends in Food Science & Technology* 20 (2009) 481-487.
- Marinangeli CP, Jones PJ**. Pulse grain consumption and obesity: effects on energy expenditure, substrate oxidation, body composition, fat deposition and satiety. *Br J Nutr.* 2012 Aug;108 Suppl 1:S46-51.
- Martínez-González MA, Toledo E, Arós F**, ym. Extra-Virgin Olive Oil Consumption Reduces Risk of Atrial Fibrillation: The PREDIMED Trial. *Circulation.* 2014 Apr 30
- Martínez-Lapiscina EH, Clavero P, Toledo E**, ym. Mediterranean diet improves cognition: the PREDIMED-NAVARRA randomised trial. *J Neurol Neurosurg Psychiatry.* 2013 Dec;84(12):1318-25.
- Mashhadí NS, Ghiasvand R, Askari G**, ym. Influence of ginger and cinnamon intake on inflammation and muscle soreness endured by exercise in Iranian female athletes. *Int J Prev Med.* 2013 Apr;4(Suppl 1):S11-S.
- Massey LK**. Dairy food consumption, blood pressure and stroke. *J Nutr.* 2001 Jul;131(7):1875-8. Review.
- Matthes RD, Popkin BM**. Nonnutritive sweetener consumption in humans: effects on appetite and food intake and their putative mechanisms. *Am J Clin Nutr.* 2009 Jan;89(1):1-14.
- McEvoy CT, Temple N, Woodside JV**. Vegetarian diets, low-meat diets and health: a review. *Public Health Nutr.* 2012 Dec;15(12):2287-94.
- McGartland CP, Robson PJ, Murray LJ**, ym. Fruit and vegetable consumption and bone mineral density: the Northern Ireland Young Hearts Project. *Am J Clin Nutr.* 2004 Oct;80(4):1019-23.
- McKeown NM, Troy LM, Jacques PF**, ym. Whole- and refined-grain intakes are differentially associated with abdominal visceral and subcutaneous adiposity in healthy adults: the Framingham Heart Study. *Am J Clin Nutr.* 2010 Nov;92(5):1165-71.
- McRae MP**. Health Benefits of Dietary Whole Grains: An Umbrella Review of Meta-analyses. *J Chiropr Med.* 2017 Mar;16(1):10-18.
- McRorie JW Jr**. Evidence-Based Approach to Fiber Supplements and Clinically Meaningful Health Benefits, Part 1: What to Look for and How to Recommend an Effective Fiber Therapy. *Nutr Today.* 2015;50(2):82-89. (a)
- Mejia E, Pearlman M**. Natural Alternative Sweeteners and Diabetes Management. *Curr Diab Rep.* 2019 Nov 21;19(12):142.
- Mendivil CO**. Dietary Fish, Fish Nutrients, and Immune Function: A Review. *Front Nutr.* 2021 Jan 20;7:617652.
- Mensinga TT, Speijers GJ, Meulenbelt J**. Health implications of exposure to environmental nitrogenous compounds. *Toxicol Rev.* 2003;22(1):41-51.
- Mensink RP, Zock PL, Kester AD**, ym. Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. *Am J Clin Nutr.* 2003 May;77(5):1146-55.
- Meessen ECE, Warmbrunn MV, Nieuwdorp M**, ym. Human Postprandial Nutrient Metabolism and Low-Grade Inflammation: A Narrative Review. *Nutrients.* 2019;11(12):3000.
- Micha R, Michas G, Lajous M**, ym. Processing of meats and cardiovascular risk: time to focus on preservatives. *BMC Med.* 2013 May 23;11:136.
- Micha R, Michas G, Mozaffarian D**. Unprocessed red and processed meats and risk of coronary artery disease and type 2 diabetes--an updated review of the evidence. *Curr Atheroscler Rep.* 2012 Dec;14(6):515-24.
- Micha R, Mozaffarian D**. Trans fatty acids: effects on metabolic syndrome, heart disease and diabetes. *Nat Rev Endocrinol.* 2009 Jun;5(6):335-44.
- Mickleborough TD, Head SK, Lindley MR**. Exercise-induced asthma: nutritional management. *Curr Sports Med Rep.* 2011 Jul;10(4):197-202.
- Miglio C, Chiavaro E, Visconti A**, ym. Effects of different cooking methods on nutritional and physicochemical characteristics of selected vegetables. *J Agric Food Chem.* 2008 Jan 9;56(1):139-47
- Miller PE, Perez V**. Low-calorie sweeteners and body weight and composition: a meta-analysis of randomized controlled trials and prospective cohort studies. *Am J Clin Nutr.* 2014 Jun 18.
- Minihane AM, Khan S, Leigh-Firbank EC**, ym. ApoE polymorphism and fish oil supplementation in subjects with an atherogenic lipoprotein phenotype. *Arterioscler Thromb Vasc Biol.* 2000;20:1990-1997.
- Mirvish SS, Grandjean AC, Reimers KJ**, ym. Effect of ascorbic acid dose taken with a meal on nitrosoproline excretion in subjects ingesting nitrate and proline. *Nutr Cancer.* 1998;31(2):106-10.
- Misiak B, Leszek J, Kiejna A**. Metabolic syndrome, mild cognitive impairment and Alzheimer's disease--the emerging role of systemic low-grade inflammation and adiposity. *Brain Res Bull.* 2012 Nov 1;89(3-4):144-9.
- Mittendorfer B, Klein S, Fontana L**. A word of caution against excessive protein intake. *Nature reviews. Endocrinology.* 2019, Vol.16 (1), p.59-66
- Monnier L, Mas E, Ginet C**, ym. Activation of oxidative stress by acute glucose fluctuations compared with sustained chronic hyperglycemia in patients with type 2 diabetes. *JAMA.* 2006 Apr 12;295(14):1681-7.
- Monnier L, Mas E, Ginet C**, ym. Activation of oxidative stress by acute glucose fluctuations compared with sustained chronic hyperglycemia in patients with type 2 diabetes. *JAMA.* 2006 Apr 12;295(14):1681-7.
- Moreno-Pérez D, Bressa C, Bailén M**, ym. Effect of a Protein Supplement on the Gut Microbiota of Endurance Athletes: A Randomized, Controlled, Double-Blind Pilot Study. *Nutrients.* 2018;10(3):337.
- Morgan J, Carey C, Lincoff A**, ym. High-density lipoprotein subfractions and risk of coronary artery disease. *Curr Atheroscler Rep.* 2004;6:359-365.
- Mostofsky E, Mukamal KJ, Giovannucci EL**, ym. Key findings on alcohol consumption and a variety of health outcomes from the Nurses' Health Study. *American journal of public health.* 2016 Sep;106(9):1586-91.
- Moussavi N, Gavino V, Receveur O**. Could the quality of dietary fat, and not just its quantity, be related to risk of obesity? *Obesity (Silver Spring).* 2008 Jan;16(1):7-15.
- Mozaffarian D, Aro A, Willett WC**. Health effects of trans-fatty acids: experimental and observational evidence. *Eur J Clin Nutr.* 2009 May;63 Suppl 2:S5-21
- Mozaffarian D, Cao H, King IB**, ym. Trans-palmitoleic acid, metabolic risk factors, and new-onset diabetes in U.S. adults: a cohort study. *Ann Intern Med.* 2010 Dec 21;153(12):790-9. (b)
- Mozaffarian D, Clarke R**. Quantitative effects on cardiovascular risk factors and coronary heart disease risk of replacing partially hydrogenated vegetable oils with other fats and oils. *Eur J Clin Nutr.* 2009;63(Suppl 2):S22-S33.
- Mozaffarian D, de Oliveira Otto MC, Lemaitre RN**, ym. trans-Palmitoleic acid, other dairy fat biomarkers, and incident diabetes: the Multi-Ethnic Study of Atherosclerosis (MESA). *Am J Clin Nutr.* 2013 Apr;97(4):854-61
- Mozaffarian D, Hao T, Rimm EB**, ym. Changes in diet and lifestyle and long-term weight gain in women and men. *N Engl J Med.* 2011 Jun 23;364(25):2392-404
- Mozaffarian D, Micha R, Wallace S**. Effects on coronary heart disease of increasing polyunsaturated fat in place of saturated fat: a systematic review and meta-analysis of randomized controlled trials. *PLoS Med.* 2010 Mar 23;7(3):e1000252. (a)
- Mozaffarian D, Wu JH**. Omega-3 fatty acids and cardiovascular disease: effects on risk factors, molecular pathways, and clinical events. *J Am Coll Cardiol.* 2011 Nov 8;58(20):2047-67.
- Mozaffarian D**. Dairy Foods, Obesity, and Metabolic Health: The Role of the Food Matrix Compared with Single Nutrients. *Adv Nutr.* 2019 Sep 1;10(5):917S-923S.

- Mukamal KJ, Conigrave KM, Mittleman MA**, ym. Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. *New England Journal of Medicine.* 2003 Jan 9;348(2):109-18.
- Muñoz A, Costa M**. Nutritionally mediated oxidative stress and inflammation. *Oxid Med Cell Longev.* 2013;2013:610950.
- Murphy RR, Renfroe MH, Brevard PB**, ym. Cooking does not decrease hydrophilic antioxidant capacity of wild blueberries. *Int J Food Sci Nutr.* 2009;60 Suppl 2:88-98.
- Mustajoki P, Rasanen Läkärkirja Duodecim. Julkaistu 15.3.2021. Viitattu 12.5.2021. Saatavilla: https://www.terveyskirjasto.fi/dlk00070**
- Männistö S, Harald K, Kontto J**, ym. Dietary and lifestyle characteristics associated with normal-weight obesity: the National FINRISK 2007 Study. *Br J Nutr.* 2014 Mar 14;111(5):887-94.
- Nadeem IM, Shanmugaraj A, Sakha S**, ym. Energy Drinks and Their Adverse Health Effects: A Systematic Review and Meta-analysis. *Sports Health.* 2021 May-Jun;13(3):265-277.
- Naghshi S, Sadeghi O, Willett WC**, ym. Dietary intake of total, animal, and plant proteins and risk of all cause, cardiovascular, and cancer mortality: systematic review and dose-response meta-analysis of prospective cohort studies. *BMJ.* 2020 Jul 22;370:m2412.
- Navas-Carrasco S, Abete I, Zulet MA**, ym. Chronologically scheduled snacking with high-protein products within the habitual diet in type-2 diabetes patients leads to a fat mass loss: a longitudinal study. *Nutr J.* 2011 Jul 14;10:74.
- Neelakantan N, Seah JYH, van Dam RM**. The Effect of Coconut Oil Consumption on Cardiovascular Risk Factors: A Systematic Review and Meta-Analysis of Clinical Trials. *Circulation.* 2020 Mar 10;141(10):803-814.
- Nelson M, Poultier J**. Impact of tea drinking on iron status in the UK: a review. *J Hum Nutr Diet.* 2004 Feb;17(1):43-54.
- Neri L, Faiafa M, Di Mattia C**, ym. Antioxidant Activity in Frozen Plant Foods: Effect of Cryoprotectants, Freezing Process and Frozen Storage. *Foods.* 2020 Dec 17;9(12):1886.
- Nestel PJ, Chronopoulos A, Cehun M**. Dairy fat in cheese raises LDL cholesterol less than that in butter in mildly hypercholesterolaemic subjects. *Eur J Clin Nutr.* 2005 Sep;59(9):1059-63.
- Nettleton JA, Brouwer IA, Mensink RP**, ym. Fats in Foods: Current Evidence for Dietary Advice. *Ann Nutr Metab.* 2018;72(3):248-254.
- Neves MEA, Souza MR, Gorgulho BM**, ym. Association of dietary patterns with blood pressure and body adiposity in adolescents: a systematic review. *Eur J Clin Nutr.* 2021 Feb 2.
- Neves Ribeiro D, Gonçalves Alfenas Rde C, Bressan J**, ym. The effect of oilseed consumption on appetite and on the risk of developing type 2 diabetes mellitus. *Nutr Hosp.* 2013 Mar-Apr;28(2):296-305.
- Nevin KG, Rajamohan T**. Beneficial effects of virgin coconut oil on lipid parameters and in vitro LDL oxidation. *Clin Biochem.* 2004 Sep;37(9):830-5.
- Newgard CB, An J, Bain JR**, ym. A branched-chain amino acid-related metabolic signature that differentiates obese and lean humans and contributes to insulin resistance. *Cell Metab.* 2009;9(4):311-326.
- Nielsen ES, Garnås E, Jensen KJ**, ym. Lacto-fermented sauerkraut improves symptoms in IBS patients independent of product pasteurisation - a pilot study. *Food Funct.* 2018 Oct 17;9(10):5323-5335.
- Nieman KM, Anderson BD, Cifelli CJ**. The Effects of Dairy Product and Dairy Protein Intake on Inflammation: A Systematic Review of the Literature. *J Am Coll Nutr.* 2020 Sep 1:1-12.
- Norde MM, Collese TS, Giovannucci E**, ym. A posteriori dietary patterns and their association with systemic low-grade inflammation in adults: a systematic review and meta-analysis. *Nutr Rev.* 2021 Feb 11;79(3):331-350.
- Noto H, Goto A, Tsujimoto T**, ym. Low-carbohydrate diets and all-cause mortality: a systematic review and meta-analysis of observational studies. *PLoS One.* 2013;8(1):e55030.
- Noverr MC, Huffnagle GB**. Does the microbiota regulate immune responses outside the gut? *Trends Microbiol.* 2004 Dec;12(12):562-8.
- Nyberg ST, Heikkilä K, Fransson EI**, ym. strain in relation to body mass index: pooled analysis of 160 000 adults from 13 cohort studies. *J Intern Med.* 2012 Jul;272(1):65-73.
- Ohlsson L**. Dairy products and plasma cholesterol levels. *Food Nutr Res.* 2010 Aug 19;54.
- O'Keefe JH, Gheewala NM, O'Keefe JO**. Dietary strategies for improving post-prandial glucose, lipids, inflammation, and cardiovascular health. *J Am Coll Cardiol.* 2008 Jan 22;51(3):249-55.
- O'Keefe SJD**. The Need to Reassess Dietary Fiber Requirements in Healthy and Critically Ill Patients. *Gastroenterol Clin North Am.* 2018;47(1):219-229.
- O'Keefe EL, DiNicolantonio JJ, O'Keefe JH**, ym. Alcohol and CV Health: Jekyll and Hyde J-Curves. *Prog Cardiovasc Dis.* 2018 May-Jun;61(1):68-75. (a)
- Onakpoya I, Spencer E, Heneghan C**, ym. The effect of green tea on blood pressure and lipid profile: A systematic review and meta-analysis of randomized clinical trials. *Nutr Metab Cardiovasc Dis.* 2014 Jan 31.
- O'Neil CE, Keast DR, Nicklas TA**, ym. Nut consumption is associated with decreased health risk factors for cardiovascular disease and metabolic syndrome in U.S. adults: NHANES 1999-2004. *J Am Coll Nutr.* 2011 Dec;30(6):502-10.
- Ovaskainen M-L, Männistö S, Tapanainen H**, ym. Aikuisten ruokavaliossa tarvitaan terveyttä edistäviä muutoksia. Julkaistu 11/2015. Viitattu 21.4.2021. Saatavilla: https://www.julkari.fi/bitstream/handle/10024/128984/TUTI2015_035_THL.pdf?sequence=3
- Ozdal T, Sela DA, Xiao J**, ym. The Reciprocal Interactions between Polyphenols and Gut Microbiota and Effects on Bioaccessibility. *Nutrients.* 2016 Feb 6;8(2):78.
- Paddon-Jones D, Westman E, Mattes RD**, ym. Protein, weight management, and satiety. *Am J Clin Nutr.* 2008 May;87(5):1558S-1561S.
- Pal S, Khosousi A, Binns C, et al.** The effect of a fibre supplement compared to a healthy diet on body composition, lipids, glucose, insulin and other metabolic syndrome risk factors in overweight and obese individuals. *Br J Nutr.* 2011;105:90-100.
- Pal S, Radavelli-Bagatini S**. Effects of psyllium on metabolic syndrome risk factors. *Obes Rev.* 2012 Nov;13(11):1034-47.
- Palmnäs MS, Cowan TE, Bomhof MR**, ym. Low-dose aspartame consumption differentially affects gut microbiota-host metabolic interactions in the diet-induced obese rat. *PLoS One.* 2014; 9(10):e109841.
- Palomäki A, Pohjantähti-Maaroos H, Wallenius M**, ym. Effects of dietary cold-pressed turnip rapeseed oil and butter on serum lipids, oxidized LDL and arterial elasticity in men with metabolic syndrome. *Lipids Health Dis.* 2010 Dec 1;9:137.
- Pan A, Hu FB**. Effects of carbohydrates on satiety: differences between liquid and solid food. *Curr Opin Clin Nutr Metab Care.* 2011 Jul;14(4):385-90.
- Pan A, Malik VS, Hao T**, ym. Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *Int J Obes (Lond).* 2013 Oct;37(10):1378-85.
- Pan A, Sun Q, Bernstein AM**, ym. Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *Am J Clin Nutr.* 2011 Oct;94(4):1088-96.
- Pan A, Sun Q, Manson JE**, ym. Walnut consumption is associated with lower risk of type 2 diabetes in women. *J Nutr.* 2013 Apr;143(4):512-8. (a)
- Panahi S, Tremblay A**. The Potential Role of Yogurt in Weight Management and Prevention of Type 2 Diabetes. *J Am Coll Nutr.* 2016 Nov-Dec;35(8):717-731.
- Pandey KR, Naik SR, Vakil BV**. Probiotics, prebiotics and synbiotics- a review. *J Food Sci Technol.* 2015 Dec;52(12):7577-87.
- Paoli A, Mancin L, Bianco A**, ym. Ketogenic Diet and Microbiota: Friends or Enemies?. *Genes (Basel).* 2019;10(7):534.

- Paoli A, Rubini A, Volek JS**, ym. Beyond weight loss: a review of the therapeutic uses of very-low-carbohydrate (ketogenic) diets. *Eur J Clin Nutr.* 2013 Aug;67(8):789-96.
- Paoli A**. Ketogenic diet for obesity: friend or foe? *Int J Environ Res Public Health.* 2014 Feb 19;11(2):2092-107.
- Parkar SG, Kalsbeek A, Cheeseman JF**. Potential Role for the Gut Microbiota in Modulating Host Circadian Rhythms and Metabolic Health. *Microorganisms.* 2019 Jan 31;7(2).
- Parlesak A, Eckoldt J, Winkler K**, ym. Intercorrelations of lipoprotein subfractions and their covariation with lifestyle factors in healthy men. *J Clin Biochem Nutr.* 2014 May;54(3):174-80.
- Parnell JA, Reimer RA**. Prebiotic fibres dose-dependently increase satiety hormones and alter Bacteroidetes and Firmicutes in lean and obese JCR:LA-cp rats. *Br J Nutr.* 2012 Feb;107(4):601-13.
- Parolini C**. Effects of Fish n-3 PUFAs on Intestinal Microbiota and Immune System. *Mar Drugs.* 2019 Jun 22;17(6):374.
- Pate RR, Miller BJ, Davis JM**, ym. Iron status of female runners. *Int J Sport Nutr.* 1993 Jun;3(2):222-31.
- Patel BP, Bellissimo N, Luhovsky B**, ym. An after-school snack of raisins lowers cumulative food intake in young children. *J Food Sci.* 2013 Jun;78 Suppl 1:A5-A10. (a)
- Patel PS, Forouhi NG, Kuijsten A**, ym. **InterAct Consortium.** The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. *Am J Clin Nutr.* 2012 Jun;95(6):1445-53.
- Pearce KL, Clifton PM, Noakes M**. Egg consumption as part of an energy-restricted high-protein diet improves blood lipid and blood glucose profiles in individuals with type 2 diabetes. *Br J Nutr.* 2011 Feb;105(4):584-92.
- Pedersen AN, Kondrup J, Børshøj E**. Health effects of protein intake in healthy adults: a systematic literature review. *Food Nutr Res.* 2013 Jul 30;57.
- Pérez-Escamilla R, Obbagy JE, Altman JM**, ym. Dietary energy density and body weight in adults and children: a systematic review. *J Acad Nutr Diet.* 2012 May;112(5):671-84.
- Pérez-Jiménez F, Ruano J, Pérez-Martínez P**, ym. The influence of olive oil on human health: not a question of fat alone. *Mol Nutr Food Res.* 2007 Oct;51(10):1199-208. Review.
- Pessione E, Cirrincione S**. Bioactive Molecules Released in Food by Lactic Acid Bacteria: Encrypted Peptides and Biogenic Amines. *Front Microbiol.* 2016 Jun 9;7:876.
- Peterrelj TT, Coombes JS**. Antioxidant supplementation during exercise training: beneficial or detrimental? *Sports Med.* 2011;41(12):1043-1069.
- Petta S, Marchesini G, Caracausi L**, ym. Industrial, not fruit fructose intake is associated with the severity of liver fibrosis in genotype 1 chronic hepatitis C patients. *J Hepatol.* 2013 Dec;59(6):1169-76
- Pfeiffer B, Stellingwerff T, Zalta E**, ym. Oxidation of solid versus liquid CHO sources during exercise. *Med Sci Sports Exerc.* 2010 Nov;42(11):2030-7.
- Phillips SM, Chevalier S, Leidy HJ**. Protein "requirements" beyond the RDA: implications for optimizing health. *Appl Physiol Nutr Metab.* 2016 May;41(5):565-72.
- Piernas C, Tate DF, Wang X**, ym. Does diet-beverage intake affect dietary consumption patterns? Results from the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *Am J Clin Nutr.* 2013 Mar;97(3):604-11
- Piers LS, Walker KZ, Stoney RM**, ym. The influence of the type of dietary fat on postprandial fat oxidation rates: monounsaturated (olive oil) vs saturated fat (cream). *Int J Obes Relat Metab Disord.* 2002 Jun;26(6):814-21.
- Pietiläinen KH, Kaye S, Karmi A**, ym. Agreement of bioelectrical impedance with dual-energy X-ray absorptiometry and MRI to estimate changes in body fat, skeletal muscle and visceral fat during a 12-month weight loss intervention. *Br J Nutr.* 2013 May 28;109(10):1910-6.
- Pistollato F, Sumalla Cano S**, ym. Role of gut microbiota and nutrients in amyloid formation and pathogenesis of Alzheimer disease. *Nutr Rev.* 2016 Oct;74(10):624-34.
- Pokusaeva K, Fitzgerald GF, van Sinderen D**. Carbohydrate metabolism in Bifidobacteria. *Genes Nutr.* 2011 Aug;6(3):285-306.
- Poppitt SD, Strik CM, MacGibbon AK**, ym. Fatty acid chain length, postprandial satiety and food intake in lean men. *Physiol Behav.* 2010 Aug 4;101(1):161-7.
- Poppitt SD**. Cow's Milk and Dairy Consumption: Is There Now Consensus for Cardiometabolic Health? *Front Nutr.* 2020 Dec 8;7:574725.
- Poulsen SK, Crone C, Astrup A, Larsen TM**. Long-term adherence to the New Nordic Diet and the effects on body weight, anthropometry and blood pressure: a 12-month follow-up study. *Eur J Nutr.* 2014 Mar 25. (a)
- Poulsen SK, Due A, Jordy AB**, ym. Health effect of the New Nordic Diet in adults with increased waist circumference: a 6-mo randomized controlled trial. *Am J Clin Nutr.* 2014 Jan;99(1):35-45. (b)
- Power O, Jakeman P, Fitzgerald RJ**. Antioxidative peptides: enzymatic production, in vitro and in vivo antioxidant activity and potential applications of milk-derived antioxidative peptides. *Amino Acids.* 2013 Mar;44(3):797-820.
- Power O, Jakeman P, Fitzgerald RJ**. Antioxidative peptides: enzymatic production, in vitro and in vivo antioxidant activity and potential applications of milk-derived antioxidative peptides. *Amino Acids.* 2013 Mar;44(3):797-820.
- Prado MR, Blandón LM, Vandenberghe LP**, ym. Milk kefir: composition, microbial cultures, biological activities, and related products. *Front Microbiol.* 2015 Oct 30;6:1177.
- Prospective Studies Collaboration, Lewington S, Whitlock G, Clarke R**, ym. Blood cholesterol and vascular mortality by age, sex, and blood pressure: a meta-analysis of individual data from 61 prospective studies with 55,000 vascular deaths. *Lancet.* 2007 Dec 1;370(9602):1829-39. Review.
- Przybylski O, Aladedunye FA**. Formation of trans fats during food preparation. *Can J Diet Pract Res.* 2012 Summer;73(2):98-101.
- Pugh JN, Sparks AS, Doran DA**, ym. Four weeks of probiotic supplementation reduces GI symptoms during a marathon race. *Eur J Appl Physiol.* 2019 Jul;119(7):1491-1501.
- Qi H, Li S**. Dose-response meta-analysis on coffee, tea and caffeine consumption with risk of Parkinson's disease. *Geriatr Gerontol Int.* 2014 Apr;14(2):430-9.
- Raben A, Agerholm-Larsen L, Flint A**, ym. Meals with similar energy densities but rich in protein, fat, carbohydrate, or alcohol have different effects on energy expenditure and substrate metabolism but not on appetite and energy intake. *Am J Clin Nutr.* 2003; 77: 91-100.
- Raben A, Vasilaras TH, Möller AC, Astrup AA**. Sucrose compared with artificial sweeteners: different effects on ad libitum food intake and body weight after 10 wk of supplementation in overweight subjects. *Am J Clin Nutr.* 2002;76:721-9.
- Radzikowska U, Rinaldi AO, Çelebi Sözenler Z**, ym. The Influence of Dietary Fatty Acids on Immune Responses. *Nutrients.* 2019 Dec 6;11(12):2990.
- Ramezani-Jolfaie N, Mohammadi M, Salehi-Abargouei A**. The effect of healthy Nordic diet on cardio-metabolic markers: a systematic review and meta-analysis of randomized controlled clinical trials. *Eur J Nutr.* 2019 Sep;58(6):2159-2174.
- Ramsden CE, Zamora D, Majchrzak-Hong S**, ym. Re-evaluation of the traditional diet-heart hypothesis: analysis of recovered data from Minnesota Coronary Experiment (1968-73). *BMJ.* 2016 Apr 12;353:i1246.
- Ras RT, Geleijnse JM, Trautwein EA**. LDL-cholesterol-lowering effect of plant sterols and stanols across different dose ranges: a meta-analysis of randomised controlled studies. *Br J Nutr.* 2014 Jul 28;112(2):214-9.
- Rasmussen LB, Andersen LF, Borodulin K**, ym. Nordic monitoring of diet, physical activity and overweight. First collection of data in all Nordic Countries 2011. TemaNord 2012:552

- Ratliff J, Leite JO, de Ogburn R**, ym. Consuming eggs for breakfast influences plasma glucose and ghrelin, while reducing energy intake during the next 24 hours in adult men. *Nutr Res.* 2010 Feb;30(2):96-103.
- Rebello CJ, Greenway FL, Finley JW**. A review of the nutritional value of legumes and their effects on obesity and its related co-morbidities. *Obes Rev.* 2014 May;15(5):392-407.
- Rego Costa AC, Rosado EL, Soares-Mota M**. Influence of the dietary intake of medium chain triglycerides on body composition, energy expenditure and satiety: a systematic review. *Nutr Hosp.* 2012 Jan-Feb;27(1):103-8
- Reiss R, Johnston J, Tucker K**, ym. Estimation of cancer risks and benefits associated with a potential increased consumption of fruits and vegetables. *Food Chem Toxicol.* 2012 Dec;50(12):4421-7.
- Reynolds A, Mann J, Cummings J**, ym. Carbohydrate quality and human health: a series of systematic reviews and meta-analyses. *Lancet.* 2019 Feb 2;393(10170):434-445.
- Rezac S, Kok CR, Heermann M** ym. Fermented Foods as a Dietary Source of Live Organisms. *Front Microbiol.* 2018; 9():1785.
- Rinninella E, Cintoni M, Raoul P**, ym. Food Components and Dietary Habits: Keys for a Healthy Gut Microbiota Composition. *Nutrients.* 2019 Oct 7;11(10).
- Rinninella E, Raoul P, Cintoni M**, ym. What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet, and Diseases. *Microorganisms.* 2019;7(1):14. (a)
- Risérus U, Willett WC, Hu FB**. Dietary fats and prevention of type 2 diabetes. *Prog Lipid Res.* 2009 Jan;48(1):44-51.
- Risérus U**. Trans fatty acids and insulin resistance. *Atheroscler Suppl.* 2006 May;7(2):37-9. *Epib* 2006 May 18.
- Roberts JR**. The paradox of artificial sweeteners in managing obesity. *Curr Gastroenterol Rep.* 2015 Jan;17(1):423.
- Rodriguez-Leyva D, Dupasquier CM, McCullough R**, ym. The cardiovascular effects of flaxseed and its omega-3 fatty acid, alpha-linolenic acid. *Can J Cardiol.* 2010 Nov;26(9):489-96. Review.
- Rodriguez-Leyva D, Dupasquier CM, McCullough R**, ym. The cardiovascular effects of flaxseed and its omega-3 fatty acid, alpha-linolenic acid. *Can J Cardiol.* 2010 Nov;26(9):489-96. Review.
- Roehrs T, Roth T**. Caffeine: sleep and daytime sleepiness. *Sleep Med Rev.* 2008 Apr;12(2):153-62.
- Rogers PJ, Hogenkamp PS, de Graaf C**, ym. Does low-energy sweetener consumption affect energy intake and body weight? A systematic review, including meta-analyses, of the evidence from human and animal studies. *Int J Obes (Lond).* 2016 Mar;40(3):381-94.
- Rohatgi A, Khera A, Berry JD**, ym. HDL cholesterol efflux capacity and incident cardiovascular events. *N Engl J Med.* 2014 Dec 18;371(25):2383-93.
- Rohrmann S, Overvad K, Bueno-de-Mesquita HB**, ym. Meat consumption and mortality--results from the European Prospective Investigation into Cancer and Nutrition. *BMC Med.* 2013 Mar 7;11:63.
- Rolls BJ, Ello-Martin JA, Tohill BC**. What can intervention studies tell us about the relationship between fruit and vegetable consumption and weight management? *Nutr Rev.* 2004 Jan;62(1):1-17
- Rolls BJ, Roe LS, Meengs JS**. Portion size can be used strategically to increase vegetable consumption in adults. *Am J Clin Nutr.* 2010 Apr;91(4):913-22.
- Rolls BJ**. The relationship between dietary energy density and energy intake. *Physiol Behav.* 2009;97:609-15.
- Rolls BJ**. The role of energy density in the overconsumption of fat. *J Nutr.* 2000 Feb;130(2S Suppl):268S-271S.
- Rong Y, Chen L, Zhu T**, ym. Egg consumption and risk of coronary heart disease and stroke: dose-response meta-analysis of prospective cohort studies. *BMJ.* 2013 Jan 7;346:e8539.
- Ronksley PE, Brien SE, Turner BJ**, ym. Association of alcohol consumption with selected cardiovascular disease outcomes: a systematic review and meta-analysis. *BMJ.* 2011;342:d671.
- Rosell M, Appleby P, Spencer E**, ym. Weight gain over 5 years in 21,966 meat-eating, fish-eating, vegetarian, and vegan men and women in EPIC-Oxford. *Int J Obes (Lond)* 2006;30(9):1389-1396
- Ruiz-Ojeda FJ, Plaza-Díaz J, Sáez-Lara MJ**, ym. Effects of Sweeteners on the Gut Microbiota: A Review of Experimental Studies and Clinical Trials. *Adv Nutr.* 2019 Jan; 10(Suppl 1): S31-S48.
- Russell WR, Gratz SW, Duncan SH**, ym. High-protein, reduced-carbohydrate weight-loss diets promote metabolite profiles likely to be detrimental to colonic health. *Am J Clin Nutr.* 2011 May; 93(5):1062-72.
- Rylander C, Sandanger TM, Engeset D**, ym. Consumption of lean fish reduces the risk of type 2 diabetes mellitus: a prospective population based cohort study of Norwegian women. *PLoS One.* 2014 Feb 24;9(2):e89845
- Sabaté J, Soret S**. Sustainability of plant-based diets: back to the future. *Am J Clin Nutr.* 2014 Jul;100 Suppl 1:476S-82S.
- Sacks FM, Bray GA, Carey VJ**, ym. Comparison of weight-loss diets with different compositions of fat, protein, and carbohydrates. *N Engl J Med.* 2009 Feb 26;360(9):859-73.
- Sacks FM, Katan M**. Randomized clinical trials on the effects of dietary fat and carbohydrate on plasma lipoproteins and cardiovascular disease. *Am J Med.* 2002 Dec 30;113 Suppl 9B:13S-24S.
- Sacks FM**. Coconut Oil and Heart Health: Fact or Fiction? *Circulation.* 2020 Mar 10;141(10):815-817.
- Sadeghi O, Sadeghian M, Rahmani S**, ym. Whole-Grain Consumption Does Not Affect Obesity Measures: An Updated Systematic Review and Meta-analysis of Randomized Clinical Trials. *Adv Nutr.* 2019 Aug 7.
- Salas-Salvadó J, Bulló M, Babio N**, ym.; **PREDIMED Study Investigators**. Reduction in the incidence of type 2 diabetes with the Mediterranean diet: results of the PREDIMED-Reus nutrition intervention randomized trial. *Diabetes Care.* 2011 Jan;34(1):14-9.
- Salli K, Lehtinen MJ, Tiihonen K**, ym. Xylitol's Health Benefits beyond Dental Health: A Comprehensive Review. *Nutrients.* 2019 Aug 6;11(8):1813.
- Santesso N, Akl EA, Bianchi M**, ym. Effects of higher- versus lower-protein diets on health outcomes: a systematic review and meta-analysis. *Eur J Clin Nutr.* 2012 Jul;66(7):780-8
- Santos VC, Levada-Pires AC, Alves SR**, ym. Effects of DHA-rich fish oil supplementation on lymphocyte function before and after a marathon race. *Int J Sport Nutr Exerc Metab.* 2013 Apr;23(2):161-9.
- Santos HO, Howell S, Earnest CP**, ym. Coconut oil intake and its effects on the cardiometabolic profile - A structured literature review. *Prog Cardiovasc Dis.* 2019 Sep-Oct;62(5):436-443.
- Sanz Y**. Microbiome and Gluten. *Ann Nutr Metab.* 2015;67 Suppl 2:28-41.
- Sarkkinen E, Korhonen M, Erkkilä A**, ym. Effect of apolipoprotein E polymorphism on serum lipid response to the separate modification of dietary fat and dietary cholesterol. *Am J Clin Nutr.* 1998 Dec;68(6):1215-22.
- Satija A, Hu FB**. Cardiovascular benefits of dietary fiber. *Curr Atheroscler Rep.* 2012 Dec;14(6):505-14.
- Savage JS, Marini M, Birch LL**. Dietary energy density predicts women's weight change over 6 y. *Am J Clin Nutr.* 2008 Sep;88(3):677-84.
- Schlemmer U, Frolich W, Prieto RM**, ym. Phytate in foods and significance for humans: food sources, intake, processing, bioavailability, protective role and analysis. *Mol Nutr Food Res.* 2009 Sep;53 Suppl 2:S330-75.
- Schwarz JM, Noworolski SM, Wen MJ**, ym. Effect of a High-Fructose Weight-Maintaining Diet on Lipogenesis and Liver Fat. *J Clin Endocrinol Metab.* 2015 Jun;100(6):2434-42.

- Schwingshackl L, Bogensberger B, Benčič A**, ym. Effects of oils and solid fats on blood lipids: a systematic review and network meta-analysis. *J Lipid Res.* 2018 Sep;59(9):1771-1782. (a)
- Schwingshackl L, Hoffmann G**. Comparison of high vs. normal/low protein diets on renal function in subjects without chronic kidney disease: a systematic review and meta-analysis. *PLoS One.* 2014 May 22;9(5):e97656.
- Schwingshackl L, Hoffmann G**. Comparison of the long-term effects of high-fat v. low-fat diet consumption on cardiometabolic risk factors in subjects with abnormal glucose metabolism: a systematic review and meta-analysis. *Br J Nutr.* 2014 Jun;111(12):2047-58. (a)
- Schwingshackl L, Hoffmann G**. Long-term effects of low-fat diets either low or high in protein on cardiovascular and metabolic risk factors: a systematic review and meta-analysis. *Nutr J.* 2013 Apr 15;12:48.
- Schwingshackl L, Hoffmann G**. Monounsaturated fatty acids and risk of cardiovascular disease: synopsis of the evidence available from systematic reviews and meta-analyses. *Nutrients.* 2012 Dec 11;4(12):1989-2007.
- Schwingshackl L, Schlesinger S, Develeesschauwer B**, ym. Generating the evidence for risk reduction: a contribution to the future of food-based dietary guidelines. *Proc Nutr Soc.* 2018 Nov;77(4):432-444.
- Schwingshackl L, Strasser B, Hoffmann G**. Effects of monounsaturated fatty acids on cardiovascular risk factors: a systematic review and meta-analysis. *Ann Nutr Metab.* 2011;59(2-4):176-86
- Seagle HM, Strain GW, Makris A**, ym. American Dietetic Association. Position of the American Dietetic Association: weight management. *J Am Diet Assoc* 2009; 109: 330-46.
- Semnani-Azad Z, Khan TA, Blanco Mejia S**, ym. Association of Major Food Sources of Fructose-Containing Sugars With Incident Metabolic Syndrome: A Systematic Review and Meta-analysis. *JAMA Netw Open.* 2020 Jul 1;3(7):e209993.
- Sender R, Fuchs S, Milo R**. Are We Really Vastly Outnumbered? Revisiting the Ratio of Bacterial to Host Cells in Humans. *Cell.* 2016 Jan 28;164(3):337-40. (a)
- Sender R, Fuchs S, Milo R**. Revised Estimates for the Number of Human and Bacteria Cells in the Body. *PLoS Biol.* 2016 Aug 19;14(8):e1002533.
- Serra-Majem L, Raposo A, Aranceta-Bartrina J**, ym. Ibero-American Consensus on Low- and No-Calorie Sweeteners: Safety, Nutritional Aspects and Benefits in Food and Beverages. *Nutrients.* 2018 Jun 25;10(7):818.
- Serrano J, Smith KR, Crouch AL**, ym. High-dose saccharin supplementation does not induce gut microbiota changes or glucose intolerance in healthy humans and mice. *Microbiome.* 2021;9(1):11.
- Shah SA, Chu BW, Lacey CS**, ym. Impact of Acute Energy Drink Consumption on Blood Pressure Parameters: A Meta-analysis. *Ann Pharmacother.* 2016 Oct;50(10):808-15.
- Sheflin A**, ym. Linking dietary patterns with gut microbial composition and function. *Gut Microbes.* 2017; 8(2): 113–129.
- Shen TD**. Diet and Gut Microbiota in Health and Disease. *Nestle Nutr Inst Workshop Ser.* 2017;88:117-126.
- Shin JY, Xun P, Nakamura Y**, ym. Egg consumption in relation to risk of cardiovascular disease and diabetes: a systematic review and meta-analysis. *Am J Clin Nutr.* 2013 Jul;98(1):146-59.
- Shing CM, Peake JM, Lim CL**, ym. Effects of probiotics supplementation on gastrointestinal permeability, inflammation and exercise performance in the heat. *Eur J Appl Physiol.* 2014;114:93-103.
- Si R, Qu K, Jiang Z**, ym. Egg consumption and breast cancer risk: a meta-analysis. *Breast Cancer.* 2014 May;21(3):251-61.
- Sievenpiper JL, Chiavaroli L, de Souza RJ**, ym. 'Catalytic' doses of fructose may benefit glycaemic control without harming cardiometabolic risk factors: a small meta-analysis of randomised controlled feeding trials. *Br J Nutr.* 2012 Aug;108(3):418-23. (b)
- Sievenpiper JL, de Souza RJ, Mirrahimi A**, ym. Effect of fructose on body weight in controlled feeding trials: a systematic review and meta-analysis. *Ann Intern Med.* 2012 Feb 21;156(4):291-304. (a)
- Silver HJ, Kang H, Keil CD**, ym. Consuming a balanced high fat diet for 16 weeks improves body composition, inflammation and vascular function parameters in obese premenopausal women. *Metabolism.* 2014 Apr;63(4):562-73.
- Simopoulos AP**. Omega-3 fatty acids and athletics. *Curr Sports Med Rep.* 2007 Jul;6(4):230-6.
- Simopoulos AP**. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Exp Biol Med (Maywood).* 2008 Jun;233(6):674-88.
- Simopoulos AP**. The Mediterranean diets: What is so special about the diet of Greece? The scientific evidence. *J Nutr.* 2001 Nov;131(11 Suppl):3065S-73S.
- Singh P, Somers VK, Romero-Corral A**, ym. Effects of weight gain and weight loss on regional fat distribution. *Am J Clin Nutr.* 2012 Aug;96(2):229-33.
- Singh RK, Chang HW, Yan D**, ym. Influence of diet on the gut microbiome and implications for human health. *J Transl Med.* 2017 Apr 8;15(1):73.
- Siri-Tarino PW, Sun Q, Hu FB**, ym. Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease. *Am J Clin Nutr.* 2010 Mar;91(3):S35-46.
- Siri-Tarino PW, Sun Q, Hu FB**, ym. Saturated fat, carbohydrate, and cardiovascular disease. *Am J Clin Nutr.* 2010 Mar;91(3):502-9.
- Siri-Tarino PW**. Effects of diet on high-density lipoprotein cholesterol. *Curr Atheroscler Rep.* 2011 Dec;13(6):453-60
- Sjögren P, Rosell M, Skoglund-Andersson C**, ym. Milk-derived fatty acids are associated with a more favorable LDL particle size distribution in healthy men. *J Nutr.* 2004 Jul;134(7):1729-35.
- Skulas-Ray AC, Kris-Etherton PM, Harris WS**, ym. Dose-response effects of omega-3 fatty acids on triglycerides, inflammation, and endothelial function in healthy persons with moderate hypertriglyceridemia. *Am J Clin Nutr.* 2011;93:243-252.
- Slavin J**. Fiber and prebiotics: mechanisms and health benefits. *Nutrients.* 2013;5(4):1417-1435. Published 2013 Apr 22.
- Slavin JL**. Position of the American Dietetic Association: health implications of dietary fiber. *J Am Diet Assoc.* 2008;108(10):1716-1731.
- Sluijs I, Beulens JW, van der A DL**, ym. Dietary intake of total, animal, and vegetable protein and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-NL study. *Diabetes Care.* 2010 Jan;33(1):43-8.
- Sluijs I, Beulens JW, van der Schouw YT, ym.; InterAct consortium**. Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. *J Nutr.* 2013 Jan;143(1):93-9.
- Sluijs I, Forouhi NG, Beulens JW, ym.; InterAct Consortium**. The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. *Am J Clin Nutr.* 2012 Aug;96(2):382-90.
- Soczynska JK, Kennedy SH, Woldeyohannes HO**, ym. Mood disorders and obesity: understanding inflammation as a pathophysiological nexus. *Neuromolecular Med.* 2011 Jun;13(2):93-116.
- Soedamah-Muthu SS, Ding EL, Al-Delaimy WK**, ym. Milk and dairy consumption and incidence of cardiovascular diseases and all-cause mortality: dose-response meta-analysis of prospective cohort studies. *Am J Clin Nutr.* 2011 Jan;93(1):158-71.
- Soenen S, Bonomi AG, Lemmens SG**, ym. Relatively high-protein or 'low-carb' energy-restricted diets for body weight loss and body weight maintenance? *Physiol Behav.* 2012 Oct 10;107(3):374-80.
- Soerjomataram I, Oomen D, Lemmens V**, ym. Increased consumption of fruit and vegetables and future cancer incidence in selected European countries. *Eur J Cancer.* 2010 Sep;46(14):2563-80.

- Sommer F, Anderson JM, Bharti R**, ym. The resilience of the intestinal microbiota influences health and disease. *Nat Rev Microbiol.* 2017 Oct;15(10):630-638.
- Song J, Su H, Wang BL**, ym. Fish consumption and lung cancer risk: systematic review and meta-analysis. *Nutr Cancer.* 2014;66(4):539-49.
- Song M, Fung TT, Hu FB**, ym. Association of Animal and Plant Protein Intake With All-Cause and Cause-Specific Mortality. *JAMA Intern Med.* 2016 Oct 1;176(10):1453-1463.
- Song Y, Stampfer MJ, Liu S**: Meta-analysis: apolipoprotein E genotypes and risk for coronary heart disease. *Ann Intern Med* 2004;141:137-147.
- Sonnenburg ED, Sonnenburg JL**. Starving our microbial self: the deleterious consequences of a diet deficient in microbiota-accessible carbohydrates. *Cell Metab.* 2014 Nov 4;20(5):779-786.
- Soop M, Nehra V, Henderson GC**, ym. Coingestion of whey protein and casein in a mixed meal: demonstration of a more sustained anabolic effect of casein. *Am J Physiol Endocrinol Metab.* 2012 Jul 1;303(1):E152-62.
- Sorrentino ZA, Smith G, Palm L**, ym. An Erythritol-Sweetened Beverage Induces Satiety and Suppresses Ghrelin Compared to Aspartame in Healthy Non-Obese Subjects: A Pilot Study. *Cureus.* 2020 Nov 10;12(11):e11409.
- Sousa M, Teixeira VH, Soares J**. Dietary strategies to recover from exercise-induced muscle damage. *Int J Food Sci Nutr.* 2014 Mar;65(2):151-63.
- Spector S, Tan R**. Exercise-induced bronchoconstriction update: therapeutic management. *Allergy Asthma Proc.* 2012 Jan-Feb;33(1):7-12.
- Spence JD, Jenkins DJ, Davignon J**. Dietary cholesterol and egg yolks: not for patients at risk of vascular disease. *Can J Cardiol.* 2010 Nov;26(9):e336-9.
- Sranacharoenpong K, Soret S, Harwatt H**, ym. The environmental cost of protein food choices. *Public Health Nutr.* 2015 Aug;18(11):2067-73.
- Stacewicz-Sapuntzakis M**. Dried plums and their products: composition and health effects--an updated review. *Crit Rev Food Sci Nutr.* 2013;53(12):1277-302.
- Stein O, Thiery J, Stein Y**. Is there a genetic basis for resistance to atherosclerosis? *Atherosclerosis.* 2002 Jan;160(1):1-10. Review.
- Stellman SD, Garfinkel L**. Artificial sweetener use and one-year weight change among women. *Prev Med.* 1986;15:195-202.
- Stender S, Astrup A, Dyerberg J**. Ruminant and industrially produced trans fatty acids: health aspects. *Food Nutr Res.* 2008;52.
- Stevenson L, Phillips F, O'Sullivan K**, ym. Wheat bran: its composition and benefits to health, a European perspective. *Int J Food Sci Nutr.* 2012 Dec;63(8):1001-13.
- Stoll-Kleemann S, Schmidt UJ**. Reducing meat consumption in developed and transition countries to counter climate change and biodiversity loss: A review of influence factors. *Reg. Environ. Chang.* 2017;17:1261-1277.
- Stratton SL, Henrich CL, Matthews NI**, ym. Marginal biotin deficiency can be induced experimentally in humans using a cost-effective outpatient design. *J Nutr.* 2012 Jan;142(1):22-6.
- Strik CM, Lithander FE, McGill AT**, ym. No evidence of differential effects of SFA, MUFA or PUFA on post-ingestive satiety and energy intake: a randomised trial of fatty acid saturation. *Nutr J.* 2010 May 24;9:24.
- Su H, Liu R, Chang M**, ym. Dietary linoleic acid intake and blood inflammatory markers: a systematic review and meta-analysis of randomized controlled trials. *Food Funct.* 2017 Sep 20;8(9):3091-3103.
- Suez J, Korem T, Zeevi D**, ym. Artificial sweeteners induce glucose intolerance by altering the gut microbiota. *Nature.* 2014 Oct 9; 514(7521):181-6.
- Suez J, Korem T, Zilberman-Schapira G**, ym. Non-caloric artificial sweeteners and the microbiome: findings and challenges. *Gut Microbes.* 2015;6(2):149-55.
- Świątecka D, Narbad A, Ridgway KP**, ym. The study on the impact of glycated pea proteins on human intestinal bacteria. *Int J Food Microbiol.* 2011 Jan 31; 145(1):267-72.
- Swinburn BA, Sacks G, Lo SK**, ym. Estimating the changes in energy flux that characterize the rise in obesity prevalence. *Am J Clin Nutr.* 2009 Jun;89(6):1723-8.
- Swithers SE**. Artificial sweeteners produce the counterintuitive effect of inducing metabolic derangements. *Trends Endocrinol Metab.* 2013 Sep;24(9):431-41.
- Szablewski L**. Human Gut Microbiota in Health and Alzheimer's Disease. *J Alzheimers Dis.* 2018;62(2):549- 560.
- Sørensen LB, Vasilaras TH, Astrup A**, ym. Sucrose compared with artificial sweeteners: a clinical intervention study of effects on energy intake, appetite, and energy expenditure after 10 wk of supplementation in overweight subjects. *Am J Clin Nutr.* 2014 Apr 30.
- Tajima R, Kimura T, Enomoto A**, ym. No association between fruits or vegetables and non-alcoholic fatty liver disease in middle-aged men and women. *Nutrition.* 2019 May;61:119-124.
- Takahashi M, Suzuki K, Kim HK**, ym. Effects of curcumin supplementation on exercise-induced oxidative stress in humans. *Int J Sports Med.* 2014 Jun;35(6):469-75.
- Tan SY, Mattes RD**. Appetitive, dietary and health effects of almonds consumed with meals or as snacks: a randomized, controlled trial. *Eur J Clin Nutr.* 2013 Nov;67(11):1205-14.
- Tang M, O'Connor LE, Campbell WW**. Diet-induced weight loss: the effect of dietary protein on bone. *J Acad Nutr Diet.* 2014 Jan;114(1):72-85.
- Tang Y, Jiang H, Bryan NS**. Nitrite and nitrate: cardiovascular risk-benefit and metabolic effect. *Curr Opin Lipidol.* 2011 Feb;22(1):11-5.
- Tang H, Cao Y, Yang X, Zhang Y**. Egg Consumption and Stroke Risk: A Systematic Review and Dose-Response Meta-Analysis of Prospective Studies. *Front Nutr.* 2020 Sep 8;7:153.
- Tate DF, Turner-McGrievy G, Lyons E**, ym. Replacing caloric beverages with water or diet beverages for weight loss in adults: main results of the Choose Healthy Options Consciously Everyday (CHOICE) randomized clinical trial. *Am J Clin Nutr.* 2012 Mar;95(3):555-63.
- Tchernof A, Després JP**. Pathophysiology of human visceral obesity: an update. *Physiol Rev.* 2013 Jan;93(1):359-404.
- Te Morenga L, Mallard S, Mann J**. Dietary sugars and body weight: systematic review and meta-analyses of randomised controlled trials and cohort studies. *BMJ.* 2012 Jan 15;346:e7492.
- Te Morenga LA, Howatson AJ, Jones RM**, ym. Dietary sugars and cardiometabolic risk: systematic review and meta-analyses of randomized controlled trials of the effects on blood pressure and lipids. *Am J Clin Nutr.* 2014 May 7;100(1):65-79.
- Temme EH, Van Hoydonck PG**. Tea consumption and iron status. *Eur J Clin Nutr.* 2002 May;56(5):379-86.
- Theuwissen E, Mensink RP**. Water-soluble dietary fibers and cardiovascular disease. *Physiol Behav.* 2008 May 23;94(2):285-92.
- Theuwissen E, Plat J, van der Kallen CJ**, ym. Plant stanol supplementation decreases serum triacylglycerols in subjects with overt hypertriglyceridemia. *Lipids.* 2009 Dec;44(12):1131-40.
- Thorning TK, Bertram HC, Bonjour JP**, ym. Whole dairy matrix or single nutrients in assessment of health effects: current evidence and knowledge gaps. *Am J Clin Nutr.* 2017 May;105(5):1033-1045.
- Thorning TK, Raben A, Tholstrup T**, ym. Milk and dairy products: good or bad for human health? An assessment of the totality of scientific evidence. *Food Nutr Res.* 2016 Nov 22;60:32527.
- Threapleton DE, Greenwood DC, Evans CE**, ym.. Dietary fibre intake and risk of cardiovascular disease: systematic review and meta-analysis. *BMJ.* 2013 Dec 19;347:f6879.
- Toews I, Lohner S, Küllenberg de Gaudry D**, ym. Association between intake of non-sugar sweeteners and health outcomes: systematic review and meta-analyses of randomised and non-randomised controlled trials and observational studies. 2019;364:k4718.

- Toledo E, Delgado-Rodríguez M, Estruch R**, ym. Low-fat dairy products and blood pressure: follow-up of 2290 older persons at high cardiovascular risk participating in the PREDIMED study. *Br J Nutr.* 2009 Jan;101(1):59-67.
- Tolstrup J, Jensen MK, Anne T**, ym. Prospective study of alcohol drinking patterns and coronary heart disease in women and men. *BMJ.* 2006 May 25;332(7552):1244.
- Topping DL, Clifton PM**. Short-chain fatty acids and human colonic function: roles of resistant starch and nonstarch polysaccharides. *Physiol Rev.* 2001 Jul;81(3):1031-64.
- Trappe TA, Liu SZ**. Effects of prostaglandins and COX-inhibiting drugs on skeletal muscle adaptations to exercise. *J Appl Physiol (1985).* 2013 Sep;115(6):909-19.
- Traversy G, Chaput JP**. Alcohol Consumption and Obesity: An Update. *Curr Obes Rep.* 2015 Mar;4(1):122-30.
- Traylor DA, Gorissen SHM, Phillips SM**. Perspective: Protein Requirements and Optimal Intakes in Aging: Are We Ready to Recommend More Than the Recommended Daily Allowance? *Adv Nutr.* 2018 May 1;9(3):171-182.
- Tresserra-Rimbau A, Rimm E, Medina-Remón A**, ym. Inverse association between habitual polyphenol intake and incidence of cardiovascular events in the PREDIMED study. *Nutr Metab Cardiovasc Dis.* 2014 (b)
- Tresserra-Rimbau A, Rimm E, Medina-Remón A**, ym. Polyphenol intake and mortality risk: a re-analysis of the PREDIMED trial. *BMC Med.* 2014. 12:77. (a)
- Trichopoulou A, Bamia C, Trichopoulos D**. Anatomy of health effects of Mediterranean diet: Greek EPIC prospective cohort study. *BMJ.* 2009 Jun 23;338:b2337.
- Tse G, Eslick GD**. Egg consumption and risk of GI neoplasms: dose-response meta-analysis and systematic review. *Eur J Nutr.* 2014 Feb 6
- Tucker LA, Thomas KS**. Increasing total fiber intake reduces risk of weight and fat gains in women. *J Nutr.* 2009;139(3):576-81.
- Turnbaugh PJ, Ley RE, Mahowald MA**, ym. An obesity-associated gut microbiome with increased capacity for energy harvest. *Nature.* 2006 Dec 21;444(7122):1027-31.
- Ulven SM, Holven KB, Gil A** ym. Milk and Dairy Product Consumption and Inflammatory Biomarkers: An Updated Systematic Review of Randomized Clinical Trials. *Adv Nutr.* 2019 May 1;10(suppl_2):S239-S250.
- Unlu NZ, Bohm T, Clinton SK**, ym. Carotenoid absorption from salad and salsa by humans is enhanced by the addition of avocado or avocado oil. *J Nutr.* 2005 Mar;135(3):431-6
- Urpi-Sarda M, Casas R, Chiva-Blanch G**, ym. Virgin olive oil and nuts as key foods of the Mediterranean diet effects on inflammatory biomakers related to atherosclerosis. *Pharmacol Res.* 2012 Jun;65(6):577-83.
- USDA**. <http://ndb.nal.usda.gov/>
- Uusitupa M, Sarkkinen E**. Kananmunat ja kolesteroli - onko pääkirjoituksen sanoma tulkittu oikein? Lääketieteellinen Aikakauskirja Duodecim 2000;116(6):628-630
- Vu KN, Ballantyne CM, Hoogeveen RC, et al**. Causal Role of Alcohol Consumption in an Improved Lipid Profile: The Atherosclerosis Risk in Communities (ARIC) Study. *PLoS One.* 2016;11(2):e0148765. Published 2016 Feb 5. doi:10.1371/journal.pone.0148765
- Vadivel V, Kunyanga CN, Biesalski HK**. Health benefits of nut consumption with special reference to body weight control. *Nutrition.* 2012 Nov-Dec;28(11-12):1089-97
- Vainio H, Weiderpass E**. Fruit and vegetables in cancer prevention. *Nutr Cancer.* 2006;54(1):111-42.
- Valsta L, Kaartinen N, Tapanainen H**, ym. Ravitsemus Suomessa – FinRavinto 2017 -tutkimus. Tervyden ja hyvinvoinnin laitos (THL), Raportti 12/2018.
- van het Hof KH, de Boer BC, Tijburg LB**, ym. Carotenoid bioavailability in humans from tomatoes processed in different ways determined from the carotenoid response in the triglyceride-rich lipoprotein fraction of plasma after a single consumption and in plasma after four days of consumption. *J Nutr.* 2000 May;130(5):1189-96.
- Van Wijck K, Lenaerts K, Van Bijnen AA**, ym. Aggravation of exercise-induced intestinal injury by Ibuprofen in athletes. *Med Sci Sports Exerc.* 2012 Dec;44(12):2257-62
- Vander Wal JS, Gupta A, Khosla P**, ym. Egg breakfast enhances weight loss. *Int J Obes (Lond).* 2008 Oct;32(10):1545-51.
- Vartiainen E** ym. Tervyden ja hyvinvoinnin laitos, syöpätautien asiantuntijaryhmä. Syövän ehkäisyin, varhaisen toteamisen ja kuntoutumisen tuen kehittäminen vuosina 2014–2025. Kansallisen syöpäsuounnitelman II osa. Juvenes print, Suomen Yliopistopaino Oy. Tampere 2014.
- Vázquez C, Botella-Carrasco JI, Corella D**, ym. WISH-CARE Study Investigators. White fish reduces cardiovascular risk factors in patients with metabolic syndrome: the WISH-CARE study, a multicenter randomized clinical trial. *Nutr Metab Cardiovasc Dis.* 2014 Mar;24(3):328-35.
- Vega-López S, Ausman LM, Jalbert SM**, ym. Palm and partially hydrogenated soybean oils adversely alter lipoprotein profiles compared with soybean and canola oils in moderately hyperlipidemic subjects. *Am J Clin Nutr.* 2006 Jul;84(1):54-62.
- Vega-López S, Mayol-Kreiser SN**. Use of the glycemic index for weight loss and glycemic control: a review of recent evidence. *Curr Diab Rep.* 2009 Oct;9(5):379-88. Review.
- Veldhorst M, Smeets A, Soenen S**, ym. Protein-induced satiety: effects and mechanisms of different proteins. *Physiol Behav.* 2008 May 23;94(2):300-7.
- Venkataran JT, Leddy J, Pendergast D**. Dietary fats and immune status in athletes: clinical implications. *Med Sci Sports Exerc.* 2000 Jul;32(7 Suppl):S389-95. Review.
- Venkataran JT, Pendergast DR**. Effect of dietary intake on immune function in athletes. *Sports Med.* 2002;32(5):323-37. Review.
- Vergnaud A-C, Norat T, Romaguera D**, ym. Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. *Am J Clin Nutr.* 2010;92:398–407.
- Villarino BJ, Dy LM, Lizada CC**. (2007). Descriptive sensory evaluation of virgin coconut oil and refined, bleached and deo- dorized coconut oil. *LWT-Food Science and Technology,* 40, 193-199
- Virtanen, HEK, Voutilainen S, Koskenine TT**, ym. Intake of Different Dietary Proteins and Risk of Heart Failure in Men. *Circ Heart Fail.* 2018 Jun; 11(6)
- Vislocky LM, Pikosky MA, Rubin KH**, ym. Habitual consumption of eggs does not alter the beneficial effects of endurance training on plasma lipids and lipoprotein metabolism in untrained men and women. *J Nutr Biochem.* 2009 Jan;20(1):26-34.
- Voigt RM, Forsyth CB, Green SJ**, ym. Circadian disorganization alters intestinal microbiota. *PLoS One.* 2014 May 21;9(5):e97500.
- Volek JS, Kraemer WJ, Bush JA**, ym. Testosterone and cortisol in relationship to dietary nutrients and resistance exercise. *J Appl Physiol (1985).* 1997 Jan;82(1):49-54.
- Vos MB, Lavine JE**. Dietary fructose in nonalcoholic fatty liver disease. *Hepatology.* 2013 Jun;57(6):2525-31.
- VRN**. Tervyettä ruoasta – Suomalaiset ravitsemussuoitus 2014. Juvenes Oy, Helsinki 2014.
- Vu KN, Ballantyne CM, Hoogeveen RC**, ym. Causal Role of Alcohol Consumption in an Improved Lipid Profile: The Atherosclerosis Risk in Communities (ARIC) Study. *PLoS One.* 2016;11(2):e0148765.
- Vucenic I, Shamsuddin AM**. Protection against cancer by dietary IP6 and inositol. *Nutrition and Cancer.* 2006;55:109-125.
- Wakefield AP, House JD, Ogborn MR**, ym. A diet with 35% of energy from protein leads to kidney damage in female Sprague-Dawley rats. *Br J Nutr.* 2011 Sep;106(5):656-63.

- Walker TB, Parker MJ.** Lessons from the War on Dietary Fat. *J Am Coll Nutr.* 2014 Jun;9:1-5.
- Wallace TC.** Health Effects of Coconut Oil-A Narrative Review of Current Evidence. *J Am Coll Nutr.* 2019 Feb;38(2):97-107.
- Wallin A, Di Giuseppe D, Orsini N**, ym. Fish consumption, dietary long-chain n-3 fatty acids, and risk of type 2 diabetes: systematic review and meta-analysis of prospective studies. *Diabetes Care.* 2012 Apr;35(4):918-29.
- Wanders AJ, van den Borne JJ**, ym. Effects of dietary fibre on subjective appetite, energy intake and body weight: a systematic review of randomized controlled trials. *Obes Rev.* 2011 Sep;12(9):724-39.
- Wang F, Lin X, Zhao Q**, ym. Fat intake and risk of ulcerative colitis: Systematic review and dose-response meta-analysis of epidemiological studies. *J Gastroenterol Hepatol.* 2017 Jan;32(1):19-27.
- Wang TJ, Larson MG, Vasan RS**, ym. Metabolite profiles and the risk of developing diabetes. *Nat Med.* 2011;17(4):448-453.
- Wang X, Lin X, Ouyang YY**, ym. Red and processed meat consumption and mortality: dose-response meta-analysis of prospective cohort studies. *Public Health Nutr.* 2016 Apr;19(5):893-905.
- Warshaw H, Edelman SV.** Practical Strategies to Help Reduce Added Sugars Consumption to Support Glycemic and Weight Management Goals. *Clin Diabetes.* 2021;39(1):45-56.
- Waterman JJ, Kapur R.** Upper gastrointestinal issues in athletes. *Curr Sports Med Rep.* 2012 Mar-Apr;11(2):99-104.
- Watson H, Mitra S, Croden FC**, ym. A randomised trial of the effect of omega-3 polyunsaturated fatty acid supplements on the human intestinal microbiota. *Gut.* 2018 Nov;67(11):1974-1983.
- Wei MY, Jacobson TA.** Effects of eicosapentaenoic acid versus docosahexaenoic acid on serum lipids: a systematic review and meta-analysis. *Curr Atheroscler Rep.* 2011 Dec;13(6):474-83.
- Weickert MO, Pfeiffer AFH.** Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. *J Nutr.* 2018 Jan 1;148(1):7-12.
- Weitzberg E, Lundberg JO.** Novel aspects of dietary nitrate and human health. *Annu Rev Nutr.* 2013;33:129-59.
- Westerterp-Plantenga MS, Nieuwenhuizen A, Tomé D**, ym. Dietary protein, weight loss, and weight maintenance. *Annu Rev Nutr.* 2009;29:21-41.
- Whitney EN, Rolfes SR.** The carbohydrates: Sugars, starch and fibers. Kirjassa: Whitney EN, Rolfes SR (toim.). Understanding Nutrition 7th ed. West Publishing Company, USA, 1996
- WHO** <http://www.who.int/mediacentre/news/notes/2014/consultation-sugar-guideline/en/>
- WHO** Technical Report Series 935. Protein and Amino Acid Requirements in Human Nutrition: report of a joint FAO/WHO/UNU expert consultation. Report of a Joint WHO/FAO/UNU Expert Consultation. 2011.
- Wien M, Haddad E, Oda K, Sabaté J.** A randomized 3x3 crossover study to evaluate the effect of Hass avocado intake on post-ingestive satiety, glucose and insulin levels, and subsequent energy intake in overweight adults. *Nutr J.* 2013 Nov 27;12:155. doi: 10.1186/1475-2891-12-155.
- Willet WC, Liu S.** Carbohydrate quality and health: distilling simple truths from complexity. *Am J Clin Nutr.* 2019 Oct 1;110(4):803-804.
- Willett WC.** Dietary fat plays a major role in obesity: no. *Obes Rev.* 2002 May;3(2):59-68. Review.
- Wilson B, Rossi M, Dimidi E**, ym. Prebiotics in irritable bowel syndrome and other functional bowel disorders in adults: a systematic review and meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2019 Apr 1;109(4):1098-1111.
- Winter G, Hart RA, Charlesworth RPG**, ym. Gut microbiome and depression: what we know and what we need to know. *Rev Neurosci.* 2018 Aug 28;29(6):629-643.
- Wolever TM, Gibbs AL, Mehling C**, ym. (2008) The Canadian Trial of Carbohydrates in Diabetes (CCD), a 1-y controlled trial of low-glycemic-index dietary carbohydrate in type 2 diabetes: no effect on glycated hemoglobin but reduction in C-reactive protein. *Am J Clin Nutr.* 87, 114-125
- Wolever TM, Jenkins DJ, Jenkins AL**, ym. The glycemic index: methodology and clinical implications. *Am J Clin Nutr.* 1991 Nov;54(5):846-54.
- Wolever TM.** Is glycaemic index (GI) a valid measure of carbohydrate quality? *Eur J Clin Nutr.* 2013 May;67(5):522-31
- Wolever TM.** Relationship between dietary fiber content and composition in foods and the glycemic index. *Am J Clin Nutr.* 1990;51(1):72-5.
- Wood AM, Kaptoge S, Butterworth AS** ym.; Emerging Risk Factors Collaboration/EPIC-CVD/UK Biobank Alcohol Study Group. Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. *Lancet.* 2018 Apr 14;391(10129):1513-1523.
- Woodside JV, Young IS, McKinley MC.** Fruit and vegetable intake and risk of cardiovascular disease. *Proc Nutr Soc.* 2013 Nov;72(4):399-406
- Worku MG, Seretew WS, Angaw DA**, ym. Prevalence and Associated Factor of Brown Adipose Tissue: Systematic Review and Meta-Analysis. *Bio-med Res Int.* 2020 Jun 16;2020:9106976.
- World Cancer Research Fund / American Institute for Cancer Research.** Washington DC: AICR; 2007. Food, Nutrition, Physical Activity, and the Prevention of Cancer: A Global Perspective.
- World Health Organisation.** Geneva: Evaluation of Certain Food Additives; 2002. Fifty-ninth Report of the Joint FAO/WHO Expert Committee on Food Additives (JECFA)
- Wu GD, Chen J, Hoffmann C**, ym. Linking long-term dietary patterns with gut microbial enterotypes. *Science.* 2011 Oct 7;334(6052):105-8.
- Wu JH, Micha R, Imamura F, Pan A**, ym. Omega-3 fatty acids and incident type 2 diabetes: a systematic review and meta-analysis. *Br J Nutr.* 2012 Jun;107 Suppl 2:S214-27.
- Wu JH, Micha R, Imamura F**, ym. Omega-3 fatty acids and incident type 2 diabetes: a systematic review and meta-analysis. *Br J Nutr.* 2012 Jun;107 Suppl 2:S214-27
- Wu L, Ma D, Walton-Moss B**, ym. Effects of low-fat diet on serum lipids in premenopausal and postmenopausal women: a meta-analysis of randomized controlled trials. *Menopause.* 2014 Jan;21(1):89-99.
- Wurtz P, Soininen P, Kangas AJ**, ym. Branched-chain and aromatic amino acids are predictors of insulin resistance in young adults. *Diabetes Care.* 2013;36(3):648-655.
- Wycherley TP, Moran LJ, Clifton PM**, ym. Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. *Am J Clin Nutr.* 2012 Dec;96(6):1281-98.
- Xia Y, Lu Z, Lu M**, ym. Raw orange intake is associated with higher prevalence of non-alcoholic fatty liver disease in an adult population. *Nutrition.* 2019 Apr;60:252-260.
- Xu F, Zheng Y, Yang Z**, ym. Domestic cooking methods affect the nutritional quality of red cabbage. *Food Chem.* 2014 Oct 15;161:162-7.
- Xun P, He K.** Fish Consumption and Incidence of Diabetes: meta-analysis of data from 438,000 individuals in 12 independent prospective cohorts with an average 11-year follow-up. *Diabetes Care.* 2012 Apr;35(4):930-8.
- Yaghoobi N, Al-Waili N, Ghayour-Mobarhan M**, ym. Natural honey and cardiovascular risk factors; effects on blood glucose, cholesterol, triacylglycerole, CRP, and body weight compared with sucrose. *ScientificWorldJournal.* 2008 Apr 20;8:463-9.
- Yang D, Liu Z, Yang H**, ym. Acute effects of high-protein versus normal-protein isocaloric meals on satiety and ghrelin. *Eur J Nutr.* 2014 Mar;53(2):493-500
- Yang WS, Wang WY, Fan WY**, ym. Tea consumption and risk of type 2 diabetes: a dose-response meta-analysis of cohort studies. *Br J Nutr.* 2014 Apr 28;111(8):1329-39. (a)

- Yao B, Fang H, Xu W**, ym. Dietary fiber intake and risk of type 2 diabetes: a dose-response analysis of prospective studies. *Eur J Epidemiol.* 2014 Feb;29(2):79-88.
- Ye EQ, Chacko SA, Chou EL**, ym. Greater whole-grain intake is associated with lower risk of type 2 diabetes, cardiovascular disease, and weight gain. *J Nutr.* 2012 Jul;142(7):1304-13.
- Ye J, Yu Q, Mai W**, ym. Dietary protein intake and subsequent risk of type 2 diabetes: a dose-response meta-analysis of prospective cohort studies. *Acta Diabetol.* 2019 Aug;56(8):851-870.
- Yi M, Fu J, Zhou L**, ym. The effect of almond consumption on elements of endurance exercise performance in trained athletes. *J Int Soc Sports Nutr.* 2014 May 11;11:18.
- Young JF, Therkildsen M, Ekstrand B**, ym. Novel aspects of health promoting compounds in meat. *Meat Sci.* 2013 Dec;95(4):904-11.
- Yu X, Bao Z, Zou J**, ym. Coffee consumption and risk of cancers: a meta-analysis of cohort studies. *BMC Cancer.* 2011 Mar 15;11:96.
- Zafar MI, Mills KE, Zheng J**, ym. Low-glycemic index diets as an intervention for diabetes: a systematic review and meta-analysis. *Am J Clin Nutr.* 2019 Oct 1;110(4):891-902.
- Zahradka P, Wright B, Weighell W**, ym. Daily non-soy legume consumption reverses vascular impairment due to peripheral artery disease. *Atherosclerosis.* 2013 Oct;230(2):310-4.
- Zalecka A, Bügel S, Paoletti F**, ym. The influence of organic production on food quality - research findings, gaps and future challenges. *J Sci Food Agric.* 2014 Jan 16.
- Zemel MB**. Proposed role of calcium and dairy food components in weight management and metabolic health. *Phys Sportsmed.* 2009;37:29-39.
- Zhan X, Zhu Z, Sun DW**. Effects of pretreatments on quality attributes of long-term deep frozen storage of vegetables: a review. *Crit Rev Food Sci Nutr.* 2019;59(5):743-757.
- Zhang F, Ye J, Zhu X, Wang L, Gao P, Shu G**, ym. Anti-Obesity Effects of Dietary Calcium: The Evidence and Possible Mechanisms. *Int J Mol Sci.* 2019 Jun 23;20(12):3072.
- Zhao Z, Li S, Liu G**, ym. Body iron stores and heme-iron intake in relation to risk of type 2 diabetes: a systematic review and meta-analysis. *PLoS One.* 2012;7(7):e41641.
- Zheng JS, Huang T, Yang J**, ym. Marine N-3 polyunsaturated fatty acids are inversely associated with risk of type 2 diabetes in Asians: a systematic review and meta-analysis. *PLoS One.* 2012;7(9):e44525.
- Zheng W, Lee SA**. Well-done meat intake, heterocyclic amine exposure, and cancer risk. *Nutr Cancer.* 2009;61(4):437-46.
- Zheng XX, Xu YL, Li SH**, ym. Green tea intake lowers fasting serum total and LDL cholesterol in adults: a meta-analysis of 14 randomized controlled trials. *Am J Clin Nutr.* 2011 Aug;94(2):601-10.
- Zhong VW, Van Horn L, Greenland P**, ym. Associations of Processed Meat, Unprocessed Red Meat, Poultry, or Fish Intake With Incident Cardiovascular Disease and All-Cause Mortality. *JAMA Intern Med.* 2020 Apr 1;180(4):503-512.
- Zhou D, Yu H, He F**, ym. Nut consumption in relation to cardiovascular risk and type 2 diabetes: a systematic review and meta-analysis of prospective studies. *Am J Clin Nutr.* 2014 May 7.
- Zhou Y, Tian C, Jia C**. Association of fish and n-3 fatty acid intake with the risk of type 2 diabetes: a meta-analysis of prospective studies. *Br J Nutr.* 2012 Aug;108(3):408-17.
- Zijp IM, Korver O, Tijburg LB**. Effect of tea and other dietary factors on iron absorption. *Crit Rev Food Sci Nutr.* 2000 Sep;40(5):371-98. Review.
- Ziltener JL, Leal S, Fournier PE**. Non-steroidal anti-inflammatory drugs for athletes: an update. *Ann Phys Rehabil Med.* 2010 May;53(4):278-82, 282-8.
- Österdahl M, Kocturk T, Koochek A, ym. Effects of a short-term intervention with a paleolithic diet in healthy volunteers. *Eur J Clin Nutr.* 2008 May;62(5):682-5.

LUKU 7 Hiilihydraatit ja rasva urheilussa

- Abbott K, Burrows TL, Acharya S**, ym. Dietary supplementation with docosahexaenoic acid rich fish oil increases circulating levels of testosterone in overweight and obese men. *Prostaglandins Leukot Essent Fatty Acids*. 2020 Dec;163:102204.
- Achten J, Halson SL, Moseley L**, ym. Higher dietary carbohydrate content during intensified running training results in better maintenance of performance and mood state. *J Appl Physiol* (1985). 2004 Apr;96(4):1331-40.
- Ali A, Yoo MJ, Moss C**, ym. Carbohydrate mouth rinsing has no effect on power output during cycling in a glycogen-reduced state. *J Int Soc Sports Nutr*. 2016 Apr 23;13:19.
- Aragon AA, Schoenfeld BJ**. Nutrient timing revisited: is there a post-exercise anabolic window? *J Int Soc Sports Nutr*. 2013 Jan 29;10(1):5.
- Areta JL, Burke LM, Ross ML**, ym. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol*. 2013 May 1;591(Pt 9):2319-31.
- Artero EG, Lee DC, Lavie CJ**, ym. Effects of muscular strength on cardiovascular risk factors and prognosis. *J Cardiopulm Rehabil Prev*. 2012 Nov-Dec;32(6):351-8.
- Ataide-Silva T, Ghilarone T, Bertuzzi R**, ym. CHO Mouth Rinse Ameliorates Neuromuscular Response with Lower Endogenous CHO Stores. *Med Sci Sports Exerc*. 2016 Sep;48(9):1810-20.
- Baar K**. Nutrition and the adaptation to endurance training. *Sports Med*. 2014 May;44 Suppl 1:S5-12.
- Backhouse SH, Bishop NC, Biddle SJ**, ym. Effect of carbohydrate and prolonged exercise on affect and perceived exertion. *Med Sci Sports Exerc*. 2005 Oct;37(10):1768-73.
- Barenyi M, Recasens MA, Martí-Henneberg C**, ym. Effect of exercise and protein intake on energy expenditure in adolescents. *Rev Esp Fisiol*. 1993 Dec;49(4):209-17.
- Barnard ND, Goldman DM, Loomis JE**, ym. Plant-Based Diets for Cardiovascular Safety and Performance in Endurance Sports. *Nutrients*. 2019 Jan 10;11(1):130.
- Bartlett, J. D., Louhelainen, J., Iqbal, Z.**, ym. (2013). Reduced carbohydrate availability enhances exercise-induced p53 signaling in human skeletal muscle: Implications for mitochondrial biogenesis. *American Journal of Physiology Regulatory, Integrative and Comparative Physiology*, 304(6), R450-8.
- Beelen M, Burke LM, Gibala MJ**, ym. Nutritional strategies to promote postexercise recovery. *Int J Sport Nutr Exerc Metab*. 2010 Dec;20(6):515-32.
- Beis LY, Willkomm L, Ross R**, ym. Food and macronutrient intake of elite Ethiopian distance runners. *J Int Soc Sports Nutr*. 2011 May 19;8:7.
- Bennett CB, Chilibeck PD, Barss T**, ym. Metabolism and performance during extended high-intensity intermittent exercise after consumption of low- and high-glycaemic index pre-exercise meals. *Br J Nutr*. 2012 Aug;108 Suppl 1:S81-90.
- Berardi JM, Noreen EE, Lemon PW**. Recovery from a cycling time trial is enhanced with carbohydrate-protein supplementation vs. isoenergetic carbohydrate supplementation. *J Int Soc Sports Nutr*. 2008 Dec 24;5:24.
- Betts JA, Williams C**. Short-term recovery from prolonged exercise: exploring the potential for protein ingestion to accentuate the benefits of carbohydrate supplements. *Sports Med*. 2010 Nov 1;40(11):941-59.
- Betts JA, Beelen M, Stokes KA**, ym. Endocrine responses during overnight recovery from exercise: impact of nutrition and relationships with muscle protein synthesis. *Int J Sport Nutr Exerc Metab*. 2011 Oct;21(5):398-409.
- Bielohuby, M., Matsuuura, M., Herbach, N.**, ym. (2010). Short-term exposure to low-carbohydrate, high-fat diets induces low bone mineral density and reduces bone formation in rats. *Journal of Bone and Mineral Research*, 25(2), 275-284.
- Black KE, Skidmore PM, Brown RC**. Energy intakes of ultraendurance cyclists during competition, an observational study. *Int J Sport Nutr Exerc Metab*. 2012 Feb;22(1):19-23.
- Blomstrand E, Saltin B**. Effect of muscle glycogen on glucose, lactate and amino acid metabolism during exercise and recovery in human subjects. *J Physiol*. 1999 Jan 1;514 (Pt 1):293-302.
- Bottoms L, Sinclair J, Taylor K**, ym. The effects of carbohydrate ingestion on the badminton serve after fatiguing exercise. *J Sports Sci*. 2012;30(3):285-93.
- Bostock ECS, Kirkby KC, Taylor BV**, ym. Consumer Reports of "Keto Flu" Associated with the Ketogenic Diet. *Front Nutr*. 2020;7:20.
- Brouns F, Beckers E**. Is the gut an athletic organ? Digestion, absorption and exercise. *Sports Med*. 1993 Apr;15(4):242-57.
- Brun JE, Fedou C, Mercier J**. Postprandial reactive hypoglycemia. *Diabetes Metab*. 2000 Nov;26(5):337-51. Review.
- Burke LM, Collier GR, Beasley SK**, ym. Effect of coingestion of fat and protein with carbohydrate feedings on muscle glycogen storage. *J Appl Physiol* (1985). 1995 Jun;78(6):2187-92.
- Burke LM**. Energy needs of athletes. *Can J Appl Physiol*. 2001;26 Suppl:S202-19. Review.
- Burke LM**. Fueling strategies to optimize performance: training high or training low? *Scand J Med Sci Sports*. 2010 Oct;20 Suppl 2:48-58.
- Burke, L. M., Hawley, J. A., Wong, S. H. S.**, ym. (2011). Carbohydrates for training and competition. *Journal of Sports Sciences*, 29(S1), S17-S27.
- Burke, L. M.** (2015). Re-examining high-fat diets for sports performance: Did we call the 'nail in the coffin' too soon? *Sports Medicine (Auckland, N.Z.)*, 45(S1), 33-49.
- Burke, L. M., & Maughan, R. J.** (2015). The governor has a sweet tooth - mouth sensing of nutrients to enhance sports performance. *European Journal of Sport Science*, 15(1), 29-40.
- Burke, L. M., Ross, M. L., Garvican-Lewis, L. A.**, ym. (2017a). Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *The Journal of Physiology*, 595(9), 2785-2807.
- Burke, L. M., van Loon, L. J. C., & Hawley, J. A.** (2017b). Postexercise muscle glycogen resynthesis in humans. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 122(5), 1055-1067.
- Burke, L. M., Hawley, J. A., Jeukendrup, A.**, ym. (2018). Toward a common understanding of diet-exercise strategies to manipulate fuel availability for training and competition preparation in endurance sport. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(5), 451-463.
- Burke LM, Jeukendrup AE, Jones AM**, ym. Contemporary Nutrition Strategies to Optimize Performance in Distance Runners and Race Walkers. *Int J Sport Nutr Exerc Metab*. 2019 Mar 1;29(2):117-129.
- Burke LM, Castell LM, Casa DJ**, ym. International Association of Athletics Federations Consensus Statement 2019: Nutrition for Athletics. *Int J Sport Nutr Exerc Metab*. 2019 Mar 1;29(2):73-84 (a)
- Burke LM, Sharma AP, Heikura IA**, ym. Crisis of confidence averted: Impairment of exercise economy and performance in elite race walkers by ketogenic low carbohydrate, high fat (LCHF) diet is reproducible. *PLoS One*. 2020 Jun 4;15(6):e0234027.
- Burke LM**. Ketogenic low-CHO, high-fat diet: the future of elite endurance sport? *J Physiol*. 2021 Feb;599(3):819-843.
- Burke LM, Whitfield J, Heikura IA**, ym. Adaptation to a low carbohydrate high fat diet is rapid but impairs endurance exercise metabolism and performance despite enhanced glycogen availability. *J Physiol*. 2021 Feb;599(3):771-790.
- Bussau VA, Fairchild TJ, Rao A**, ym. Carbohydrate loading in human muscle: an improved 1 day protocol. *Eur J Appl Physiol*. 2002 Jul;87(3):290-5.

- Caesar, E.** (2017). The epic untold story of Nike's (almost) perfect marathon. Wired. Saatavilla: <https://www.wired.com/story/nike-breaking2-marathon-eliud-kipchoge/>. Julkaistu 26.6.2017. Viitattu 28.4.2021.
- Camera DM, West DW, Burd NA**, ym. Low muscle glycogen concentration does not suppress the anabolic response to resistance exercise. *J Appl Physiol* (1985). 2012 Jul;113(2):206-14.
- Carter J, Jeukendrup AE, Mundel T**, ym. Carbohydrate supplementation improves moderate and high-intensity exercise in the heat. *Pflugers Arch.* 2003 May;446(2):211-9.
- Cermak, N. M., & van Loon, L. J.** (2013). The use of carbohydrates during exercise as an ergogenic aid. *Sports Medicine (Auckland, N.Z.)*, 43(11), 1139-1155.
- Chambers ES, Bridge MW, Jones DA**. Carbohydrate sensing in the human mouth: effects on exercise performance and brain activity. *J Physiol.* 2009 Apr 15;587(Pt 8):1779-94.
- Cheetham ME, Boobis LH, Brooks S**, ym. Human muscle metabolism during sprint running. *J Appl Physiol (1985)*. 1986 Jul;61(1):54-60.
- Chen YJ, Wong SH, Wong CK**, ym. The effect of a pre-exercise carbohydrate meal on immune responses to an endurance performance run. *Br J Nutr.* 2008 Dec;100(6):1260-8.
- Chen Y, Wong SH, Xu X**, ym. Effect of CHO loading patterns on running performance. *Int J Sports Med.* 2008 Jul;29(7):598-606. (a)
- Cholewa JM, Newmire DE, Zanchi NE**. Carbohydrate restriction: Friend or foe of resistance-based exercise performance? *Nutrition.* 2019 Apr;60:136-146.
- Churchward-Venne TA, Burd NA, Phillips SM**. Nutritional regulation of muscle protein synthesis with resistance exercise: strategies to enhance anabolism. *Nutr Metab (Lond)*. 2012; 9: 40.
- Clegg ME**. Medium-chain triglycerides are advantageous in promoting weight loss although not beneficial to exercise performance. *Int J Food Sci Nutr.* 2010 Nov;61(7):653-79.
- Coggan AR, Swanson SC**. Nutritional manipulations before and during endurance exercise: effects on performance. *Med Sci Sports Exerc.* 1992 Sep;24(9 Suppl):S331-5.
- Colombani PC, Mannhart C, Mettler S**. Carbohydrates and exercise performance in non-fasted athletes: a systematic review of studies mimicking real-life. *Nutr J.* 2013 Jan 28;12:16.
- Costa RJ, Gill SK, Hankey J**, ym. Perturbed energy balance and hydration status in ultra-endurance runners during a 24 h ultra-marathon. *Br J Nutr.* 2014 Aug 14;112(3):428-37.
- Costa, R. J. S., Miali, A., Khoo, A.**, ym. (2017). Gut-training: The impact of two weeks repetitive gut-challenge during exercise on gastrointestinal status, glucose availability, fuel kinetics, and running performance. *Applied Physiology, Nutrition, and Metabolism*, 42(5), 547-557.
- Costa RJS, Hoffman MD, Stellingwerff T**. Considerations for ultra-endurance activities: part 1- nutrition. *Res Sports Med.* 2019 Apr-Jun;27(2):166-181. (a)
- Costa RJS, Knechtle B, Tarnopolsky M**, ym. Nutrition for Ultramarathon Running: Trail, Track, and Road. *Int J Sport Nutr Exerc Metab.* 2019 Mar 1;29(2):130-140.
- Cox PJ, Kirk T, Ashmore T**, ym. Nutritional Ketosis Alters Fuel Preference and Thereby Endurance Performance in Athletes. *Cell Metab.* 2016 Aug 9;24(2):256-68.
- Coyle EF, Coggan AR, Hemmert MK**, ym. Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J Appl Physiol (1985)*. 1986 Jul;61(1):165-72.
- Coyle EF**. Physiological determinants of endurance exercise performance. *J Sci Med Sport.* 1999;2(3):181-189.
- Currell K, Jeukendrup AE**. Superior endurance performance with ingestion of multiple transportable carbohydrates. *Med Sci Sports Exerc.* 2008 Feb;40(2):275-81.
- Da Boit M, Sibson R, Sivasubramaniam S**, ym. Sex differences in the effect of fish-oil supplementation on the adaptive response to resistance exercise training in older people: a randomized controlled trial. *Am J Clin Nutr.* 2017 Jan;105(1):151-158.
- Décombat J, Grathwohl D, Pollien P**, ym. Effect of short-duration lipid supplementation on fat oxidation during exercise and cycling performance. *Appl Physiol Nutr Metab.* 2013 Jul;38(7):766-72.
- de Oliveira EP, Burini RC, Jeukendrup A**. Gastrointestinal complaints during exercise: prevalence, etiology, and nutritional recommendations. *Sports Med.* 2014 May;44 Suppl 1:S79-85.
- Deutz, R. C., Benardot, D., Martin, D. E.**, ym. (2000). Relationship between energy deficits and body composition in elite female gymnasts and runners. *Medicine and Science in Sports and Exercise*, 32(3), 659-668.
- Doherty M, Smith PM**. Effects of caffeine ingestion on rating of perceived exertion during and after exercise: a meta-analysis. *Scand J Med Sci Sports.* 2005;15(2):69-78.
- Donaldson CM, Perry TL, Rose MC**. Glycemic index and endurance performance. *Int J Sport Nutr Exerc Metab.* 2010 Apr;20(2):154-65.
- Dorgan JF, Judd JT, Longcope C**, ym. Effects of dietary fat and fiber on plasma and urine androgens and estrogens in men: a controlled feeding study. *Am J Clin Nutr.* 1996 Dec;64(6):850-5.
- Elliot TA, Cree MG, Sanford AP**, ym. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Med Sci Sports Exerc.* 2006 Apr;38(4):667-74.
- Evans M, Egan B**. Intermittent Running and Cognitive Performance after Ketone Ester Ingestion. *Med Sci Sports Exerc.* 2018 Nov;50(11):2330-2338.
- Fahrenholz, I. L., Sjodin, A., Benardot, D.**, ym. (2018). Within-day energy deficiency and reproductive function in female endurance athletes. *Scandinavian Journal of Medicine & Science in Sports*, 28(3), 1139-1146.
- Febbraio & Dancey**. Skeletal muscle energy metabolism during prolonged, fatiguing exercise. *J Appl Physiol (1985)*. 1999 Dec;87(6):2341-7.
- Fenzl N, Bartsch K, Koenigstorfer J**. Labeling exercise fat-burning increases post-exercise food consumption in self-imposed exercisers. *Appetite.* 2014 May 28;81C:1-7.
- Figueiredo VC, Cameron-Smith D**. Is carbohydrate needed to further stimulate muscle protein synthesis/hypertrophy following resistance exercise? *J Int Soc Sports Nutr.* 2013 Sep 25;10(1):42.
- Foskett A, Williams C, Boobis L**, ym. Carbohydrate availability and muscle energy metabolism during intermittent running. *Med Sci Sports Exerc.* 2008 Jan;40(1):96-103.
- Fouillet H, Gaudichon C, Mariotti F**, ym. Energy nutrients modulate the splanchnic sequestration of dietary nitrogen in humans: a compartmental analysis. *Am J Physiol Endocrinol Metab.* 2001 Aug;281(2):E248-60.
- Fuchs CJ, Gonzalez JT, van Loon LJC**. Fructose co-ingestion to increase carbohydrate availability in athletes. *J Physiol.* 2019 Jul;597(14):3549-3560.
- Garthe, I., Raastad, T., Refsnes, P. E.**, ym. (2011). Effect of two different weight-loss rates on body composition and strength and power-related performance in elite athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 21(2), 97-104.
- Gejl, K. D., Thams, L. B., Hansen, M.**, ym. (2017). No superior adaptations to carbohydrate periodization in elite endurance athletes. *Medicine and Science in Sports and Exercise*, 49(12), 2486-2497.

- Gillen, J. B., West, D. W., Williamson, E. P.**, ym. (2019). Low-Carbohydrate Training Increases Protein Requirements of Endurance Athletes. *Med Sci Sports Exerc*, May 10.
- Goedecke JH, Clark VR, Noakes TD**, ym. The effects of medium-chain triacylglycerol and carbohydrate ingestion on ultra-endurance exercise performance. *Int J Sport Nutr Exerc Metab*. 2005 Feb;15(1):15-27.
- Goedecke JH, White NJ, Chicktay W**, ym. The effect of carbohydrate ingestion on performance during a simulated soccer match. *Nutrients*. 2013 Dec 16;5(12):5193-204.
- Goh Q, Boop CA, Luden ND**, ym. Recovery from cycling exercise: effects of carbohydrate and protein beverages. *Nutrients*. 2012 Jul;4(7):568-84.
- Gonzalez JT, Fuchs CJ, Betts JA**, ym. Glucose Plus Fructose Ingestion for Post-Exercise Recovery-Greater than the Sum of Its Parts? *Nutrients*. 2017 Mar 30;9(4). pii: E344. doi: 10.3390/nu9040344. Review.
- Greene, D. A., Varley, B. J., Hartwig, T. B.**, ym. (2018). A Low-Carbohydrate Ketogenic Diet Reduces Body Mass Without Compromising Performance in Powerlifting and Olympic Weightlifting Athletes. *J Strength Cond Res*, 32(12):3373-3382.
- Haff GG, Koch AJ, Pottiger JA**, ym. Carbohydrate supplementation attenuates muscle glycogen loss during acute bouts of resistance exercise. *Int J Sport Nutr Exerc Metab*. 2000 Sep;10(3):326-39.
- Haff GG, Lehmkuhl MJ, McCoy LB**, ym. Carbohydrate supplementation and resistance training. *J Strength Cond Res*. 2003 Feb;17(1):187-96.
- Hall KD** (2017). A review of the carbohydrate-insulin model of obesity. *European Journal of Clinical Nutrition*, 71, 323-326.
- Hall KD, Guyenet SJ, Leibel RL**. The Carbohydrate-Insulin Model of Obesity Is Difficult to Reconcile With Current Evidence. *JAMA Intern Med*. 2018 Aug 1;178(8):1103-1105.
- Halson SL**. Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Med*. 2014 May;44 Suppl 1(Suppl 1):S13-23.
- Hammond, K. M., Sale, C., Fraser, W.**, ym. (2019). Post-exercise carbohydrate and energy availability induce independent effects on skeletal muscle cell signalling and bone turnover: implications for training adaptation. *J Physiol, Jul 31*.
- Hargreaves M, Hawley JA, Jeukendrup A**. Pre-exercise carbohydrate and fat ingestion: effects on metabolism and performance. *J Sports Sci*. 2004 Jan;22(1):31-8.
- Harvey CJDC, Schofield GM, Williden M**. The use of nutritional supplements to induce ketosis and reduce symptoms associated with keto-induction: a narrative review. *PeerJ*. 2018;6:e4488.
- Hasselbalch SG, Knudsen GM, Jakobsen J**, ym. Blood-brain barrier permeability of glucose and ketone bodies during short-term starvation in humans. *Am J Physiol*. 1995 Jun;268(6 Pt 1):E1161-6.
- Havemann, L., West, S. J., Goedecke, J. H.**, ym. (2006). Fat adaptation followed by carbohydrate loading compromises high-intensity sprint performance. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 100(1), 194-202.
- Hawley JA, Burke LM, Angus DJ**, ym. Effect of altering substrate availability on metabolism and performance during intense exercise. *Br J Nutr*. 2000 Dec;84(6):829-38.
- Hawley JA, Burke LM**. Carbohydrate availability and training adaptation: effects on cell metabolism. *Exerc Sport Sci Rev*. 2010 Oct;38(4):152-60.
- Hawley JA**. Nutritional strategies to modulate the adaptive response to endurance training. *Nestle Nutr Inst Workshop Ser*. 2013;75:1-14.
- Hawley JA, Leckey JJ**. Carbohydrate Dependence During Prolonged, Intense Endurance Exercise. *Sports Med*. 2015 Nov;45 Suppl 1(Suppl 1):S5-12.
- Hawley, J. A., Lundby, C., Cotter, J. D.**, ym. (2018). Maximizing cellular adaptation to endurance exercise in skeletal muscle. *Cell Metabolism*, 27(5), 962-976.
- Hearris, M. A., Hammond, K. M., Fell, J. M.**, ym. (2018). Regulation of muscle glycogen metabolism during exercise: Implications for endurance performance and training adaptations. *Nutrients*, 10(3), 10.3390/nu10030298.
- Hearris, M. A., Hammond, K. M., Seaborne, R. A.**, ym. (2019). Graded reductions in pre-exercise muscle glycogen impair exercise capacity but do not augment cell skeletal muscle signaling: implications for CHO periodization. *Journal of Applied Physiology*, 126(6):1587-1597.
- Heesch MW, Mieras ME, Slivka DR**. The performance effect of early versus late carbohydrate feedings during prolonged exercise. *Appl Physiol Nutr Metab*. 2014 Jan;39(1):58-63.
- Heikura, I. A., Burke, L. M., Mero, A. A.**, ym. (2017a). Dietary microperiodization in elite female and male runners and race walkers during a block of high intensity precompetition training. *International Journal of Sport Nutrition and Exercise Metabolism*, 27(4), 297-304.
- Heikura, I. A., Stellingwerff, T., Mero, A. A.**, ym. (2017b). A mismatch between athlete practice and current sports nutrition guidelines among elite female and male middle- and long-distance athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 27(4), 351-360.
- Heikura IA, Stellingwerff T, Burke LM**. Self-Reported Periodization of Nutrition in Elite Female and Male Runners and Race Walkers. *Front Physiol*. 2018 Dec 3;9:1732.
- Heikura, IA., Burke, LM., Hawley, JH.**, ym. (2019). A short-term ketogenic diet impairs markers of bone health in response to exercise. In review for *Frontiers in Endocrinology*
- Heikura IA, Burke LM, Hawley JA**, ym. A Short-Term Ketogenic Diet Impairs Markers of Bone Health in Response to Exercise. *Front Endocrinol (Lausanne)*. 2020 Jan 21;10:880.
- Helms, E. R., Zinn, C., Rowlands, D. S.**, ym. (2014). A systematic review of dietary protein during caloric restriction in resistance trained lean athletes: A case for higher intakes. *International Journal of Sport Nutrition and Exercise Metabolism*, 24(2), 127-138.
- Heung-Sang Wong S, Sun FH, Chen YJ**, ym. Effect of pre-exercise carbohydrate diets with high vs low glycemic index on exercise performance: a meta-analysis. *Nutr Rev*. 2017 May 1;75(5):327-338.
- Hoffman MD, Stellingwerff T, Costa RJS**. Considerations for ultra-endurance activities: part 2 - hydration. *Res Sports Med*. 2019 Apr-Jun;27(2):182-194.
- Holdsworth DA, Cox PJ, Kirk T**, ym. A Ketone Ester Drink Increases Postexercise Muscle Glycogen Synthesis in Humans. *Med Sci Sports Exerc*. 2017 Sep;49(9):1789-1795.
- Horvath PJ, Eagen CK, Ryer-Calvin SD**, ym. The effects of varying dietary fat on the nutrient intake in male and female runners. *J Am Coll Nutr*. 2000 Feb;19(1):42-51.
- Howarth KR, Phillips SM, MacDonald MJ**, ym. Effect of glycogen availability on human skeletal muscle protein turnover during exercise and recovery. *J Appl Physiol (1985)*. 2010 Aug;109(2):431-8.
- Hulmi JJ, Volek JS, Selänne H**, ym. Protein ingestion prior to strength exercise affects blood hormones and metabolism. *Med Sci Sports Exerc*. 2005 Nov;37(11):1990-7.
- Hulston, C., Venables, M., Mann, C.**, ym. (2010). Training with low muscle glycogen enhances fat metabolism in well-trained cyclists. *Medicine and Science in Sports and Exercise*, 42(11), 2046-2055.
- Hulton AT, Gregson W, Maclarek D**, ym. Effects of GI meals on intermittent exercise. *Int J Sports Med*. 2012 Sep;33(9):756-62.
- Hurst S, Zainal Z, Caterson B**, ym. Dietary fatty acids and arthritis. *Prostaglandins Leukot Essent Fatty Acids*. 2010 Apr-Jun;82(4-6):315-8.
- Hutchinson, A.** Haile Gebrselassie's world record marathon fueling plan. Runner's World. Saatavilla: <https://www.runnersworld.com/nutrition-weight-loss/a20812496/haile-gebrselassies-world-record-marathon-fueling-plan>. Julkaistu 8.11.2013. Viitattu 28.4.2021.
- Impey SG, Smith D, Robinson AL**, ym. Leucine-enriched protein feeding does not impair exercise-induced free fatty acid availability and lipid oxidation: beneficial implications for training in carbohydrate-restricted states. *Amino Acids*. 2015 Feb;47(2):407-16.

- Impey, S. G., Hammond, K. M., Shepherd, S. O.**, Sharples, A. P., ym. (2016). Fuel for the work required: A practical approach to amalgamating train-low paradigms for endurance athletes. *Physiological Reports*, 4(10), 10.1481/ph2.12803.
- Impey, S. G., Hammond, K. M., Naughton, R.**, ym. (2018a). Whey protein augments leucineemia and post-exercise p70S6K1 activity compared to a hydrolysed collagen blend when in recovery from training with low carbohydrate availability. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(6), 651-659.
- Impey, S. G., Hearris, M. A., Hammond, K. M.**, ym. (2018b). Fuel for the work required: A theoretical framework for carbohydrate periodization and the glycogen threshold hypothesis. *Sports Medicine (Auckland, N.Z.)*, 48(5), 1031-1048.
- Impey SG, Jevons E, Mees G**, ym. Glycogen Utilization during Running: Intensity, Sex, and Muscle-Specific Responses. *Med Sci Sports Exerc*. 2020 Sep;52(9):1966-1975.
- IOC**. Nutrition Working Group of the International Olympic Committee. Nutrition for Athletes. A practical guide to eating for health and performance. Revised and updated 2012.
- Ivy, J. L., Katz, A. L., Cutler, C. L.**, ym. (1988). Muscle glycogen synthesis after exercise: Effect of time of carbohydrate ingestion. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 64(4), 1480-1485.
- Jentjens, R., & Jeukendrup, A.** (2003). Determinants of post-exercise glycogen synthesis during short-term recovery. *Sports Medicine (Auckland, N.Z.)*, 33(2), 117-144.
- Jentjens RL, Jeukendrup AE**. High rates of exogenous carbohydrate oxidation from a mixture of glucose and fructose ingested during prolonged cycling exercise. *Br J Nutr*. 2005 Apr;93(4):485-92.
- Jeukendrup AE**. Modulation of carbohydrate and fat utilization by diet, exercise and environment. *Biochem Soc Trans*. 2003 Dec;31(Pt 6):1270-3.
- Jeukendrup AE, Aldred S**. Fat supplementation, health, and endurance performance. *Nutrition*. 2004 Jul-Aug;20(7-8):678-88.
- Jeukendrup AE**. Nutrition for endurance sports: marathon, triathlon, road cycling. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.
- Jeukendrup AE, Moseley L**. Multiple transportable carbohydrates enhance gastric emptying and fluid delivery. *Scand J Med Sci Sports*. 2010 Feb;20(1):112-21.
- Jeukendrup AE, Killer SC**. The myths surrounding pre-exercise carbohydrate feeding. *Ann Nutr Metab*. 2010;57 Suppl 2:18-25.
- Jeukendrup, A.** (2014). A step towards personalized sports nutrition: Carbohydrate intake during exercise. *Sports Medicine*, 44(Suppl 1), 25-33.
- Jeukendrup, A. E.** (2017). Training the gut for athletes. *Sports Medicine (Auckland, N.Z.)*, 47(S1), 101-110.
- Johnson NA, Stannard SR, Thompson MW**. Muscle triglyceride and glycogen in endurance exercise: implications for performance. *Sports Med*. 2004;34(3):151-64.
- Johnson RJ, Murray R**. Fructose, exercise, and health. *Curr Sports Med Rep*. 2010 Jul-Aug;9(4):253-8.
- Kang HC, Chung DE, Kim DW**, ym. Early- and late-onset complications of the ketogenic diet for intractable epilepsy. *Epilepsia*. 2004 Sep;45(9):1116-23.
- Kang J, Raines E, Rosenberg J**, ym. Metabolic responses during postprandial exercise. *Res Sports Med*. 2013;21(3):240-52.
- Karamanolis IA, Laparidis KS, Volaklis KA**, ym. The effects of pre-exercise glycemic index food on running capacity. *Int J Sports Med*. 2011 Sep;32(9):666-71.
- Keating SE, Johnson NA, Mielke GI**, ym. A systematic review and meta-analysis of interval training versus moderate-intensity continuous training on body adiposity. *Obes Rev*. 2017 Aug;18(8):943-964.
- Kephart WC, Pledge CD, Roberson PA**, ym. The Three-Month Effects of a Ketogenic Diet on Body Composition, Blood Parameters, and Performance Metrics in CrossFit Trainees: A Pilot Study. *Sports (Basel)*. 2018 Jan 9;6(1).
- Kerksick C, Harvey T, Stout J**, ym. International Society of Sports Nutrition position stand: nutrient timing. *J Int Soc Sports Nutr*. 2008 Oct 3;5:17.
- Kerksick CM, Wilborn CD, Roberts MD**, ym. ISSN exercise & sports nutrition review update: research & recommendations. *J Int Soc Sports Nutr*. 2018 Aug 1;15(1):38.
- King NA, Blundell JE**. High-fat foods overcome the energy expenditure induced by high-intensity cycling or running. *Eur J Clin Nutr*. 1995 Feb;49(2):114-23.
- Koopman R, Manders RJ, Jonkers RA**, ym. Intramyocellular lipid and glycogen content are reduced following resistance exercise in untrained healthy males. *Eur J Appl Physiol*. 2006 Mar;96(5):525-34.
- Krishnan S, Cooper JA**. Effect of dietary fatty acid composition on substrate utilization and body weight maintenance in humans. *Eur J Nutr*. 2014 Apr;53(3):691-710.
- Krogh, A., & Lindhard, J.** (1920). The relative value of fat and carbohydrate as sources of muscular energy: With appendices on the correlation between standard metabolism and the respiratory quotient during rest and work. *The Biochemical Journal*, 14(3-4), 290-363.
- Krustrup P, Ortenblad N, Nielsen J**, ym. Maximal voluntary contraction force, SR function and glycogen resynthesis during the first 72 h after a high-level competitive soccer game. *Eur J Appl Physiol*. 2011 Dec;111(12):2987-95.
- Kulik JR, Touchberry CD, Kawamori N**, ym. Supplemental carbohydrate ingestion does not improve performance of high-intensity resistance exercise. *J Strength Cond Res*. 2008 Jul;22(4):1101-7.
- LaFountain, R. A., Miller, V. J., Barnhart, E. C.**, ym. (2019). Extended Ketogenic Diet and Physical Training Intervention in Military Personnel. *Mil Med*, 2019 Mar 16.
- Lambert CP, Flynn MG**. Fatigue during high-intensity intermittent exercise: application to bodybuilding. *Sports Med*. 2002;32(8):511-22. Review.
- Lane, S. C., Areta, J. L., Bird, S. R.**, ym. Caffeine ingestion and cycling power output in a low or normal muscle glycogen state. *Medicine and Science in Sports and Exercise*, 45(8), 1577-1584.
- Larsen MS, Holm L, Svart MV**, ym. Effects of protein intake prior to carbohydrate-restricted endurance exercise: a randomized crossover trial. *J Int Soc Sports Nutr*. 2020 Jan 28;17(1):7.
- Larson-Meyer DE, Borkhsenious ON, Gullett JC**, ym. Effect of dietary fat on serum and intramyocellular lipids and running performance. *Med Sci Sports Exerc*. 2008 May;40(5):892-902.
- Lavoué C, Siracusa J, Chalchat É**, ym. Analysis of food and fluid intake in elite ultra-endurance runners during a 24-h world championship [published correction appears in *J Int Soc Sports Nutr*. 2021 Apr 21;18(1):32]. *J Int Soc Sports Nutr*. 2020;17(1):36.
- Leckey JJ, Ross ML, Quod M**, ym. Ketone Diester Ingestion Impairs Time-Trial Performance in Professional Cyclists. *Front Physiol*. 2017 Oct 23;8:806.
- Lieberman HR, Falco CM, Slade SS**. Carbohydrate administration during a day of sustained aerobic activity improves vigilance, as assessed by a novel ambulatory monitoring device, and mood. *Am J Clin Nutr*. 2002 Jul;76(1):120-7.
- Lima-Silva AE, Pires FO, Bertuzzi R, Silva-Cavalcante MD, Oliveira RS, Kiss MA, Bishop D**. Effects of a low- or a high-carbohydrate diet on performance, energy system contribution, and metabolic responses during supramaximal exercise. *Appl Physiol Nutr Metab*. 2013 Sep;38(9):928-34.
- Little JP, Chilibeck PD, Ciona D**, ym. Effect of low- and high-glycemic-index meals on metabolism and performance during high-intensity, intermittent exercise. *Int J Sport Nutr Exerc Metab*. 2010 Dec;20(6):447-56.
- Loucks AB**. Energy balance and body composition in sports and exercise. *J Sports Sci*. 2004 Jan;22(1):1-14.
- Loucks AB**. Energy availability in athletes. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010

- Lowery LM.** Dietary Fat and Sports Nutrition: A Primer. *J Sports Sci Med.* 2004 Sep;13(3):106-117.
- Macaluso F, Barone R, Cataneo P** ym.. Do fat supplements increase physical performance? *Nutrients.* 2013 Feb;7(2):509-24.
- Marquet, L. A., Brisswalter, J., Louis, J.,** ym. (2016a). Enhanced endurance performance by periodization of carbohydrate intake: "sleep low" strategy. *Medicine and Science in Sports and Exercise,* 48(4), 663-672.
- Marquet, L. A., Hausswirth, C., Molle, O.,** ym. (2016b). Periodization of carbohydrate intake: Short-term effect on performance. *Nutrients,* 8(12), E755.
- Martinez S, Aguiló A, Rodas L,** ym. Energy, macronutrient and water intake during a mountain ultramarathon event: The influence of distance. *J Sports Sci.* 2018 Feb;36(3):333-339.
- McConnell G, Kloot K, Hargreaves M.** Effect of timing of carbohydrate ingestion on endurance exercise performance. *Med Sci Sports Exerc.* 1996 Oct;28(10):1300-4.
- McGawley K, Shannon O, Betts J.** Ingesting a high-dose carbohydrate solution during the cycle section of a simulated Olympic-distance triathlon improves subsequent run performance. *Appl Physiol Nutr Metab.* 2012 Aug;37(4):664-71.
- McGlory C, Wardle SL, Macnaughton LS,** ym. Fish oil supplementation suppresses resistance exercise and feeding-induced increases in anabolic signaling without affecting myofibrillar protein synthesis in young men. *Physiol Rep.* 2016 Mar;4(6):e12715.
- McGlory C, van Vliet S, Stokes T,** ym. The impact of exercise and nutrition on the regulation of skeletal muscle mass. *J Physiol.* 2019 Mar;597(5):1251-1258.
- McGlory C, Calder PC, Nunes EA.** The Influence of Omega-3 Fatty Acids on Skeletal Muscle Protein Turnover in Health, Disuse, and Disease. *Front Nutr.* 2019;6:144. (a)
- McGlory C, Gorissen SHM, Kamal M,** ym. Omega-3 fatty acid supplementation attenuates skeletal muscle disuse atrophy during two weeks of unilateral leg immobilization in healthy young women. *FASEB J.* 2019 Mar;33(3):4586-4597.
- McKay, A. K. A., Pyne, D. B., Peeling, P.,** ym. (2018). The impact of chronic carbohydrate manipulation on mucosal immunity in elite endurance athletes. *Journal of Sports Sciences,* 37(5), 553-559.
- McKay, A. K. A., Peeling, P., Pyne, D. B.,** ym. (2019). Chronic Adherence to a Ketogenic Diet Modifies Iron Metabolism in Elite Athletes. *Medicine and Science in Sports and Exercise,* 51(3), 548-555.
- McRae KA, Galloway SD.** Carbohydrate-electrolyte drink ingestion and skill performance during and after 2 hr of indoor tennis match play. *Int J Sport Nutr Exerc Metab.* 2012 Feb;22(1):38-46.
- McSwiney, F. T., Wardrop, B., Hyde, P. N.,** ym. (2018). Keto-adaptation enhances exercise performance and body composition responses to training in endurance athletes. *Metabolism: Clinical and Experimental,* 81, 25-34.
- McSwiney, F. T., & Doyle, L.** (2019). Low-Carbohydrate Ketogenic Diets in Male Endurance Athletes Demonstrate Different Micronutrient Contents and Changes in Corpuscular Haemoglobin over 12 Weeks. *Sports (Basel),* 7(9).
- Mickleborough TD, Head SK, Lindley MR.** Exercise-induced asthma: nutritional management. *Curr Sports Med Rep.* 2011 Jul;10(4):197-202.
- Mitchell JB, DiLauro PC, Pizza FX,** ym. The effect of preexercise carbohydrate status on resistance exercise performance. *Int J Sport Nutr.* 1997 Sep;7(3):185-96.
- Mitchell JB.** Ingestion of carbohydrate during recovery in exercising people. *Curr Opin Clin Nutr Metab Care.* 2013 Jul;16(4):461-5.
- Moore LJ, Midgley AW, Thurlow S,** ym. Effect of the glycaemic index of a pre-exercise meal on metabolism and cycling time trial performance. *J Sci Med Sport.* 2010 Jan;13(1):182-8.
- Moore DR, Areta J, Coffey VG,** ym. Daytime pattern of post-exercise protein intake affects whole-body protein turnover in resistance-trained males. *Nutr Metab (Lond).* 2012 Oct;16(91):91.
- Moore L, Szpalek HM, McNaughton LR.** Preexercise high and low glycemic index meals and cycling performance in untrained females: randomized, cross-over trial of efficacy. *Res Sports Med.* 2013;21(1):24-36.
- Morton, J. P., Croft, L., Bartlett, J. D.,** ym. (2009). Reduced carbohydrate availability does not modulate training-induced heat shock protein adaptations but does upregulate oxidative enzyme activity in human skeletal muscle. *Journal of Applied Physiology (Bethesda, Md.: 1985),* 106(5), 1513-1521.
- Mujika, I.** (2018). Case study: Long-term low carbohydrate, high fat diet impairs performance and subjective wellbeing in a world-class vegetarian long-distance triathlete. *International Journal of Sport Nutrition and Exercise Metabolism,* 29(3), 339-344.
- Mujika, I., Halson, S., Burke, L. M.,** ym. (2018). An integrated, multifactorial approach to periodization for optimal performance in individual and team sports. *International Journal of Sports Physiology and Performance,* 13(5), 538-561.
- Murakami I, Sakuragi T, Uemura H,** ym. Significant effect of a pre-exercise high-fat meal after a 3-day high-carbohydrate diet on endurance performance. *Nutrients.* 2012 Jul;4(7):625-37.
- Nieman, D. C., Nehlseni-Cannarella, S. L., Fagoaga, O. R.,** ym. (1998). Influence of mode and carbohydrate on the cytokine response to heavy exertion. *Medicine and Science in Sports and Exercise,* 30(5), 671-678.
- Noakes TD.** Fatigue is a Brain-Derived Emotion that Regulates the Exercise Behavior to Ensure the Protection of Whole Body Homeostasis. *Front Physiol.* 2012 Apr;11:3:82.
- Nybo L.** CNS fatigue and prolonged exercise: effect of glucose supplementation. *Med Sci Sports Exerc.* 2003 Apr;35(4):589-94.
- Nybo L, Møller K, Pedersen BK,** ym. Association between fatigue and failure to preserve cerebral energy turnover during prolonged exercise. *Acta Physiol Scand.* 2003 Sep;179(1):67-74.
- Ojuka EO, Jones TE, Han DH,** ym. Intermittent increases in cytosolic Ca²⁺ stimulate mitochondrial biogenesis in muscle cells. *Am J Physiol.* 2002;283(5):E1040-E1045.
- O'Brien WJ, Rowlands DS.** Fructose-maltodextrin ratio in a carbohydrate-electrolyte solution differentially affects exogenous carbohydrate oxidation rate, gut comfort, and performance. *Am J Physiol Gastrointest Liver Physiol.* 2011 Jan;300(1):G181-9.
- O'Brien WJ, Stannard SR, Clarke JA,** ym. Fructose-maltodextrin ratio governs exogenous and other CHO oxidation and performance. *Med Sci Sports Exerc.* 2013 Sep;45(9):1814-24.
- O'Reilly J, Wong SH, Chen Y.** Glycaemic index, glycaemic load and exercise performance. *Sports Med.* 2010 Jan;1;40(1):27-39.
- Ortega JE, Fernández-Elías VE, Hamouti N,** ym. Increased blood cholesterol after a high saturated fat diet is prevented by aerobic exercise training. *Appl Physiol Nutr Metab.* 2013 Jan;38(1):42-8.
- Owen OE, Morgan AP, Kemp HG,** ym. Brain metabolism during fasting. *J Clin Invest.* 1967 Oct;46(10):1589-95.
- Paoli A, Marcolin G, Zonin F,** ym. Exercising fasting or fed to enhance fat loss? Influence of food intake on respiratory ratio and excess postexercise oxygen consumption after a bout of endurance training. *Int J Sport Nutr Exerc Metab.* 2011 Feb;21(1):48-54.
- Paoli, A., Grimaldi, K., D'Agostino, D.,** ym. (2012). Ketogenic diet does not affect strength performance in elite artistic gymnasts. *Journal of the International Society of Sports Nutrition,* 9(1), 34-2783-9-34.
- Patterson SD, Gray SC.** Carbohydrate-gel supplementation and endurance performance during intermittent high-intensity shuttle running. *Int J Sport Nutr Exerc Metab.* 2007 Oct;17(5):445-55.
- Pedersen, B. K., Helge, J. W., Richter, E. A.,** ym. (2000). Training and natural immunity: Effects of diets rich in fat or carbohydrate. *European Journal of Applied Physiology,* 82(1-2), 98-102.

- Peterrelj TT, Coombes JS.** Antioxidant supplementation during exercise training: beneficial or detrimental? *Sports Med.* 2011;41(12):1043–1069
- Phillips SM, Van Loon LJ.** Dietary protein for athletes: from requirements to optimum adaptation. *J Sports Sci.* 2011;29 Suppl 1:S29–38.
- Poffé C, Ramaekers M, Van Thienen R, ym.** Ketone ester supplementation blunts overreaching symptoms during endurance training overload. *J Physiol.* 2019 Jun;597(12):3009–3027.
- Psilander, N., Frank, P., Flockhart, M., ym.** (2013). Exercise with low glycogen increases PGC-1α gene expression in human skeletal muscle. *European Journal of Applied Physiology*, 113(4), 951–963.
- Rauch HG, Hawley JA, Woodey M, ym.** Effects of ingesting a sports bar versus glucose polymer on substrate utilisation and ultra-endurance performance. *Int J Sports Med.* 1999 May;20(4):252–7.
- Rauch HG, St Clair Gibson A, Lambert EV, ym.** A signalling role for muscle glycogen in the regulation of pace during prolonged exercise. *Br J Sports Med.* 2005 Jan;39(1):34–8.
- Reale, R., Slater, G., & Burke, LM.** (2017). Acute-weight-loss strategies for combat sports and applications to Olympic success. *International Journal of Sports Physiology and Performance*, 12, 142–151.
- Rehrer NJ, van Kemenade M, Meester W, ym.** Gastrointestinal complaints in relation to dietary intake in triathletes. *Int J Sport Nutr.* 1992 Mar;2(1):48–59.
- Riis, S., Möller, A. B., Dollerup, O., ym.** (2019). Acute and sustained effects of a periodized carbohydrate intake using the sleep-low model in endurance-trained males. *Scandinavian Journal of Medicine & Science in Sports*, Aug 20.
- Romijn JA, Coyle EF, Sidossis LS, ym.** Relationship between fatty acid delivery and fatty acid oxidation during strenuous exercise. *J Appl Physiol* (1985). 1995 Dec;79(6):1939–45.
- Romijn JA, Coyle EF, Sidossis LS, ym.** Substrate metabolism during different exercise intensities in endurance-trained women. *J Appl Physiol* (1985). 2000 May;88(S):1707–14.
- Rothschild JA, Kilding AE, Plews DJ.** What Should I Eat before Exercise? Pre-Exercise Nutrition and the Response to Endurance Exercise: Current Prospective and Future Directions. *Nutrients.* 2020 Nov 12;12(11):3473.
- Rothschild JA, Kilding AE, Broome SC, ym.** Pre-Exercise Carbohydrate or Protein Ingestion Influences Substrate Oxidation but Not Performance or Hunger Compared with Cycling in the Fasted State. *Nutrients.* 2021 Apr 14;13(4):1291.
- Rowlands DS, Hopkins WG.** Effect of high-fat, high-carbohydrate, and high-protein meals on metabolism and performance during endurance cycling. *Int J Sport Nutr Exerc Metab.* 2002 Sep;12(3):318–35.
- Rowlands DS, Swift M, Ros M, ym.** Composite versus single transportable carbohydrate solution enhances race and laboratory cycling performance. *Appl Physiol Nutr Metab.* 2012 Jun;37(3):425–36.
- Rowlands DS, Houltham S, Musa-Veloso K, ym.** Fructose-Glucose Composite Carbohydrates and Endurance Performance: Critical Review and Future Perspectives. *Sports Med.* 2015 Nov;45(11):1561–76.
- Roy BD, Tarnopolsky MA.** Influence of differing macronutrient intakes on muscle glycogen resynthesis after resistance exercise. *J Appl Physiol* (1985). 1998 Mar;84(3):890–6.
- Russell M, Kingsley M.** The Efficacy of Acute Nutritional Interventions on Soccer Skill Performance. *Sports Med.* 2014 Apr 12.
- Sale, C., Varley, L., Jones, T. W., ym.** (2015). Effect of carbohydrate feeding on the bone metabolic response to running. *Journal of Applied Physiology* (Bethesda, Md.: 1985), 119(7), 824–830.
- Schoenfeld BJ, Aragon AA, Wilborn CD, Krieger JW, Sonmez GT.** Body composition changes associated with fasted versus non-fasted aerobic exercise. *J Int Soc Sports Nutr.* 2014 Nov 18;11(1):54.
- Schrauwen-Hinderling VB, Hesselink MK, Schrauwen P, ym.** Intramyocellular lipid content in human skeletal muscle. *Obesity (Silver Spring).* 2006 Mar;14(3):357–67. Review.
- Schwingshackl L, Strasser B, Hoffmann G.** Effects of monounsaturated fatty acids on cardiovascular risk factors: a systematic review and meta-analysis. *Ann Nutr Metab.* 2011;59(2-4):176–86
- Scott BE, Laursen PB, James LJ, ym.** The effect of 1,3-butanediol and carbohydrate supplementation on running performance. *J Sci Med Sport.* 2019 Jun;22(6):702–706.
- Sedlock DA.** The latest on carbohydrate loading: a practical approach. *Curr Sports Med Rep.* 2008 Jul-Aug;7(4):209–13.
- Shaw, D. M., Merien, F., Braakhuis, A., ym.** (2019). Effect of a Ketogenic Diet on Submaximal Exercise Capacity and Efficiency in Runners. *Med Sci Sports Exerc.*, 51(10):2135–2146.
- Sherman WM, Leenders N.** Fat loading: the next magic bullet? *Int J Sport Nutr.* 1995 Jun;5 Suppl:S1–12.
- Sherrier M, Li H.** The impact of keto-adaptation on exercise performance and the role of metabolic-regulating cytokines. *Am J Clin Nutr.* 2019 Sep 1;110(3):562–573.
- Simm, P. J., Bicknell-Royle, J., Lawrie, J., ym.** (2017). The effect of the ketogenic diet on the developing skeleton. *Epilepsy Research*, 136, 62–66.
- Skein M, Duffield R, Kelly BT, ym.** The effects of carbohydrate intake and muscle glycogen content on self-paced intermittent-sprint exercise despite no knowledge of carbohydrate manipulation. *Eur J Appl Physiol.* 2012 Aug;112(8):2859–70.
- Slater G.** Nutrition for strength sports. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010
- Slater G, Phillips SM.** Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. *J Sports Sci.* 2011;29 Suppl 1:S67–77.
- Smith JW, Pascoe DD, Passe DH, ym.** Curvilinear dose-response relationship of carbohydrate (0-120 g·h(-1)) and performance. *Med Sci Sports Exerc.* 2013 Feb;45(2):336–41.
- Souglis AG, Chryssanthopoulos CI, Travlos AK, ym.** The effect of high vs. low carbohydrate diets on distances covered in soccer. *J Strength Cond Res.* 2013 Aug;27(8):2235–47.
- Staples AW, Burd NA, West DW, ym.** Carbohydrate does not augment exercise-induced protein accretion versus protein alone. *Med Sci Sports Exerc.* 2011 Jul;43(7):1154–61.
- Steensberg, A., Febbraio, M. A., Osada, T., ym.** (2001). Interleukin-6 production in contracting human skeletal muscle is influenced by pre-exercise muscle glycogen content. *Journal of Physiology*, 537(Pt 2):633–9.
- Stellingwerff, T., Spriet, L. L., Watt, M. J., ym.** (2006). Decreased PDH activation and glycogenolysis during exercise following fat adaptation with carbohydrate restoration. *American Journal of Physiology. Endocrinology and Metabolism*, 290(2), E380–8.
- Stellingwerff T, Boit MK, Res PT; International Association of Athletics Federations.** Nutritional strategies to optimize training and racing in middle-distance athletes. *J Sports Sci.* 2007;25 Suppl 1:S17–28.
- Stellingwerff, T.** (2012). Case study: Nutrition and training periodization in three elite marathon runners. *International Journal of Sport Nutrition and Exercise Metabolism*, 22(S), 392–400.
- Stellingwerff, T., & Cox, G.R.** (2014). Systematic review: Carbohydrate supplementation on exercise performance or capacity of varying durations. *Applied Physiology, Nutrition, and Metabolism*, 39, 998–1011.

- Stellingwerff, T.** (2018). Case study: Body composition periodization in an olympic-level female middle-distance runner over a 9-year career. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 428-433.
- Stellingwerff, T., Morton, J. P., & Burke, L. M.** (2019). A Framework for Periodized Nutrition for Athletics. *International Journal of Sport Nutrition and Exercise Metabolism*, 29(2), 141-151.
- Stepto NK, Martin DT, Fallon KE**, ym. Metabolic demands of intense aerobic interval training in competitive cyclists. *Med Sci Sports Exerc*. 2001 Feb;33(2):303-10.
- Stepto, N. K., Carey, A. L., Staudacher, H. M.**, ym. (2002). Effect of short-term fat adaptation on high-intensity training. *Medicine and Science in Sports and Exercise*, 34(3), 449-455.
- Strobel NA, Peake JM, Matsumoto A**, ym. Antioxidant supplementation reduces skeletal muscle mitochondrial biogenesis. *Med Sci Sports Exerc*. 2011;43(6):1017-1024.
- Stuempler KJ, Hoffman MD, Weschler LB**, ym. Race diet of finishers and non-finishers in a 100 mile (161 km) mountain footrace. *J Am Coll Nutr*. 2011 Dec;30(6):529-35.
- Taylor C, Bartlett JD, van de Graaf CS**, ym. Protein ingestion does not impair exercise-induced AMPK signalling when in a glycogen-depleted state: implications for train-low compete-high. *Eur J Appl Physiol*. 2013 Jun;113(6):1457-68.
- Tinsley, G. M., & Willoughby, D. S.** (2016). Fat-free mass changes during ketogenic diets and the potential role of resistance training. *International Journal of Sport Nutrition and Exercise Metabolism*, 26(1), 78-92.
- Thomas, D. T., Erdman, K. A., & Burke, L. M.** (2016). Position of the academy of nutrition and dietetics, dietitians of canada, and the american college of sports medicine: Nutrition and athletic performance. *Journal of the Academy of Nutrition and Dietetics*, 116(3), 501-528.
- Tiller NB, Roberts JD, Beasley L**, ym. International Society of Sports Nutrition Position Stand: nutritional considerations for single-stage ultra-marathon training and racing. *J Int Soc Sports Nutr*. 2019;16(1):50.
- Torstveit, M. K., Fahrenholz, I., Stenqvist, T. B.**, ym. (2018). Within-day energy deficiency and metabolic perturbation in male endurance athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(4), 419-427.
- Townsend, R., Elliott-Sale, K. J., Currell, K.**, ym. (2017). The effect of postexercise carbohydrate and protein ingestion on bone metabolism. *Medicine and Science in Sports and Exercise*, 49(6), 1209-1218.
- Trommelen J, Beelen M, Mullers M**, ym. A Sucrose Mouth Rinse Does Not Improve 1-hr Cycle Time Trial Performance When Performed in the Fasted or Fed State. *Int J Sport Nutr Exerc Metab*. 2015 Dec;25(6):576-83.
- Vandenbogaerde TJ, Hopkins WG**. Effects of acute carbohydrate supplementation on endurance performance: a meta-analysis. *Sports Med*. 2011 Sep 1;41(9):773-92.
- Vandoorne T, De Smet S, Ramaekers M**, ym. Intake of a Ketone Ester Drink during Recovery from Exercise Promotes mTORC1 Signaling but Not Glycogen Resynthesis in Human Muscle. *Front Physiol*. 2017 May 23;8:310.
- van Loon LJ, Koopman R, Stegen JH**, ym. Intramyocellular lipids form an important substrate source during moderate intensity exercise in endurance-trained males in a fasted state. *J Physiol*. 2003 Dec 1;553(Pt 2):611-25.
- Van Proeyen, K., Szlufcik, K., Nielens, H.**, ym. (2011). Beneficial metabolic adaptations due to endurance exercise training in the fasted state. *Journal of Applied Physiology*, 110, 236-245.
- van Vliet S, Shy EL, Abou Sawan S**, ym. Consumption of whole eggs promotes greater stimulation of postexercise muscle protein synthesis than consumption of isonitrogenous amounts of egg whites in young men. *Am J Clin Nutr*. 2017 Dec;106(6):1401-1412.
- Venkatraman JT, Leddy J, Pendergast D**. Dietary fats and immune status in athletes: clinical implications. *Med Sci Sports Exerc*. 2000 Jul;32(7 Suppl):S389-95. Review.
- Venkatraman JT, Pendergast DR**. Effect of dietary intake on immune function in athletes. *Sports Med*. 2002;32(5):323-37. Review.
- Vitale K, Getzin A**. Nutrition and Supplement Update for the Endurance Athlete: Review and Recommendations. *Nutrients*. 2019;11(6):1289.
- Volek JS, Kraemer WJ, Bush JA**, ym. Testosterone and cortisol in relationship to dietary nutrients and resistance exercise. *J Appl Physiol* (1985). 1997 Jan;82(1):49-54.
- Volek JS, Noakes T, Phinney SD**. Rethinking fat as a fuel for endurance exercise. *Eur J Sport Sci*. 2015;15(1):13-20.
- Walsh NP, Gleeson M, Pyne DB**, ym.. Position statement. Part two: Maintaining immune health. *Exerc Immunol Rev*. 2011;17:64-103. Review.
- Wang** ym. Effects of vegetarian diets on blood lipids: A systematic review and meta-analysis of randomized controlled trials. *J. Am. Heart. Assoc.* 2015;4:e002408.
- Weir JP, Beck TW, Cramer JT**, ym. Is fatigue all in your head? A critical review of the central governor model. *Br J Sports Med*. 2006 Jul;40(7):573-86; discussion 586. Review.
- Wewege M, van den Berg R, Ward RE**, ym. The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obes Rev*. 2017 Jun;18(6):635-646.
- Wilson, J. M., Lowery, R. P., Roberts, M. D.**, ym. (2017). The effects of ketogenic dieting on body composition, strength, power, and hormonal profiles in resistance training males. *Journal of Strength and Conditioning Research, In press*.
- Winnick JJ, Davis JM, Welsh RS**, ym. Carbohydrate feedings during team sport exercise preserve physical and CNS function. *Med Sci Sports Exerc*. 2005 Feb;37(2):306-15.
- Wycherley TP, Moran LJ, Clifton PM**, ym. Effects of energy-restricted high-protein, low-fat compared with standard-protein, low-fat diets: a meta-analysis of randomized controlled trials. *Am J Clin Nutr*. 2012 Dec;96(6):1281-98.
- Yeo, W. K., Paton, C. D., Garnham, A. P.**, ym. (2008). Skeletal muscle adaptation and performance responses to once a day versus twice every second day endurance training regimens. *Journal of Applied Physiology (Bethesda, Md.: 1985)*, 105(5), 1462-1470.
- Yi M, Fu J, Zhou L**, ym. The effect of almond consumption on elements of endurance exercise performance in trained athletes. *J Int Soc Sports Nutr*. 2014 May 11;11:18.
- Zehnder M, Christ ER, Ith M**, ym. Intramyocellular lipid stores increase markedly in athletes after 1.5 days lipid supplementation and are utilized during exercise in proportion to their content. *Eur J Appl Physiol*. 2006 Nov;98(4):341-54.
- Zinn, C., Wood, M., Williden, M.**, ym. (2017). Ketogenic diet benefits body composition and well-being but not performance in a pilot case study of new zealand endurance athletes. *Journal of the International Society of Sports Nutrition*, 14, 22-017-0180-0.

LUKU 8 Proteiini – ravitsemus, suorituskyky ja harjoitusadaptaatio

- Acheson KJ, Blondel-Lubrano A, Oguey-Araymon S, ym. Protein choices targeting thermogenesis and metabolism. *Am J Clin Nutr.* 2011 Mar;93(3):525-34.
- Andersen LL, Tufekovic G, Zebis MK, ym. The effect of resistance training combined with timed ingestion of protein on muscle fiber size and muscle strength. *Metabolism.* 2005 Feb;54(2):151-6.
- Andrade ITDE, Gualano B, Hevia-Larraín V, ym. Leucine Supplementation Has No Further Effect on Training-induced Muscle Adaptations. *Med Sci Sports Exerc.* 2020 Aug;52(8):1809-1814.
- Antonio J, Peacock CA, Ellerbroek A, ym. The effects of consuming a high protein diet (4.4 g/kg/d) on body composition in resistance-trained individuals. *J Int Soc Sports Nutr.* 2014 May 12;11:19.
- Antonio J, Ellerbroek A, Silver T, ym. A high protein diet (3.4 g/kg/d) combined with a heavy resistance training program improves body composition in healthy trained men and women – a follow-up investigation. *J Int Soc Sports Nutr.* 2015. 12(39).
- Aragon AA, Schoenfeld BJ, ym. Nutrient timing revisited: is there a post-exercise anabolic window? *J Int Soc Sports Nutr.* 2013 Jan 29;10(1):5.
- Areia JL, Burke LM, Ross ML, ym. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol.* 2013 May 1;591(Pt 9):2319-31.
- Baar K. Minimizing Injury and Maximizing Return to Play: Lessons from Engineered Ligaments. *Sports Med.* 2017 Mar;47(Suppl 1):S-11.
- Bandegan A, Courtney-Martin G, Rafii M, ym. (2017) Indicator Amino Acid-Derived Estimate of Dietary Protein Requirement for Male Bodybuilders on a Nontraining Day Is Several-Fold Greater than the Current Recommended Dietary Allowance *J Nutr.* 147:850-857
- Bandegan A, Courtney-Martin G, Rafii M, ym. (2019) Indicator amino acid oxidation protein requirement estimate in endurance-trained men 24 h postexercise exceeds both the EAR and current athlete guidelines *Am J Physiol Endocrinol Metab.* 316:E741-E748
- Battaglia Richi E, Baumer B, Conrad B, ym. Health Risks Associated with Meat Consumption: A Review of Epidemiological Studies. *Int J Vitam Nutr Res.* 2015;85(1-2):70-8.
- Beelen M, Koopman R, Gijssen AP, ym. Protein coingestion stimulates muscle protein synthesis during resistance-type exercise. *Am J Physiol Endocrinol Metab.* 2008 Jul;295(1):E70-7.
- Beis LY, Willkomm L, Ross R, ym. Food and macronutrient intake of elite Ethiopian distance runners. *J Int Soc Sports Nutr.* 2011, 8(7).
- Benito-Ruiz P, Camacho-Zambrano MM, Carrillo-Arcantales JN, ym. A randomized controlled trial on the efficacy and safety of a food ingredient, collagen hydrolysate, for improving joint comfort. *Int J Food Sci Nutr.* 2009;60 Suppl 2:99-113.
- Berardi JM, Noreen EE, Lemon PW. Recovery from a cycling time trial is enhanced with carbohydrate-protein supplementation vs. isoenergetic carbohydrate supplementation. *J Int Soc Sports Nutr.* 2008 Dec 24;5:24.
- Betts JA, Williams C. Short-term recovery from prolonged exercise: exploring the potential for protein ingestion to accentuate the benefits of carbohydrate supplements. *Sports Med.* 2010 Nov 1;40(11):941-59.
- Betts JA, Beelen M, Stokes KA, ym. Endocrine responses during overnight recovery from exercise: impact of nutrition and relationships with muscle protein synthesis. *Int J Sport Nutr Exerc Metab.* 2011 Oct;21(5):398-409. Epub 2011 Aug 10.
- Bilsborough S, Mann N. A review of issues of dietary protein intake in humans. *Int J Sport Nutr Exerc Metab.* 2006 Apr;16(2):129-52.
- Biole G, Maggi SP, Williams BD, ym. Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans. *Am J Physiol.* 1995 Mar;268(3 Pt 1):E514-20.
- Biole G, Tipton KD, Klein S, Wolfe RR. An abundant supply of amino acids enhances the metabolic effect of exercise on muscle protein. *Am J Physiol.* 1997 Jul;273(1 Pt 1):E122-9.
- Boirie Y, Dangin M, Gachon P, ym. Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc Natl Acad Sci U S A.* 1997 Dec 23;94(26):14930-5.
- Bongers CCWG, Ten Haaf DSM, Catoire M, ym. Effectiveness of collagen supplementation on pain scores in healthy individuals with self-reported knee pain: a randomized controlled trial. *Appl Physiol Nutr Metab.* 2020 Jul;45(7):793-800. doi: 10.1139/apnm-2019-0654. Epub 2020 Jan 28. PMID: 31990581.
- Born KA, Dooley EE, Cheshire PA, ym. Chocolate Milk versus carbohydrate supplements in adolescent athletes: a field based study. *J Int Soc Sports Nutr.* 2019 Feb 12;16(1):6.
- Bosse JD, Dixon BM. Dietary protein to maximize resistance training: a review and examination of protein spread and change theories. *J Int Soc Sports Nutr.* 2012 Sep 8;9(1):42.
- Bowtell JL, Lees GP, Smith K, ym. Modulation of whole body protein metabolism, during and after exercise, by variation of dietary protein. *J Appl Physiol.* 1998, 85(5): 1744–1752.
- Bray GA, Smith SR, de Jonge L, ym. Effect of dietary protein content on weight gain, energy expenditure, and body composition during overeating: a randomized controlled trial. *JAMA.* 2012 Jan 4;307(1):47-55.
- Brechue WF, Abe T. The role of FFM accumulation and skeletal muscle architecture in powerlifting performance. *Eur J Appl Physiol.* 2002 Feb;86(4):327-36.
- Breen L, Philp A, Witard OC, ym. The influence of carbohydrate-protein co-ingestion following endurance exercise on myofibrillar and mitochondrial protein synthesis. *J Physiol.* 2011 Aug 15;589(Pt 16):4011-25.
- Bruyère O, Zeegers B, Leonori L, ym. Effect of collagen hydrolysate in articular pain: a 6-month randomized, double-blind, placebo controlled study. *Complement Ther Med.* 2012 Jun;20(3):124-30.
- Buckley JD, Thomson RL, Coates AM, ym. Supplementation with a whey protein hydrolysate enhances recovery of muscle force-generating capacity following eccentric exercise. *J Sci Med Sport.* 2010; 13: 178-81.
- Burd NA, West DWD, Moore DR, ym. Enhanced Amino Acid Sensitivity of Myofibrillar Protein Synthesis Persists for up to 24 h after Resistance Exercise in Young Men. *J. Nutr.* 2011, Volume 141, Issue 4, April.
- Burd NA, Beals JW, Martinez IG, ym. Food-First Approach to Enhance the Regulation of Post-exercise Skeletal Muscle Protein Synthesis and Remodeling. *Sports Med.* 2019;49(Suppl 1):59-68.
- Burke LM, Slater G, Broad EM, ym. Eating patterns and meal frequency of elite Australian athletes. *Int J Sport Nutr Exerc Metab.* 2003 Dec;13(4):521-38.
- Burke LM, Ross ML, Garvican-Lewis LA, ym. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol.* 2017, pp 2785–2807.
- Carbone JW, McClung JP, Pasiakos SM. Skeletal muscle responses to negative energy balance: effects of dietary protein. *Adv Nutr.* 2012 Mar 1;3(2):119-26.
- Carbone JW, McClung JP, Pasiakos SM. (2019) Recent Advances in the Characterization of Skeletal Muscle and Whole-Body Protein Responses to Dietary Protein and Exercise during Negative Energy Balance *Adv Nutr* 10:70-79

- Cassady BA, Considine RV, Mattes RD.** Beverage consumption, appetite, and energy intake: what did you expect? *Am J Clin Nutr.* 2012 Mar;95(3):587-93.
- Cerbulis J, Farrell HM Jr.** Composition of milks of dairy cattle. I. Protein, lactose, and fat contents and distribution of protein fraction. *J Dairy Sci.* 1975 Jun;58(6):817-27.
- Cermak NM, Res PT, de Groot LC,** ym. Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. *Am J Clin Nutr.* 2012 Dec;96(6):1454-64.
- Churchward-Venne TA, Burd NA, Phillips SM.** Nutritional regulation of muscle protein synthesis with resistance exercise: strategies to enhance anabolism. *Nutr Metab (Lond).* 2012; 9: 40.
- Churchward-Venne TA, Murphy CH, Longland TM,** ym. Role of protein and amino acids in promoting lean mass accretion with resistance exercise and attenuating lean mass loss during energy deficit in humans. *Amino Acids.* 2013 Aug;45(2):231-40.
- Churchward-Venne TA, Holwerda AM, Phillips SM,** ym. What is the Optimal Amount of Protein to Support Post-Exercise Skeletal Muscle Reconstruction in the Older Adult? *Sports Medicine* 2016. Volume 46, pages1205–1212.
- Churchward-Venne TA, Pinckaers PJM, Smeets JSJ,** ym. Dose-response effects of dietary protein on muscle protein synthesis during recovery from endurance exercise in young men: a double-blind randomized trial. *Am J Clin Nutr* 2020;112:303–317.
- Clark KL, Sebastianelli W, Flechsenhar KR,** ym. 24-Week study on the use of collagen hydrolysate as a dietary supplement in athletes with activity-related joint pain. *Curr Med Res Opin.* 2008 May;24(5):1485-96.
- Clark A, Mach N.** Exercise-induced stress behavior, gut-microbiota-brain axis and diet: a systematic review for athletes. *J Int Soc Sports Nutr.* 2016 Nov 24;13:43. *diet. Nutrients.* 2014 Mar 24;6(3):1318-32.
- Close GL, Sale C, Baar K,** ym. Nutrition for the Prevention and Treatment of Injuries in Track and Field Athletes. *Int J Sport Nutr Exerc Metab.* 2019 Mar 1;29(2):189-197.
- Cockburn E, Stevenson E, Hayes PR,** ym. Effect of milk-based carbohydrate-protein supplement timing on the attenuation of exercise-induced muscle damage. *Appl Physiol Nutr Metab.* 2010; 35: 270-7.
- Cockburn E, Robson-Ansley P, Hayes PR,** ym. Effect of volume of milk consumed on the attenuation of exercise-induced muscle damage. *Eur J Appl Physiol.* 2012 Sep;112(9):3187-94.
- Coffey VG, Moore DR, Burd NA,** ym. Nutrient provision increases signalling and protein synthesis in human skeletal muscle after repeated sprints. *Eur J Appl Physiol.* 2011 Jul;111(7):1473-83.
- Dattilo M, Antunes HK, Medeiros A,** ym. Sleep and muscle recovery: endocrinological and molecular basis for a new and promising hypothesis. *Med Hypotheses.* 2011 Aug;77(2):220-2.
- Davies RW, Carson BP, Jakeman PM.** The Effect of Whey Protein Supplementation on the Temporal Recovery of Muscle Function Following Resistance Training: A Systematic Review and Meta-Analysis. *Nutrients.* 2018 Feb; 10(2): 221.
- Debold EP.** Recent insights into muscle fatigue at the cross-bridge level. *Front Physiol.* 2012 Jun 1;3:151.
- Desbrow B, Jansen S, Barrett A,** ym. Comparing the rehydration potential of different milk-based drinks to a carbohydrate-electrolyte beverage. *Appl Physiol Nutr Metab.* 2014 Dec;39(12):1366-72.
- Devries MC, Phillips SM.** Supplemental protein in support of muscle mass and health: advantage whey. *J Food Sci.* 2015 Mar;80 Suppl 1:A8-A15.
- Dideriksen KJ, Reitelseder S, Petersen SG,** ym. Stimulation of muscle protein synthesis by whey and caseinate ingestion after resistance exercise in elderly individuals. *Scand J Med Sci Sports.* 2011; 21: 372-83.
- Dideriksen K, Reitelseder S, Holm L.** Influence of amino acids, dietary protein, and physical activity on muscle mass development in humans. *Nutrients.* 2013 Mar 13;5(3):852-76.
- Diether NE, Willing BP.** Microbial Fermentation of Dietary Protein: An Important Factor in Diet-Microbe-Host Interaction. *Microorganisms.* 2019 Jan 13;7(1):19.
- Dressler P, Gehring D, Zdzieblik D,** ym. Improvement of Functional Ankle Properties Following Supplementation with Specific Collagen Peptides in Athletes with Chronic Ankle Instability. *J Sports Sci Med.* 2018 May 14;17(2):298-304.
- Dreyer HC, Fujita S, Cadenas JG,** ym. Resistance exercise increases AMPK activity and reduces 4E-BP1 phosphorylation and protein synthesis in human skeletal muscle. *J Physiol.* 2006 Oct 15;576(Pt 2):613-24.
- Dreyer HC, Drummond MJ, Pennings B,** ym. 2008. Leucine enriched essential amino acid and carbohydrate ingestion following resistance exercise enhances mTOR signaling and protein synthesis in human muscle. *American Journal of Physiology: Endocrinology and Metabolism,* 294: E392-E400.
- European Food Safety Authority.** Scientific Opinion on the substantiation of health claims related to protein and increase in satiety leading to a reduction in energy intake (ID 414, 616, 730), contribution to the maintenance or achievement of a normal body weight (ID 414, 616, 730), maintenance of normal bone (ID 416) and growth or maintenance of muscle mass (ID 415, 417, 593, 594, 595, 715) pursuant to Article 13(1) of Regulation (EC) No 1924/2006. *EFSA Journal* 2010; 8: 1811.
- Egli L, Lecoultrre V, Theytaz F,** ym. Exercise prevents fructose-induced hypertriglyceridemia in healthy young subjects. *Diabetes.* 2013 Jul;62(7):2259-65.
- Elliot TA, Cree MG, Sanford AP,** ym. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Med Sci Sports Exerc.* 2006; 38: 667-74.
- Eriksen P, Bartels EM, Altman RD,** ym. Risk of bias and brand explain the observed inconsistency in trials on glucosamine for symptomatic relief of osteoarthritis: a meta-analysis of placebo-controlled trials. *Arthritis Care Res (Hoboken).* 2014 Dec;66(12):1844-55.
- Fagerberg P.** Negative Consequences of Low Energy Availability in Natural Male Bodybuilding: A Review *Int J Sport Nutr Exerc Metab.* 2017. 28(4):1-31.
- Ferguson-Stegall L, McCleave E, Ding Z,** ym. Aerobic exercise training adaptations are increased by postexercise carbohydrate-protein supplementation. *J Nutr Metab.* 2011;2011:623182.
- Figueiredo VC, Cameron-Smith D.** Is carbohydrate needed to further stimulate muscle protein synthesis/hypertrophy following resistance exercise? *J Int Soc Sports Nutr.* 2013 Sep 25;10(1):42.
- Fouillet H, Gaudichon C, Mariotti F,** ym. Energy nutrients modulate the splanchnic sequestration of dietary nitrogen in humans: a compartmental analysis. *Am J Physiol Endocrinol Metab.* 2001; 281: 248-60.
- Fresán U, Sabaté J.** Vegetarian Diets: Planetary Health and Its Alignment with Human Health. *Adv Nutr.* 2019 Nov 1;10(Suppl_4):S380-S388.
- García-Coronado JM, Martínez-Olvera L, Elizondo-Omaña RE,** ym. Effect of collagen supplementation on osteoarthritis symptoms: a meta-analysis of randomized placebo-controlled trials. *Int Orthop.* 2019;43:531–538.
- Garthe I, Raastad T, Refsnes PE,** ym. Effect of two different weight-loss rates on body composition and strength and power-related performance in elite athletes. *Int J Sport Nutr Exerc Metab.* 2011 Apr;21(2):97-104.
- Garthe I, Raastad T, Refsnes PE,** ym. Effect of nutritional intervention on body composition and performance in elite athletes. *Eur J Sport Sci.* 2013;13(3):295-303.
- Gibala M.** Molecular responses to high-intensity interval exercise. *Appl Physiol Nutr Metab.* 2009 Jun;34(3):428-32. doi: 10.1139/H09-046. Review.
- Haakonsen EC, Martin DT, Burke LM,** ym. Increased lean mass with reduced fat mass in an elite female cyclist returning to competition: case study. *Int J Sports Physiol Perform.* 2013 Nov;8(6):699-701.

- Haakonssen EC, Ross ML, Cato LE**, ym. Dairy Based Pre-Exercise Meal Does Not Affect Gut Comfort or Time-Trial Performance in Female Cyclists. *Int J Sport Nutr Exerc Metab.* 2014 Jul 14.
- Hall MN**. 2008. mTOR-What Does It Do? *Transplantation Proceedings* 40, 5–8.
- Halson SL**. Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Med.* 2014 May;44 Suppl 1:13-23. *J Am Coll Nutr.* 2004 Oct;23(5):373-85.
- Hansen M, Bangbo J, Jensen J**, ym. Protein intake during training sessions has no effect on performance and recovery during a strenuous training camp for elite cyclists. *J Int Soc Sports Nutr.* 2016 Mar 5;13:9.
- Hartman JW, Tang JE, Wilkinson SB**, ym. Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *Am J Clin Nutr.* 2007 Aug;86(2):373-81.
- Haun CT, Vann CG, Mobley CB**, ym. Effects of Graded Whey Supplementation During Extreme-Volume Resistance Training. *Front. Nutr.* 2018, 11 Sep
- Hector AJ, Marcotte GR, Churchward-Venne TA**, ym. Whey protein supplementation preserves postprandial myofibrillar protein synthesis during short-term energy restriction in overweight and obese adults. *J Nutr.* 2015. Feb;145(2):246-52.
- Hector AJ & Phillips SM**. Protein Recommendations for Weight Loss in Elite Athletes: A Focus on Body Composition and Performance. *Int. J. Sport Nutr. Exerc. Metab.* 2018, 28, 170-177
- Helge JW**. A high carbohydrate diet remains the evidence based choice for elite athletes to optimise performance. *J Physiol.* 2017 May 1; 595(9): 2775.
- Helms ER, Zinn C, Rowlands DS**, ym. A systematic review of dietary protein during caloric restriction in resistance trained lean athletes: a case for higher intakes. *Int J Sport Nutr Exerc Metab.* 2014 Apr;24(2):127-38.
- Hevia-Larraín V, Gualano B, Longobardi I**, ym. High-Protein Plant-Based Diet Versus a Protein-Matched Omnivorous Diet to Support Resistance Training Adaptations: A Comparison Between Habitual Vegans and Omnivores. *Sports Med.* 2021 Feb 18.
- Highton J, Twist C, Lamb K**, ym. Carbohydrate-protein coingestion improves multiple-sprint running performance. *J Sports Sci.* 2013;31(4):361-9.
- Hokken R, Laugesen S, Aagaard P**, ym. Subcellular localization- and fibre type-dependent utilization of muscle glycogen during heavy resistance exercise in elite power and Olympic weightlifters. 2020.
- Honvo G, Bruyère O, Geerinck A**, ym. Efficacy of chondroitin sulfate in patients with knee osteoarthritis: a comprehensive meta-analysis exploring inconsistencies in randomized, placebo-controlled trials. *Adv Ther.* 2019;36:1085–1099.
- Honvo G, Lengelé L, Charles A**, ym. Role of Collagen Derivatives in Osteoarthritis and Cartilage Repair: A Systematic Scoping Review With Evidence Mapping. *Rheumatol Ther.* 2020;7(4):703-740.
- Howatson G, Hoad M, Goodall S**, ym. Exercise-induced muscle damage is reduced in resistance-trained males by branched chain amino acids: a randomized, double-blind, placebo controlled study. *J Int Soc Sports Nutr.* 2012 May 8;9(1):20.
- Howarth KR, Moreau NA, Phillips SM**, ym. Coingestion of protein with carbohydrate during recovery from endurance exercise stimulates skeletal muscle protein synthesis in humans. *J Appl Physiol (1985).* 2009 Apr;106(4):1394-402.
- Howarth KR, Phillips SM**, ym. Effect of glycogen availability on human skeletal muscleprotein turnover during exercise and recovery. *J Appl Physiol.* 2010, 109(2): 431–438.
- Hudson JL, Iii REB, Campbell WW**. Protein Distribution and Muscle-Related Outcomes: Does the Evidence Support the Concept? *Nutrients.* 2020 May 16;12(5):1441.
- Hulmi JJ, Volek JS, Selänne H, Mero AA**. Protein ingestion prior to strength exercise affects blood hormones and metabolism. *Med Sci Sports Exerc.* 2005; 37: 1990-7.
- Hulmi JJ, Lockwood CM, Stout JR**. Effect of protein/essential amino acids and resistance training on skeletal muscle hypertrophy: A case for whey protein. *Nutr Metab (Lond).* 2010; 7: 51.
- Hulmi JJ, Laakso M, Mero AA, Häkkinen K**, ym. The effects of whey protein with or without carbohydrates on resistance training adaptations. *J Int Soc Sports Nutr.* 2015 Dec 16;12:48.
- Hulmi JJ, Isola V, Suonpää M**, ym. The Effects of Intensive Weight Reduction on Body Composition and Serum Hormones in Female Fitness Competitors. *Front. Physiol.* 2017, 10 Jan.
- IOC consensus statement on sports nutrition 2010.** *J Sports Sci.* 2011;29 Suppl 1:S3-4.
- Institute of Medicine (2005)** Dietary Reference Intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids. Washington, DC: National Academies Press.
- Iraki J, Fitschen P, Espinar S**, ym. Nutrition Recommendations for Bodybuilders in the Off-Season: A Narrative Review. *Sports* 2019. 7(7), 154.
- Jabeck PT, Moe IA, Meen HD**, ym. Resistance training in overweight women on a ketogenic diet conserved lean body mass while reducing body fat. *Nutr Metab (Lond).* 2010 Mar 2;7:17.
- James LJ, Stevenson EJ, Rumbold PLS**, ym. Cow's milk as a post-exercise recovery drink: implications for performance and health. *Eur J Sport Sci.* 2019 Feb;19(1):40-48.
- Jespersen SE, Agergaard J**. Evenness of dietary protein distribution is associated with higher muscle mass but not muscle strength or protein turnover in healthy adults: a systematic review. *Eur. J. Nutr.* 2021.
- Jeukendrup AE. 2011.** Nutrition for endurance sports: marathon, triathlon, aroad cycling. *J Sports Sci.* 2001. 29(Suppl. 1): S91–S99.
- Josse AR, Phillips SM**. Impact of milk consumption and resistance training on body composition of female athletes. *Med Sport Sci.* 2012;59:94-103.
- Jäger R, Kerksick CM, Campbell BI**, ym. International Society of Sports Nutrition Position Stand: protein and exercise. *J Int Soc Sports Nutr.* 2017; 14(20).
- Kato H, Suzuki K, Bannai M**, ym. Protein Requirements Are Elevated in Endurance Athletes after Exercise as Determined by the Indicator Amino Acid Oxidation Method. *PLoS One.* 2016 Jun 20;11(6).
- Kerksick C, Harvey T, Stout J**, ym. Society of Sports Nutrition position stand: nutrient timing. *J Int Soc Sports Nutr.* 2008; 5: 17.
- Kerksick CM, Arent S, Schoenfeld BJ**, ym. International society of sports nutrition position stand: nutrient timing. *J Int Soc Sports Nutr.* 2017 Aug 29;14:33.
- Kim H, Lee S, Choue R**. Metabolic responses to high protein diet in Korean elite bodybuilders with high-intensity resistance exercise. *J Int Soc Sports Nutr.* 2011 Jul 4;8:10.)
- Kirkpatrick CF, Bolick JP, Kris-Etherton PM**, ym. Review of current evidence and clinical recommendations on the effects of low-carbohydrate and very-low-carbohydrate (including ketogenic) diets for the management of body weight and other cardiometabolic risk factors: A scientific statement from the National Lipid Association Nutrition and Lifestyle Task Force. *J. Clin. Lipidol.* 2019, 13(5), Sept–Oct
- Kohanmoo A, Faghih S, Akhlaghi M**. Effect of short- and long-term protein consumption on appetite and appetite-regulating gastrointestinal hormones, a systematic review and meta-analysis of randomized controlled trials. *Physiology & Behavior.* 2020. Volume 226.
- Kraemer WJ, Solomon-Hill G, Volk BM**, ym. Effects of soy and whey protein supplementation on acute hormonal reponses to resistance exercise in men. *J Am Coll Nutr.* 2013;32(1):66-74.
- Kreider RB**. Dietary supplements and the promotion of muscle growth with resistance exercise. *Sports Med.* 1999 Feb;27(2):97-110.
- Kreider RB, Wilborn CD, Taylor L**, ym. ISSN exercise & sport nutrition review: research & recommendations. *J Int Soc Sports Nutr.* 2010; 7: 7.

- Kulik JR, Touchberry CD, Kawamori N**, ym. Supplemental carbohydrate ingestion does not improve performance of high-intensity resistance exercise. *J Strength Cond Res.* 2008 Jul;22(4):1101-7.
- Kumar V, Atherton P, Smith K**, ym. Human muscle protein synthesis and breakdown during and after exercise. *J Appl Physiol.* 2009;106:2026–2039.
- Kumar, V., Selby, A., Rankin, D.**, ym. 2009. Age-related differences in the dose-response relationship of muscle protein synthesis to resistance exercise in young and old men. *Journal of Physiology*, 587(1): 211–217.
- Kärlund A, Gómez-Gallego C, Turpeinen AM**, ym. Protein Supplements and Their Relation with Nutrition, Microbiota Composition and Health: Is More Protein Always Better for Sportspeople? *Nutrients.* 2019 Apr 12;11(4):829.
- Lacroix M, Bos C, Léonil J**, ym. Compared with casein or total milk protein, digestion of milk soluble proteins is too rapid to sustain the anabolic postprandial amino acid requirement. *Am J Clin Nutr.* 2006 Nov;84(5):1070-9.
- Lambert CP, Frank LL, Evans WJ**. Macronutrient considerations for the sport of bodybuilding. *Sports Med.* 2004;34(5):317-27.
- Lamont LS, McCullough AJ, Kalhan SC**. Relationship between leucine oxidation and oxygen consumption during steady-state exercise. *Med Sci Sports Exerc.* 2001. 33(2): 237–241.
- Layman DK, Lönnadal B, Fernstrom JD**. Applications for α -lactalbumin in human nutrition. *Nutr Rev.* 2018;76(6):444-460.
- Lemon PW, Berardi JM, Noreen EE**. The role of protein and amino acid supplements in the athlete's diet: does type or timing of ingestion matter? *Curr Sports Med Rep.* 2002 Aug;1(4):214-21.
- Leung GKW, Huggins CE, Ware RS**, ym. Time of day difference in postprandial glucose and insulin responses: Systematic review and meta-analysis of acute postprandial studies. *Chronobiol Int.* 2020 Mar;37(3):311-326.
- Macdermid PW, Stannard SR**. A whey-supplemented, high-protein diet versus a high-carbohydrate diet: effects on endurance cycling performance. *Int J Sport Nutr Exerc Metab.* 2006 Feb;16(1):65-77.
- Macnaughton LS, Wardle SL, Witard OC**, ym. The response of muscle protein synthesis following whole-body resistance exercise is greater following 40 g than 20 g of ingested whey protein. *Physiol. Rep.* 2016. 4(15).
- Mamerow MM, Mettler JA, English KL**, ym. Dietary protein distribution positively influences 24-h muscle protein synthesis in healthy adults. *J Nutr.* 2014 Jun;144(6):876-80.
- Manore MM**. Weight management in the performance athlete. *Nestle Nutr Inst Workshop Ser.* 2013;75:123-33.
- Margolis, LM, Murphy, NE, Martini S**, ym. Effects of Supplemental Energy on Protein Balance during 4-d Arctic Military Training. *Med Sci Sports Exerc.* 2016 Aug;48(8):1604-12.
- Margolis LM, Allen JT, Hatch-Mcchesney A**, ym. Coingestion of Carbohydrate and Protein on Muscle Glycogen Synthesis after Exercise: A Meta-analysis. *Med Sci Sports Exerc.* 2021 Feb; 53(2): 384–393.
- Matthews DE**. Observations of branched-chain amino acid administration in humans. *J Nutr.* 2005 Jun;135(6 Suppl):1580S-4S.
- McGlory C, van Vliet S, Stokes T**, ym. The impact of exercise and nutrition on the regulation of skeletal muscle mass. *J Physiol.* 2019;597(5):1251-1258.
- McLellan TM, Pasikatos SM, Lieberman HR**. Effects of protein in combination with carbohydrate supplements on acute or repeat endurance exercise performance: a systematic review. *Sports Med.* 2014 Apr;44(4):535-50.
- McPherson RA, Hardy G**. Clinical and nutritional benefits of cysteine-enriched protein supplements. *Curr Opin Clin Nutr Metab Care.* 2011 Nov;14(6):562-8.
- Mercer D, Convit L, Condo D**, ym. Protein Requirements of Pre-Menopausal Female Athletes: Systematic Literature Review. *Nutrients.* 2020, 12(11), 3527.
- Messina M, Lynch H, Dickinson JM**, ym. No Difference Between the Effects of Supplementing With Soy Protein Versus Animal Protein on Gains in Muscle Mass and Strength in Response to Resistance Exercise. *Int J Sport Nutr Exerc Metab.* 2018 Nov 1;28(6):674-685.
- Mettler S, Mitchell N, Tipton KD**. Increased protein intake reduces lean body mass loss during weight loss in athletes. *Med Sci Sports Exerc.* 2010 Feb;42(2):326-37.
- Miller PE, Alexander DD, Perez V**. Effects of whey protein and resistance exercise on body composition: a meta-analysis of randomized controlled trials. *J Am Coll Nutr.* 2014 Apr;33(2):163-75.
- Milsom J, Barreria P, Burgess DJ**, ym. Case-Study: Muscle Atrophy and Hypertrophy in a Premier League Soccer Player During Rehabilitation From ACL Injury. *Int J Sport Nutr Exerc Metab.* 2014 Jan 17.
- Moore DR, Robinson MJ, Fry JL**, ym. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J Clin Nutr.* 2009; 89: 161-8.
- Moore DR, Areta J, Coffey VG**, ym. Daytime pattern of post-exercise protein intake affects whole-body protein turnover in resistance-trained males. *Nutr Metab (Lond).* 2012 Oct 16;9(1):91.
- Moore DM**. Maximizing Post-exercise Anabolism: The Case for Relative Protein Intakes. *Front. Nutr.* 2019, 10 Sep.
- Moro T, Brightwell CR, Velarde B**, ym. Whey Protein Hydrolysate Increases Amino Acid Uptake, mTORC1 Signaling, and Protein Synthesis in Skeletal Muscle of Healthy Young Men in a Randomized Crossover Trial. *J Nutr.* 2019 Jul 1;149(7):1149-1158.
- Morton RW, Murphy KT, McKellar SR**, ym. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. 2018. *Br J Sports Med.*
- Mullins NM, Simning WE**. Effects of resistance training and protein supplementation on bone turnover in young adult women. *Nutr Metab (Lond).* 2005 Aug 17;2:19.
- Murphy CH, Hector AJ, Phillips SM**. Considerations for protein intake in managing weight loss in athletes. *Eur J Sport Sci.* 2015;15(1):21-8.
- Murphy C, Koehler K**. Caloric restriction induces anabolic resistance to resistance exercise. *Eur J Appl Physiol.* 2020 May;120(5):1155-1164.
- Nakajima K**. Unhealthy eating habits around sleep and sleep duration: To eat or fast?. *World J Diabetes.* 2018;9(11):190-194.
- Nieman DC, Zwetsloot KA, Simonson AJ**, ym. Effects of Whey and Pea Protein Supplementation on Post-Eccentric Exercise Muscle Damage: A Randomized Trial. *Nutrients.* 2020 Aug 9;12(8):2382.
- Norton LE, Wilson GJ, Layman DK**, ym. Leucine content of dietary proteins is a determinant of postprandial skeletal muscle protein synthesis in adult rats. *Nutr.* 2021, 9(67).
- Oesser S, Adam M, Babel W**, ym. Oral administration of ^{14}C labeled gelatin hydrolysate leads to an accumulation of radioactivity in cartilage of mice (C57/BL). *J Nutr.* 1999;129:1891–1895.
- Packer JE, Wooding DJ, Kato H**, ym. (2017) Variable-Intensity Simulated Team-Sport Exercise Increases Daily Protein Requirements in Active Males. *Front Nutr* 4:64.
- Pan A, Hu FB**. Effects of carbohydrates on satiety: differences between liquid and solid food. *Curr Opin Clin Nutr Metab Care.* 2011 Jul;14(4):385-90.
- Paoli A, Grimaldi K, D'Agostino D**, ym. Ketogenic diet does not affect strength performance in elite artistic gymnasts. *J Int Soc Sports Nutr.* 2012 Jul 26;9(1):34.
- Paoli A, Cancellara P, Pompei P, Moro T**. Ketogenic Diet and Skeletal Muscle Hypertrophy: A Frenemy Relationship? *J Hum Kinet.* 2019 Aug; 68: 233–247.

- Pasiakos SM, Lieberman HR, McLellan TM.** Effects of Protein Supplements on Muscle Damage, Soreness and Recovery of Muscle Function and Physical Performance: A Systematic Review. *Sports Med.* 2014 Jan 17.
- Pennings B, Groen B, de Lange A**, ym. Amino acid absorption and subsequent muscle protein accretion following graded intakes of whey protein in elderly men. *Am J Physiol Endocrinol Metab.* 2012; 302: 992-9.
- Phillips SM.** Muscle growth, adaption and repair. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.
- Phillips SM, Chevalier S, Leidy HJ.** Protein "requirements" beyond the RDA: implications for optimizing health. *Appl Physiol Nutr Metab.* 2016 May;41(5):565-72.
- Phillips SM, Tipton KD, Aarsland A**, ym. Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *Am J Physiol.* 1997;273:E99-E107.
- Phillips SM, Moore DR, Tang JE.** A critical examination of dietary protein requirements, benefits, and excesses in athletes. *Int J Sport Nutr Exerc Metab.* 2007 Aug;17 Suppl:S58-76.
- Phillips SM, Van Loon LJ.** Dietary protein for athletes: from requirements to optimum adaptation. *J Sports Sci.* 2011;29 Suppl 1:S29-38.
- Plotkin DL, Delcastillo K, van Every DW.** Isolated Leucine and Branched-Chain Amino Acid Supplementation for Enhancing Muscular Strength and Hypertrophy: A Narrative Review. *Int J Sport Nutr Exerc Metab.* 2021, Mar 18;1-10.
- Poortmans JR, Carpentier A, Pereira -Lancha LO**, ym. Protein turnover, amino acid requirements and recommendations for athletes and active populations. *Braz J Med Biol Res.* 2012 Oct;45(10):875-90.
- Power O, Halligan A, Jakeman P.** Human insulinotropic response to oral ingestion of native and hydrolysed whey protein. *Amino Acids.* 2009; 37: 333-9.
- Pritchett K, Pritchett R.** Chocolate milk: a post-exercise recovery beverage for endurance sports. *Med Sport Sci.* 2012;59:127-34.
- Qin L, Wong SH, Sun FH, ym.** The effect of carbohydrate and protein co-ingestion on energy substrate metabolism, sense of effort, and affective responses during prolonged strenuous endurance exercise. *Physiol Behav.* 2017 May 15;174:170-177.
- Qin L, Sun FH, Huang Y**, ym. Effect of pre-exercise ingestion of α -lactalbumin on subsequent endurance exercise performance and mood states. *Br J Nutr.* 2019 Jan;121(1):22-29.
- Rawson ES, Miles MP, Larson-Meyer E.** Dietary Supplements for Health, Adaptation, and Recoveryin Athletes. *Int J Sport Nutr Exerc Metab.* 2018, 28, 188-19.
- Reguant-Closa A, Roesch A, Lansche J**, ym. The Environmental Impact of the Athlete's Plate Nutrition Education Tool. *Nutrients.* 2020 Aug 18;12(8):2484.
- Reidy PT, Walker DK, Dickinson JM**, ym. Protein blend ingestion following resistance exercise promotes human muscle protein synthesis. *J Nutr.* 2013 Apr;143(4):410-6.
- Reitelseder S, Agergaard J, Doessing S**, ym. Whey and casein labeled with L-[1-13C]leucine and muscle protein synthesis: effect of resistance exercise and protein ingestion. *Am J Physiol Endocrinol Metab.* 2011; 300: 231-42.
- Res PT, Groen B, Pennings B**, ym. Protein ingestion before sleep improves postexercise overnight recovery. *Med Sci Sports Exerc.* 2012 Aug;44(8):1560-9.
- Robinson MJ, Burd NA, Breen L**, ym. Dose-dependent responses of myofibrillar protein synthesis with beef ingestion are enhanced with resistance exercise in middle-aged men. *Appl Physiol Nutr Metab.* 2013 Feb;38(2):120-5.
- Sallinen J, Pakarinen A, Ahtiainen J**, ym. Relationship between diet and serum anabolic hormone responses to heavy-resistance exercise in men. *Int J Sports Med.* 2004 Nov;25(8):627-33.
- Sarwar G, McDonough FE.** Evaluation of protein digestibility-corrected amino acid score method for assessing protein quality of foods. *J Assoc Off Anal Chem.* 1990 May-Jun;73(3):347-56.
- Saunders MJ, Luden ND, Herrick JE.** Consumption of an oral carbohydrate-protein gel improves cycling endurance and prevents postexercise muscle damage. *J. Strength Cond. Res.* 2007, 21(3):678-684.
- Sawyer JC, Wood RJ, Davidson PW**, ym. Effects of a short-term carbohydrate-restricted diet on strength and power performance. *J Strength Cond Res.* 2013 Aug;27(8):2255-62.
- Schoenfeld BJ, Aragon AA, Krieger JW.** The effect of protein timing on muscle strength and hypertrophy: a meta-analysis. *J Int Soc Sports Nutr.* 2013 Dec 3;10(1):53.
- Schoenfeld BJ, Aragon AA, Wilborn C**, ym. Pre- versus post-exercise protein intake has similar effects on muscular adaptations. *Peer J.* 2017. Jan.
- Seene T, Kaasik P, Alev K.** Muscle protein turnover in endurance training: a review. *Int J Sports Med.* 2011 Dec;32(12):905-11.
- Shaw G, Lee-Barthel A, Ross ML**, ym. Vitamin C-enriched gelatin supplementation before intermittent activity augments collagen synthesis. *Am J Clin Nutr.* 2017 Jan;105(1):136-143.
- Shimomura Y, Inaguma A, Watanabe S**, ym. Branched-chain amino acid supplementation before squat exercise and delayed-onset muscle soreness. *Int J Sport Nutr Exerc Metab.* 2010; 20: 236-44.
- Skov AR, Toustrup S, Rønn B**, ym. Randomized trial on protein vs carbohydrate in ad libitum fat reduced diet for the treatment of obesity. *Int J Obes Relat Metab Disord.* 1999 May;23(5):528-36.
- Slater G.** Nutrition for strength sports. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.
- Slater G, Phillips SM.** Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. *J Sports Sci.* 2011;29 Suppl 1:S67-77.
- Slater GJ, Dieter BP, Marsh DJ**, ym. Is an Energy Surplus Required to Maximize Skeletal Muscle Hypertrophy Associated With Resistance Training. *Front. Nutr.* 2019, 20 August.
- Snijders T, Trommelen J, Kouw IWK**, ym. The Impact of Pre-sleep Protein Ingestion on the Skeletal Muscle Adaptive Response to Exercise in Humans: An Update. *Front. Nutr.* 2019. 06 March.
- Snipe RMJ, Khoo A, Kitic CM**, ym. Carbohydrate and protein intake during exertional heat stress ameliorates intestinal epithelial injury and small intestine permeability. *Appl Physiol Nutr Metab.* 2017 Dec;42(12):1283-1292.
- Spendlove J, Mitchell L, Gifford J**, ym. Dietary Intake of Competitive Bodybuilders. *Sports Med.* 2015 Jul;45(7):1041-63.
- Soop M, Nehra V, Henderson GC**, ym. Coingestion of whey protein and casein in a mixed meal: demonstration of a more sustained anabolic effect of casein. *Am J Physiol Endocrinol Metab.* 2012 Jul 1;303(1):E152-62.
- Stark M, Lukaszuk J, Prawitz A**, ym. Protein timing and its effects on muscular hypertrophy and strength in individuals engaged in weight-training. *J Int Soc Sports Nutr.* 2012 Dec 14;9(1):54.
- Stearns RL, Emmanuel H, Volek JS**, ym. Effects of ingesting protein in combination with carbohydrate during exercise on endurance performance: a systematic review with meta-analysis. *J Strength Cond Res.* 2010 Aug;24(8):2192-202.
- Stellingwerff T.** Nutrition for power sports. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.

- Stokes T, Hector AJ, Morton RW**, ym. Recent Perspectives Regarding the Role of Dietary Protein for the Promotion of Muscle Hypertrophy with Resistance Exercise Training. *Nutrients*. 2018; Feb; 10(2): 180.
- Stull AJ, Apolzan JW, Thalacker-Mercer AE**, ym. Liquid and solid meal replacement products differentially affect postprandial appetite and food intake in older adults. *J Am Diet Assoc*. 2008 Jul; 108(7):1226-30.
- Sutanto CN, Wang MX, Tan D**, ym. Association of Sleep Quality and Macronutrient Distribution: A Systematic Review and Meta-Regression. *Nutrients*. 2020 Jan; 12(1): 126.
- Tang JE, Moore DR, Kujbida GW**, ym. Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol*. 2009; 107: 987-92.
- Tarnopolsky MA, Atkinson SA, MacDougall JD**, ym. Whole body leucine metabolism during and after resistance exercise in fed humans. *Med Sci Sports Exerc*. 1991 Mar; 23(3):326-33.
- Tarnopolsky MA, Atkinson SA, MacDougall JD**, ym. Evaluation of protein requirements for trained strength athletes. *J Appl Physiol*. 1992 Nov; 73(5):1986-95.
- Team USA Nutrition**. <http://www.teamusa.org/nutrition>. Viitattu 5.3.2021.
- Tipton KD, Rasmussen BB, Miller SL**, ym. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am J Physiol Endocrinol Metab*. 2001 Aug; 281(2):E197-206.
- Tipton KD, Elliott TA, Cree MG**, ym. Stimulation of net muscle protein synthesis by whey protein ingestion before and after exercise. *Am J Physiol Endocrinol Metab*. 2007; 292: 71-6.
- Tipton KD**. Efficacy and consequences of very-high-protein diets for athletes and exercisers. *Proc Nutr Soc*. 2011 May; 70(2):205-14.
- Tipton KD**. Dietary strategies to attenuate muscle loss during recovery from injury. *Nestle Nutr Inst Workshop Ser*. 2013; 75:51-61.
- Taylor DA, Gorissen SHM, Phillips SM**. Perspective: Protein Requirements and Optimal Intakes in Aging: Are We Ready to Recommend More Than the Recommended Daily Allowance? *Adv Nutr*. 2018 May; 9(3):171-182.
- Trommelen J, van Loon LJ**. Pre-Sleep Protein Ingestion to Improve the Skeletal Muscle Adaptive Response to Exercise Training. *Nutrients*. 2016 Nov 28; 8(12):763.
- Vandenbogaerde TJ, Hopkins WG**. Effects of acute carbohydrate supplementation on endurance performance: a meta-analysis. *Sports Med*. 2011 Sep 1; 41(9):773-92.
- van Loon LJ, Kruisjhoop M, Verhagen H**, ym. Ingestion of protein hydrolysate and amino acid-carbohydrate mixtures increases postexercise plasma insulin responses in men. *J Nutr*. 2000 Oct; 130(10):2508-13.
- van Loon LJ, Gibala MJ**. Dietary protein to support muscle hypertrophy. *Nestle Nutr Inst Workshop Ser*. 2011; 69:79-89; discussion 89-95.
- van Vliet S, Shy EL, Abou Sawan S**, ym. Consumption of whole eggs promotes greater stimulation of postexercise muscle protein synthesis than consumption of isonitrogenous amounts of egg whites in young men. *Am J Clin Nutr*. 2017 Dec; 106(6):1401-1412.
- van Wijck K, Pennings B, van Bijnen AA**, ym. Dietary protein digestion and absorption are impaired during acute postexercise recovery in young men. *Am J Physiol Regul Integr Comp Physiol*. 2013 Mar 1; 304(5):R356-61.
- Vargas S, Romance R, Petro JL**, ym. Efficacy of ketogenic diet on body composition during resistance training in trained men: a randomized controlled trial. *J Int Soc Sports Nutr*. 2018 Jul 9; 15(1):31.
- Vargas-Molina S, Petro JL, Romance R**, ym..Effects of a ketogenic diet on body composition and strength in trained women. *J Int Soc Sports Nutr*. 2020; 17: 19.
- Vitale K, Getzin A**. Nutrition and Supplement Update for ensurance athlete: Review and Recommendations. *Nutrients*. 2019, 11(6).
- Volek JS, Kraemer WJ, Bush JA**, ym. Testosterone and cortisol in relationship to dietary nutrients and resistance exercise. *J Appl Physiol*. 1997 Jan; 82(1):49-54.
- Volek JS, Volk BM, Gomez AL**, ym. Whey protein supplementation during resistance training augments lean body mass. *J Am Coll Nutr*. 2013; 32(2):122-35.
- Westerterp-Plantenga MS, Lemmens SG, Westerterp KR**. Dietary protein - its role in satiety, energetics, weight loss and health. *Br J Nutr*. 2012 Aug; 108 Suppl 2:S105-12.
- Whitney EN, Rolfes SR**. Protein: Amino Acids. Kirjassa: Whitney EN, Rolfes SR. Understanding Nutrition 7th ed. West publishing company, USA, 1996.
- Wilkinson SB, Tarnopolsky MA, MacDonald MJ**, ym. Consumption of fluid skim milk promotes greater muscle protein accretion following resistance exercise than an isonitrogenous and isoenergetic soy protein beverage. *Am J Clin Nutr* 2007; 85: 1031-1040.
- Wilson JM, Marin PJ, Rhea MR**, ym. Concurrent training: a meta-analysis examining interference of aerobic and resistance exercises. *J Strength Cond Res*. 2012 Aug; 26(8):2293-307.
- Wilson JM, Lowery RP, Roberts**, ym. Effects of Ketogenic Dieting on Body Composition, Strength, Power, and Hormonal Profiles in Resistance Training Men. *J. Strength Cond. Res*. 2020. Dec 34(12) - p 3463-3474.
- Witard OC, Jackman SR, Kies AK**, ym. Effect of increased dietary protein on tolerance to intensified training. *Med Sci Sports Exerc*. 2011 Apr; 43(4):598-607.
- Witard OC, Turner JE, Jackman SR**, ym. High dietary protein restores overreaching induced impairments in leukocyte trafficking and reduces the incidence of upper respiratory tract infection in elite cyclists. *Brain Behav Immun*. 2014 Jul; 39:211-9. (a)
- Witard OC, Jackman SR, Breen L**, ym. Myofibrillar muscle protein synthesis rates subsequent to a meal in response to increasing doses of whey protein at rest and after resistance exercise. *Am J Clin Nutr*. 2014 Jan; 99(1):86-95.
- Witard, O.C., Garthe, I., & Philips, S.M. (2019).** Dietary protein for training adaptation and body composition manipulation in track-and-field athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 29.
- Wooding DJ, Packer JE, Kato H**, ym. (2017) Increased Protein Requirements in Female Athletes after Variable-Intensity Exercise *Med Sci Sports Exerc* 49:2297-2304
- Yang Y, Churchward-Venne TA, Burd NA**, ym. Myofibrillar protein synthesis following ingestion of soy protein isolate at rest and after resistance exercise in elderly men. *Nutr Metab (Lond)*. 2012 Jun 14; 9(1):57.
- Yasuda J, Tomita T, Arimitsu T**, ym. Evenly Distributed Protein Intake over 3 Meals Augments Resistance Exercise-Induced Muscle Hypertrophy in Healthy Young Men. *J Nutr*. 2020, 150(7), 1845-1851.
- Yazaki M, Ito Y, Yamada M**, ym. Oral Ingestion of Collagen Hydrolysate Leads to the Transportation of Highly Concentrated Gly-Pro-Hyp and Its Hydrolyzed Form of Pro-Hyp into the Bloodstream and Skin. *J Agric Food Chem*. 2017 Mar 22; 65(11):2315-2322.
- Zajac A, Poprzeczkia S, Maszczyk A**, ym. The effects of a ketogenic diet on exercise metabolism and physical performance in off-road cyclists. *Nutrients*. 2014 Jun 27; 6(7):2493-508.
- Zdzieblik D, Oesser S, Gollhofer A**, ym. Improvement of activity-related knee joint discomfort following supplementation of specific collagen peptides. *Appl Physiol Nutr Metab*. 2017 Jun; 42(6):588-595.
- Zdzieblik D, Brame J, Oesser S**, ym. The Influence of Specific Bioactive Collagen Peptides on Knee Joint Discomfort in Young Physically Active Adults: A Randomized Controlled Trial. *Nutrients*. 2021 Feb 5; 13(2):523.

LUKU 9 Ateriarytmi ja paastot

- Alencar MK, Beam JR, McCormick JJ, ym.** Increased meal frequency attenuates fat-free mass losses and some markers of health status with a portion-controlled weight loss diet. *Nutr Res.* 2015 May;35(5):375-83.
- Aljuraibani GS, Chan Q, Oude Griep LM, ym.; INTERMAP Research Group.** The impact of eating frequency and time of intake on nutrient quality and Body Mass Index: the INTERMAP Study, a Population-Based Study. *J Acad Nutr Diet.* 2015 Apr;115(4):528-36.e1.
- Allaf M, Elghazaly H, Mohamed OG, ym.** Intermittent fasting for the prevention of cardiovascular disease. *Cochrane Database Syst Rev.* 2021 Jan 29;1:CD013496.
- Allison KC, Goel N.** Timing of eating in adults across the weight spectrum: Metabolic factors and potential circadian mechanisms. *Physiology & behavior.* 2018 Aug 1;192:158-66.
- Arciero PJ, Ormsbee MJ, Gentile CL, ym.** Increased protein intake and meal frequency reduces abdominal fat during energy balance and energy deficit. *Obesity (Silver Spring).* 2013 Jul;21(7):1357-66
- Arciero PJ, Ives SJ, Norton C, ym.** Protein-Pacing and Multi-Component Exercise Training Improves Physical Performance Outcomes in Exercise-Trained Women: The PRIZE 3 Study. *Nutrients.* 2016 Jun 1;8(6):332.
- Argyropoulou G, Simati S, Dimitriadis G, ym.** How Important Is Eating Rate in the Physiological Response to Food Intake, Control of Body Weight, and Glycemia? *Nutrients.* 2020 Jun 10;12(6):1734.
- Asher G, Sassone-Corsi P.** Time for food: the intimate interplay between nutrition, metabolism, and the circadian clock. *Cell.* 2015 Mar 26;161(1):84-92.
- Astbury NM, Taylor MA, Macdonald IA.** Breakfast consumption affects appetite, energy intake, and the metabolic and endocrine responses to foods consumed later in the day in male habitual breakfast eaters. *J Nutr.* 2011; 141:1381-1389.
- Ballon A, Neuenschwander M, Schlesinger S.** Breakfast Skipping Is Associated with Increased Risk of Type 2 Diabetes among Adults: A Systematic Review and Meta-Analysis of Prospective Cohort Studies. *J Nutr.* 2019 Jan 1;149(1):106-113.
- Barkeling B, King NA, Näslund E, ym.** Characterization of obese individuals who claim to detect no relationship between their eating pattern and sensations of hunger or fullness. *Int J Obes (Lond).* 2007 Mar;31(3):435-9.
- Barnosky AR, Hoddy KK, Unterman TG, ym.** Intermittent fasting vs daily calorie restriction for type 2 diabetes prevention: a review of human findings. *Transl Res.* 2014 Jun 12. pii: S1931-5244(14)00200-X.
- Baron KG, Reid KJ, Horn LV, ym.** Contribution of evening macronutrient intake to total caloric intake and body mass index. *Appetite.* 2013 Jan;60(1):246-51.
- Baron KG, Reid KJ, Kern AS, ym.** Role of sleep timing in caloric intake and BMI. *Obesity (Silver Spring).* 2011 Jul;19(7):1374-81.
- Barrington WE, Beresford SAA.** Eating Occasions, Obesity and Related Behaviors in Working Adults: Does it Matter When You Snack? *Nutrients.* 2019 Oct 1;11(10):2320.
- Basnet S, Merikanto I, Lahti T, ym.** Associations of common noncommunicable medical conditions and chronic diseases with chronotype in a population-based health examination study. *Chronobiol Int.* 2017;34(4):462-470.
- Bellisle F, McDevitt R, Prentice AM.** Meal frequency and energy balance. *Br J Nutr.* 1997;77(Suppl 1):S57-70.
- Berg C, Forslund HB.** The Influence of Portion Size and Timing of Meals on Weight Balance and Obesity. *Curr Obes Rep.* 2015 Mar;4(1):11-8.
- Betts JA, Beelen M, Stokes KA, ym.** Endocrine responses during overnight recovery from exercise: impact of nutrition and relationships with muscle protein synthesis. *Int J Sport Nutr Exerc Metab.* 2011 Oct;21(5):398-409.
- Bhutani S, Klempel MC, Kroeger CM, ym.** Alternate day fasting and endurance exercise combine to reduce body weight and favorably alter plasma lipids in obese humans. *Obesity (Silver Spring).* 2013 Jul;21(7):1370-9.
- Bonnet JP, Cardel MI, Cellini J, ym.** Breakfast Skipping, Body Composition, and Cardiometabolic Risk: A Systematic Review and Meta-Analysis of Randomized Trials. *Obesity (Silver Spring).* 2020;28(6):1098-1109.
- Brown D, Wyon M.** The effect of moderate glycemic energy bar consumption on blood glucose and mood in dancers. *Med Probl Perform Art.* 2014 Mar;29(1):27-31.
- Burke LM, Kiens B, Ivy JL.** Carbohydrates and fat for training and recovery. *J Sports Sci.* 2004 Jan;22(1):15-30.
- Byrne, N. M., Sainsbury, A., King, N. A., ym. (2018).** Intermittent energy restriction improves weight loss efficiency in obese men: the MATADOR study. *Int J Obes (Lond).* 2018 Feb;42(2):129-138.
- Cahill LE, Chiuve SE, Mekary RA, ym.** Prospective study of breakfast eating and incident coronary heart disease in a cohort of male US health professionals. *Circulation.* 2013; 128:337-343.
- Carlson O, Martin B, Stote KS, ym.** Impact of reduced meal frequency without caloric restriction on glucose regulation in healthy, normal-weight middle-aged men and women. *Metabolism.* 2007 Dec;56(12):1729-34.
- Chin-Chance C, Polonsky KS, Schoeller DA.** Twenty-four-hour leptin levels respond to cumulative short-term energy imbalance and predict subsequent intake. *J Clin Endocrinol Metab* 2000; 85:2685-2691.
- Clayton DJ, James LJ.** The effect of breakfast on appetite regulation, energy balance and exercise performance. *Proc Nutr Soc.* 2016 Aug;75(3):319-27.
- Crispim CA, Zimberg IZ, dos Reis BG, ym.** Relationship between food intake and sleep pattern in healthy individuals. *J Clin Sleep Med.* 2011 Dec 15;7(6):659-64.
- Dashhti HS, Scheer FA, Jacques PF, ym.** Short sleep duration and dietary intake: epidemiologic evidence, mechanisms, and health implications. *Adv Nutr.* 2015 Nov 13;6(6):648-59.
- Davoodi SH, Ajami M, Ayatollahi SA, ym.** Calorie shifting diet versus calorie restriction diet: a comparative clinical trial study. *Int J Prev Med.* 2014 Apr;5(4):447-56. de Castro JM. When, how much and what foods are eaten are related to total daily food intake. *Br J Nutr.* 2009 Oct;102(8):1228-37.
- Deutz RC, Benardot D, Martin DE, Cody MM.** Relationship between energy deficits and body composition in elite female gymnasts and runners. *Med Sci Sports Exerc.* 2000 Mar;32(3):659-68.
- Doherty R, Madigan S, Warrington G, ym.** Sleep and Nutrition Interactions: Implications for Athletes. *Nutrients.* 2019;11(4):822.
- Dunn C, Haubenreiser M, Johnson M, ym.** Mindfulness Approaches and Weight Loss, Weight Maintenance, and Weight Regain. *Curr Obes Rep.* 2018 Mar;7(1):37-49.
- Edelstein SL, Barrett-Conner EL, Wingard DL, ym.** Increased meal frequency associated with decreased cholesterol concentrations; Rancho Bernardo, CA, 1984-1987. *Am J Clin Nutr.* 1992;55(3):664-9
- Erdman KA, Tunnicliffe J, Lun VM, ym.** Eating patterns and composition of meals and snacks in elite Canadian athletes. *Int J Sport Nutr Exerc Metab.* 2013 Jun;23(3):210-9.
- Facer-Childs ER, Boiling S, Balanos GM.** The effects of time of day and chronotype on cognitive and physical performance in healthy volunteers. *Sports Med Open.* 2018 Oct 24;4(1):47.

- Facer-Childs ER, Middleton B, Skene DJ**, ym. Resetting the late timing of ‘night owls’ has a positive impact on mental health and performance. *Sleep Med.* 2019 Aug;60:236-247.
- Fayet-Moore F, McConnell A, Cassetta T**, ym. Breakfast Choice Is Associated with Nutrient, Food Group and Discretionary Intakes in Australian Adults at Both Breakfast and the Rest of the Day. *Nutrients.* 2019 Jan 15;11(1):175.
- Fillon A, Mathieu ME, Boirie Y**, ym. Appetite control and exercise: Does the timing of exercise play a role? *Physiol Behav.* 2020 May 1;218:112733.
- Fricker J, Giroux S, Fumeron F**, ym. Circadian rhythm of energy intake and corpulence status in adults. *Int J Obes.* 1990;14(5):387-93.
- Giovannini M, Agostoni C, Shamir R**. Symposium overview: Do we all eat breakfast and is it important? *Crit Rev Food Sci Nutr.* 2010 Feb;50(2):97-9.
- Griffin BA**. Nonpharmacological approaches for reducing serum low-density lipoprotein cholesterol. *Curr Opin Cardiol.* 2014 Jul;29(4):360-5.
- Gudi SK**. Eating speed and the risk of type 2 diabetes: explorations based on real-world evidence [published correction appears in Ann Pediatr Endocrinol Metab. 2020 Dec;25(4):289]. *Ann Pediatr Endocrinol Metab.* 2020;25(2):80-83.
- Gwin JA, Leidy HJ**. A pilot study assessing whether the consumption of a protein-rich breakfast improves appetite control, eating behavior, and sleep quality compared to skipping breakfast in healthy young professionals. *FASEB J* 2017;31:443-1
- Gwin JA, Leidy HJ**. A Review of the Evidence Surrounding the Effects of Breakfast Consumption on Mechanisms of Weight Management. *Adv Nutr.* 2018;9(6):717-725.
- Gwin JA, Leidy HJ**. Breakfast Consumption Augments Appetite, Eating Behavior, and Exploratory Markers of Sleep Quality Compared with Skipping Breakfast in Healthy Young Adults. *Curr Dev Nutr.* 2018 Aug 28;2(11):nzy074.
- Halson SL**. Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Med.* 2014 May;44 Suppl 1:S13-23.
- Harris L, Hamilton S, Azevedo LB**, ym. Intermittent fasting interventions for treatment of overweight and obesity in adults: a systematic review and meta-analysis. *JBI Database System Rev Implement Rep.* 2018 Feb;16(2):507-547.
- Heilbronn LK, Smith SR, Martin CK**, ym. Alternate-day fasting in nonobese subjects: effects on body weight, body composition, and energy metabolism. *Am J Clin Nutr.* 2005 Jan;81(1):69-73.
- Hittle BM, Gillespie GL**. Identifying shift worker chronotype: implications for health. *Ind Health.* 2018 Nov 21;56(6):512-523.
- Holmback I, Ericson U, Gullberg B**, ym. A high eating frequency is associated with an overall healthy lifestyle in middle-aged men and women and reduced likelihood of general and central obesity in men. *Br J Nutr.* 2010;104(7):1065-73.
- Ives SJ, Norton C, Miller V**, ym. Multi-modal exercise training and protein-pacing enhances physical performance adaptations independent of growth hormone and BDNF but may be dependent on IGF-1 in exercise-trained men. *Growth Horm IGF Res.* 2017 Feb;32:60-70.
- Iwao S, Mori K, Sato Y**. Effects of meal frequency on body composition during weight control in boxers. *Scand J Med Sci Sports.* 1996 Oct;6(5):265-72.
- Jakubowicz D, Wainstein J, Landau Z**, ym. Influences of Breakfast on Clock Gene Expression and Postprandial Glycemia in Healthy Individuals and Individuals With Diabetes: A Randomized Clinical Trial. *Diabetes Care.* 2017 Nov;40(11):1573-1579.
- Jenkins AB, Markovic TP, Fleury A**, ym.: Carbohydrate intake and short-term regulation of leptin in humans. *Diabetologia* 1997, 40:348-351.
- Jäger R, Kerksick CM, Campbell BI**, ym. International Society of Sports Nutrition Position Stand: protein and exercise. *J Int Soc Sports Nutr.* 2017 Jun 20;14:20.
- Kahleova H, Llorente JI, Mashchak A**, ym. Meal Frequency and Timing Are Associated with Changes in Body Mass Index in Adventist Health Study 2. *J Nutr.* 2017 Sep;147(9):1722-1728.
- Kant AK, Graubard BI**. Association of self-reported sleep duration with eating behaviors of American adults: NHANES 2005-2010. *Am J Clin Nutr.* 2014 Sep;100(3):938-47.
- Kerksick CM, Arent S, Schoenfeld BJ**, ym. International society of sports nutrition position stand: nutrient timing. *J Int Soc Sports Nutr.* 2017 Aug 29;14:33.
- Keski-Rahkonen A, Kaprio J, Rissanen A**, ym. Breakfast skipping and health-compromising behaviors in adolescents and adults. *Eur J Clin Nutr.* 2003; 57:842-853
- Kessler, K., & Pivovarova-Ramich, O.** 2019. Meal timing, aging, and metabolic health. *International Journal of Molecular Sciences* 20, 1911;
- Kim S, DeRoo LA, Sandler DP**. Eating patterns and nutritional characteristics associated with sleep duration. *Public Health Nutr.* 2011 May;14(5):889-95.
- Kinsey AW, Ormsbee MJ**. The health impact of nighttime eating: old and new perspectives. *Nutrients.* 2015 Apr 9;7(4):2648-62.
- Klempel MC, Kroeger CM, Varady KA**. Alternate day fasting (ADF) with a high-fat diet produces similar weight loss and cardio-protection as ADF with a low-fat diet. *Metabolism.* 2013;12:137-143.
- Knufinke M, Nieuwenhuys A, Geurts SAE**, ym. Self-reported sleep quantity, quality and sleep hygiene in elite athletes. *J Sleep Res.* 2018 Feb;27(1):78-85.
- Kobayashi F, Ogata H, Omi N**, ym. Effect of breakfast skipping on diurnal variation of energy metabolism and blood glucose. *Obes Res Clin Pract.* 2014 May-Jun;8(3):e201-98.
- Kokkinos A, le Roux C.W, Alexiadou K**, ym. Eating slowly increases the postprandial response of the anorexigenic gut hormones, peptide YY and Glucagon-Like Peptide-1. *J. Clin. Endocrinol. Metab.* 2010;95:333-337.
- Kutsuma A, Nakajima K, Suwa K**. Potential Association between Breakfast Skipping and Concomitant Late-Night-Dinner Eating with Metabolic Syndrome and Proteinuria in the Japanese Population. *Scientifica (Cairo).* 2014;2014:253581.
- La Bounty PM, Campbell BI, Wilson J**, ym. International Society of Sports Nutrition position stand: meal frequency. *J Int Soc Sports Nutr.* 2011;8:4.
- Laermans J, Depoortere I**. Chronobesity: role of the circadian system in the obesity epidemic. *Obes Rev.* 2016 Feb;17(2):108-25.
- Larsen SC, Heitmann BL**. More Frequent Intake of Regular Meals and Less Frequent Snacking Are Weakly Associated with Lower Long-Term Gains in Body Mass Index and Fat Mass in Middle-Aged Men and Women. *J Nutr.* 2019 May 1;149(5):824-830.
- LeCheminant JD, Christenson E, Bailey BW**, ym. Restricting night-time eating reduces daily energy intake in healthy young men: a short-term cross-over study. *Br J Nutr.* 2013 Dec 14;110(11):2108-13.
- Leidy HJ, Campbell WW**. The effect of eating frequency on appetite control and food intake: brief synopsis of controlled feeding studies. *J Nutr.* 2011 Jan;141(1):154-7.
- Leidy HJ, Ortinau LC, Douglas SM**, ym. Beneficial effects of a higher-protein breakfast on the appetitive, hormonal, and neural signals controlling energy intake regulation in overweight/obese, “breakfast-skipping,” late-adolescent girls. *Am J Clin Nutr.* 2013 Apr;97(4):677-88.
- Leidy HJ, Clifton PM, Astrup A**, ym. The role of protein in weight loss and maintenance. *Am J Clin Nutr.* 2015 Jun;101(6):1320S-1329S.
- Leidy HJ, Gwin JA, Roenfeldt CA**, ym. Evaluating the Intervention-Based Evidence Surrounding the Causal Role of Breakfast on Markers of Weight Management, with Specific Focus on Breakfast Composition and Size. *Adv Nutr.* 2016 May 16;7(3):563S-75S.
- Levitsky DA, Pacanowski CR**. Effect of skipping breakfast on subsequent energy intake. *Physiol Behav.* 2013 Jul 2;119:9-16.
- Lin J, Jiang Y, Wang G**, ym. Associations of short sleep duration with appetite-regulating hormones and adipokines: A systematic review and meta-analysis. *Obes Rev.* 2020 Nov;21(11):e13051.
- Liu AG, Most MM, Brashears MM**, ym. Reducing the glycemic index or carbohydrate content of mixed meals reduces postprandial glycemia and insulinemia over the entire day but does not affect satiety. *Diabetes Care.* 2012 Aug;35(8):1633-7.
- Lombardo M, Bellia A, Padua E**, ym. Morning meal more efficient for fat loss in a 3-month lifestyle intervention. *J Am Coll Nutr.* 2014;33(3):198-205.

- Lopes TDVC, Borba ME, Lopes RDVC**, ym. Eating Late Negatively Affects Sleep Pattern and Apnea Severity in Individuals With Sleep Apnea. *J Clin Sleep Med.* 2019 Mar 15;15(3):383-392.
- Loucks, A. B., & Verdun, M.** (1998). Slow restoration of LH pulsatility by refeeding in energetically disrupted women. *The American Journal of Physiology*, 275(4 Pt 2), R1218-26.
- Lucassen EA, Zhao X, Rother KI**, ym.; Sleep Extension Study Group. Evening chronotype is associated with changes in eating behavior, more sleep apnea, and increased stress hormones in short sleeping obese individuals. *PLoS One.* 2013;8(3):e56519.
- Ma Y, Bertone ER, Stanek E**, ym. Association between eating patterns and obesity in a free-living US adult population. *Am J Epidemiol.* 2003;158(1):85-92.
- Ma X, Chen Q, Pu Y, Guo M, Jiang Z, Huang W, Long Y, Xu Y**. Skipping breakfast is associated with overweight and obesity: A systematic review and meta-analysis. *Obes Res Clin Pract.* 2020 Jan-Feb;14(1):1-8.
- Madzima TA, Panton LB, Fretti SK**, ym. Night-time consumption of protein or carbohydrate results in increased morning resting energy expenditure in active college-aged men. *Br J Nutr.* 2014 Jan 14;111(1):71-7.
- Mayeuf-Louchart A, Zecchin M, Staels B**, ym. Circadian control of metabolism and pathological consequences of clock perturbations. *Biochimie.* 2017 Dec;143:42-50.
- McCrory MA, Shaw AC, Lee JA**. Energy and Nutrient Timing for Weight Control: Does Timing of Ingestion Matter? *Endocrinol Metab Clin North Am.* 2016 Sep;45(3):689-718.
- McHill AW, Phillips AJ, Czeisler CA**, ym. Later circadian timing of food intake is associated with increased body fat. *Am J Clin Nutr.* 2017 Nov;106(5):1213-1219.
- Mekary RA, Giovannucci E, Willett WC**, ym. Eating patterns and type 2 diabetes risk in men: breakfast omission, eating frequency, and snacking. *Am J Clin Nutr.* 2012; 95:1182–1189
- Mekary RA, Giovannucci E, Cahill L**, ym. Eating patterns and type 2 diabetes risk in older women: breakfast consumption and eating frequency. *Am J Clin Nutr.* 2013; 98:436–443.
- Metzner HL, Lamphear DE, Wheeler NC**, ym. The relationship between frequency of eating and adiposity in adult men and women in the Tecumseh Community Health Study. *Am J Clin Nutr.* 1977 May;30(5):712-5.
- Min C, Noh H, Kang YS**, ym. Skipping breakfast is associated with diet quality and metabolic syndrome risk factors of adults. *Nutr Res Pract.* 2011; 5:455–463.
- Mogensen CS, Færch K, Bruhn L**, ym. Timing and Frequency of Daily Energy Intake in Adults with Prediabetes and Overweight or Obesity and Their Associations with Body Fat. *Nutrients.* 2020 Nov 13;12(11):3484.
- Montaruli A, Castelli L, Mulè A**, ym. Biological Rhythm and Chronotype: New Perspectives in Health. *Biomolecules.* 2021 Mar 24;11(4):487.
- Morgan LM, Shi JW, Hampton SM**, ym. Effect of meal timing and glycaemic index on glucose control and insulin secretion in healthy volunteers. *Br J Nutr.* 2012 Oct;108(7):1286-91.
- Moro T, Tinsley G, Bianco A**, ym. Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. *J Transl Med.* 2016 Oct 13;14(1):290.
- Morris CJ, Garcia JI, Myers S**, ym. The Human Circadian System Has a Dominating Role in Causing the Morning/Evening Difference in Diet-Induced Thermogenesis. *Obesity (Silver Spring).* 2015 Oct;23(10):2053-8.
- Mourao DM, Bressan J, Campbell WW**, ym. Effects of food form on appetite and energy intake in lean and obese young adults. *Int J Obes (Lond).* 2007 Nov;31(11):1688-95.
- Munsters MJ, Saris WH**. Body weight regulation and obesity: dietary strategies to improve the metabolic profile. *Annu Rev Food Sci Technol.* 2014;5:39-51.
- Murakami K, Livingstone MB**. Associations between Meal and Snack Frequency and Diet Quality in US Adults: National Health and Nutrition Examination Survey 2003-2012. *J Acad Nutr Diet.* 2016 Jul;116(7):1101-13.
- Nanri A, Miyaji N, Kochi T**, ym. Eating speed and risk of metabolic syndrome among Japanese workers: The Furukawa Nutrition and Health Study. *Nutrition.* 2020 Oct;78:110962.
- Odegaard AO, Jacobs DR Jr, Steffen LM**, ym. Breakfast frequency and development of metabolic risk. *Diabetes Care.* 2013 Oct;36(10):3100-6.
- Ohkuma T, Hirakawa Y, Nakamura U**, ym. Association between eating rate and obesity: a systematic review and meta-analysis. *Int J Obes (Lond).* 2015 Nov;39(11):1589-96.
- Ormsbee MJ, Kinney AW, Eddy WR**, ym. The influence of nighttime feeding of carbohydrate or protein combined with exercise training on appetite and cardiometabolic risk in young obese women. *Appl Physiol Nutr Metab.* 2015 Jan;40(1):37-45.
- Otsuka R, Tamakoshi K, Yatsuya H**, ym. Eating fast leads to insulin resistance: findings in middle-aged Japanese men and women. *Prev Med.* 2008 Feb;46(2):154-9.
- Paddon-Jones D, Leidy H**. Dietary protein and muscle in older persons. *Curr Opin Clin Nutr Metab Care.* 2014 Jan;17(1):5-11.
- Paoli A, Tinsley G, Bianco A**, ym. The Influence of Meal Frequency and Timing on Health in Humans: The Role of Fasting. *Nutrients.* 2019 Mar 28;11(4).
- Park J, Seo YG, Paek YJ**, ym. Effect of alternate-day fasting on obesity and cardiometabolic risk: A systematic review and meta-analysis. *Metabolism.* 2020 Oct;111:154336.
- Patterson RE, Sears DD**. Metabolic Effects of Intermittent Fasting. *Annu Rev Nutr.* 2017 Aug 21;37:371-393.
- Paz-Graniel I, Babio N, Mendez I**, ym. Association between Eating Speed and Classical Cardiovascular Risk Factors: A Cross-Sectional Study. *Nutrients.* 2019 Jan 4;11(1):83.
- Peos JJ, Norton LE, Helms ER**, ym. Intermittent Dieting: Theoretical Considerations for the Athlete. *Sports (Basel).* 2019 Jan 16;7(1).
- Qin LQ, Li J, Wang Y**, ym. The effects of nocturnal life on endocrine circadian patterns in healthy adults. *Life Sci.* 2003 Sep 26;73(19):2467-75.
- Reid KJ, Baron KG, Zee PC**. Meal timing influences daily caloric intake in healthy adults. *Nutr Res.* 2014 Nov;34(11):930-5.
- Res PT, Groen B, Pennings B**, ym. Protein ingestion before sleep improves postexercise overnight recovery. *Med Sci Sports Exerc.* 2012 Aug;44(8):1560-9.
- Robinson E, Aveyard P, Daley A**, ym. Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. *Am J Clin Nutr.* 2013 Apr;97(4):728-42.
- Robinson E, Almiron-Roig E, Rutters F**, ym. A systematic review and meta-analysis examining the effect of eating rate on energy intake and hunger. *Am J Clin Nutr.* 2014 May 21;100(1):123-151.
- Roenneberg T, Allebrandt KV, Merrow M**, ym. Social jetlag and obesity. *Curr Biol.* 2012 May 22;22(10):939-43.
- Romon M, Edme JL, Boulenguez C**, ym. Circadian variation of diet-induced thermogenesis. *Am J Clin Nutr.* 1993 Apr;57(4):476-80.
- Rosenbaum M, Goldsmith R, Bloomfield D**, ym. Low-dose leptin reverses skeletal muscle, autonomic, and neuroendocrine adaptations to maintenance of reduced weight. *J Clin Invest.* 2005, 115:3579–3586.
- Rothschild J, Hoddy KK, Jambazian P, Varady KA**. Time-restricted feeding and risk of metabolic disease: a review of human and animal studies. *Nutr Rev.* 2014 May;72(5):308-18.

- Ruidavets JB, Bongard V, Bataille V**, ym. Eating frequency and body fatness in middle-aged men. *Int J Obes Relat Metab Disord.* 2002;26(11):1476–83.
- Schoenfeld BJ, Aragon AA, Krieger JW**. Effects of meal frequency on weight loss and body composition: a meta-analysis. *Nutr Rev.* 2015 Feb;73(2):69–82.
- Schwingshackl L, Nitschke K, Zähringer J**, ym. Impact of Meal Frequency on Anthropometric Outcomes: A Systematic Review and Network Meta-Analysis of Randomized Controlled Trials. *Adv Nutr.* 2020 Sep 1;11(5):1108-1122.
- Seppälä L**. Yhdessä syöminen kannattaa. HS 26.6.2014. s. C11.
- Shaw E, Leung GKW, Jong J**, ym. The Impact of Time of Day on Energy Expenditure: Implications for Long-Term Energy Balance. *Nutrients.* 2019 Oct 6;11(10):2383.
- Sievert K, Hussain SM, Page MJ**, ym. Effect of breakfast on weight and energy intake: systematic review and meta-analysis of randomised controlled trials. *BMJ.* 2019 Jan 30;364:l42.
- Smeets AJ, Westerterp-Plantenga MS**. Acute effects on metabolism and appetite profile of one meal difference in the lower range of meal frequency. *Br J Nutr.* 2008;99(6):1316-21.
- Spiegelman BM, Flier JS**. Obesity and the regulation of energy balance. *Cell.* 2001 Feb 23;104(4):531-43.
- St-Onge MP, Ard J, Baskin ML**, ym; American Heart Association Obesity Committee of the Council on Lifestyle and Cardiometabolic Health; Council on Cardiovascular Disease in the Young; Council on Clinical Cardiology; and Stroke Council. Meal Timing and Frequency: Implications for Cardiovascular Disease Prevention: A Scientific Statement From the American Heart Association. *Circulation.* 2017 Feb 28;135(9):e96-e121.
- Stote KS, Baer DJ, Spears K**, ym. A controlled trial of reduced meal frequency without caloric restriction in healthy, normal-weight, middle-aged adults. *Am J Clin Nutr.* 2007 Apr;85(4):981-8.
- Stribiżcaia E, Evans CEL, Gibbons C**, ym. Food texture influences on satiety: systematic review and meta-analysis. *Sci Rep.* 2020 Jul 31;10(1):12929.
- Szajewska H, Ruszczynski M**. Systematic review demonstrating that breakfast consumption influences body weight outcomes in children and adolescents in Europe. *Crit Rev Food Sci Nutr.* 2010 Feb;50(2):113-9.
- Tahara Y, Shibata S**. Chrono-biology, chrono-pharmacology, and chrono-nutrition. *J Pharmacol Sci.* 2014;124(3):320-35.
- Tanaka M, Mizuno K, Fukuda S**, ym. Relationships between dietary habits and the prevalence of fatigue in medical students. *Nutrition.* 2008 Oct;24(10):985-9.
- Taylor MA, Garrow JS**. Compared with nibbling, neither gorging nor a morning fast affect short-term energy balance in obese patients in a chamber calorimeter. *Int J Obes Relat Metab Disord.* 2001; 25:519–528.
- Tinsley GM, Forse JS, Butler NK**, ym. Time-restricted feeding in young men performing resistance training: A randomized controlled trial. *Eur J Sport Sci.* 2017 Mar;17(2):200-207.
- Tinsley GM, Moore ML, Graybeal AJ**, ym. Time-restricted feeding plus resistance training in active females: a randomized trial. *Am J Clin Nutr.* 2019 Sep 1;110(3):628-640.
- Titan SM, Bingham S, Welch A**, ym. Frequency of eating and concentrations of serum cholesterol in the Norfolk population of the European prospective investigation into cancer (EPIC-Norfolk): cross sectional study. *BMJ.* 2001; 323:1286–1288.
- Trepanowski JF, Kroeger CM, Barnosky A**, ym. Effect of Alternate-Day Fasting on Weight Loss, Weight Maintenance, and Cardioprotection Among Metabolically Healthy Obese Adults: A Randomized Clinical Trial. *JAMA Intern Med.* 2017 Jul 1;177(7):930-938.
- Trommelen J, van Loon LJ**. Pre-Sleep Protein Ingestion to Improve the Skeletal Muscle Adaptive Response to Exercise Training. *Nutrients.* 2016 Nov 28;8(12):763.
- van der Heijden AA, Hu FB, Rimm EB**, ym. A prospective study of breakfast consumption and weight gain among U.S. men. *Obesity (Silver Spring).* 2007 Oct;15(10):2463-9.
- Varady KA, Bhutani S, Church EC**, ym. Short-term modified alternate-day fasting: a novel dietary strategy for weight loss and cardioprotection in obese adults. *Am J Clin Nutr.* 2009;12:1138–1143
- Varady KA, Bhutani S, Klempel MC**, ym. Alternate day fasting for weight loss in normal weight and overweight subjects: a randomized controlled trial. *Nutr J.* 2013 Nov 12;12(1):146.
- Vitale JA, Weydahl A**. Chronotype, Physical Activity, and Sport Performance: A Systematic Review. *Sports Med.* 2017 Sep;47(9):1859-1868.
- Vitaterna MH, Takahashi JS, Turek FW**. Overview of circadian rhythms. *Alcohol Res Health.* 2001;25(2):85-93.
- Westerterp-Plantenga MS, Wijckmans-DuySENS NA, ten Hoor F**. Food intake in the daily environment after energy-reduced lunch, related to habitual meal frequency. *Appetite.* 1994;22(2):173–82.
- Wing RR, Jeffery RW**. Prescribed “breaks” as a means to disrupt weight control efforts. *Obes Res.* 2003 Feb;11(2):287-91.
- Yamamoto R, Tomi R, Shinzawa M**, ym. Associations of Skipping Breakfast, Lunch, and Dinner with Weight Gain and Overweight/Obesity in University Students: A Retrospective Cohort Study. *Nutrients.* 2021 Jan 19;13(1):271.
- Zilberman T, Zilberman EY**. Breakfast: to skip or not to skip? *Front Public Health.* 2014 Jun 3;2:59.

LUKU 10 Vitamiinit, kivennäisaineet ja fytokemikaalit

- Affinito P, Tommaselli GA, DiCarlo C**, ym. Changes in bone mineral density and calcium metabolism in breastfeeding women: A one year follow-up study. *J Clin Endocrinol Metab* 1996;81:2314-8.
- Agnoli C, Baroni L, Bertini I**, ym. Position paper on vegetarian diets from the working group of the Italian Society of Human Nutrition. *Nutr Metab Cardiovasc Dis*. 2017 Dec;27(12):1037-1052.
- Aissa Benhaddad A, Bouix D, Khaled S**, ym. Early hemorheologic aspects of overtraining in elite athletes. *Clin Hemorheol Microcirc*. 1999;20(2):117-25.
- Alessio HM**. Exercise-induced oxidative stress. *Med Sci Sports Exerc*. 1993 Feb;25(2):218-24.
- Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group**. The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. *N Engl J Med*. 1994 Apr 14;330(15):1029-35.
- Alissa EM, Bahijri SM, Ferns GA**. The controversy surrounding selenium and cardiovascular disease: a review of the evidence. *Med Sci Monit*. 2003 Jan;9(1):RA9-18.
- Anderson JB**. The important role of physical activity in skeletal development: how exercise may counter low calcium intake. *Am J Clin Nutr* 2000;71:1384-6.
- Anderson RA, Polansky MM, Bryden NA**. Stability and absorption of chromium and absorption of chromium histidinate complexes by humans. *Biol Trace Elem Res*. 2004 Dec;101(3):211-8.
- Anderson JJ, Kruszka B, Delaney JA**, ym. Calcium Intake From Diet and Supplements and the Risk of Coronary Artery Calcification and its Progression Among Older Adults: 10-Year Follow-up of the Multi-Ethnic Study of Atherosclerosis (MESA). *J Am Heart Assoc*. 2016 Oct 11;5(10):e003815.
- Argiratos V, Samman S**. The effect of calcium carbonate and calcium citrate on the absorption of zinc in healthy female subjects. *Eur J Clin Nutr*. 1994 Mar;48(3):198-204.
- Aruoma OI, Reilly T, MacLaren D**, ym. Iron, copper and zinc concentrations in human sweat and plasma; the effect of exercise. *Clin Chim Acta*. 1988 Sep 30;177(1):81-7.
- Aruoma OI**. Nutrition and health aspects of free radicals and antioxidants. *Food Chem Toxicol*. 1994 Jul;32(7):671-83.
- Ashe JR, Schofield FA, Gram MR**. The retention of calcium, iron, phosphorus, and magnesium during pregnancy; the adequacy of prenatal diets with and without supplementation. *Am J Clin Nutr* 1979;32:286-91.
- Atalay M, Laaksonen DE, Khanna S**, ym. Vitamin E regulates changes in tissue antioxidants induced by fish oil and acute exercise. *Med Sci Sports Exerc*. 2000 Mar;32(3):601-7.
- Aune D, Keum N, Giovannucci E**, ym. Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. *Am J Clin Nutr*. 2018 Nov 1;108(5):1069-1091.
- Bahadori B, Wallner S, Schneider H**, ym. Effect of chromium yeast and chromium picolinate on body composition of obese, non-diabetic patients during and after a formula diet. *Acta Med Austriaca*. 1997;24(5):185-7.
- Bailey DM, Davies B**. Acute mountain sickness; prophylactic benefits of antioxidant vitamin supplementation at high altitude. *High Alt Med Biol*. 2001 Spring;2(1):21-9.
- Baker DH**. Cupric oxide should not be used as a copper supplement for either animals or humans. *J Nutr*. 1999 Dec;129(12):2278-9.
- Baker LB, Stofan JR, Lukaski HC**, ym. Exercise-induced trace mineral element concentration in regional versus whole-body wash-down sweat. *Int J Sport Nutr Exerc Metab*. 2011 Jun;21(3):233-9.
- Barker T, Henriksen VT, Martins TB**, ym. Higher serum 25-hydroxyvitamin D concentrations associate with a faster recovery of skeletal muscle strength after muscular injury. *Nutrients*. 2013 Apr 17;5(4):1253-75.
- Barnard ND, Goldman DM, Loomis JF**, ym. Plant-Based Diets for Cardiovascular Safety and Performance in Endurance Sports. *Nutrients*. 2019 Jan 10;11(1):130.
- Bath SC, Button S, Rayman MP**. Iodine concentration of organic and conventional milk: implications for iodine intake. *Br J Nutr*. 2012 Apr;107(7):935-40.
- Bath SC, Rayman MP**. Iodine deficiency in the U.K.: an overlooked cause of impaired neurodevelopment? *Proc Nutr Soc*. 2013 May;72(2):226-35.
- Bazzarre TL, Scarpino A, Sigmon R**, ym. Vitamin-mineral supplement use and nutritional status of athletes. *J Am Coll Nutr*. 1993 Apr;12(2):162-9.
- Beals KA**. Eating behaviors, nutritional status, and menstrual function in elite female adolescent volleyball players. *J Am Diet Assoc*. 2002 Sep;102(9):1293-6.
- Beard J, Tobin B**. Iron status and exercise. *Am J Clin Nutr*. 2000 Aug;72(2 Suppl):594S-7S.
- Beitz R, Mensink GB, Henschel Y**, ym. Dietary behaviour of German adults differing in levels of sport activity. *Public Health Nutr*. 2004 Feb;7(1):45-52.
- Beltz SD, Doering PL**. Efficacy of nutritional supplements used by athletes. *Clin Pharm*. 1993 Dec;12(12):900-8.
- Bergström L**. Nutrient losses and gains in the preparation of foods. Uppsala: Livsmedelsverket, 1994;32.
- Bermon S, Castell LM, Calder PC**, ym. Consensus Statement Immunonutrition and Exercise. *Exerc Immunol Rev* 2017;23:8-50.
- Bi L, Triadafilopoulos G**. Exercise and gastrointestinal function and disease: an evidence-based review of risks and benefits. *Clin Gastroenterol Hepatol*. 2003 Sep;1(5):345-55.
- Bjelakovic G, Nikolova D, Gluud C**. Meta-regression analyses, meta-analyses, and trial sequential analyses of the effects of supplementation with beta-carotene, vitamin A, and vitamin E singly or in different combinations on all-cause mortality: do we have evidence for lack of harm? *PLoS One*. 2013 Sep 6;8(9):e74558.
- Bjelakovic G, Nikolova D, Gluud C**. Antioxidant supplements and mortality. *Curr Opin Clin Nutr Metab Care*. 2014 Jan;17(1):40-4.
- Bielinski RW**. Magnesium and exercise. *Rev Med Suisse*. 2006 Jul 26;2(74):1783-6.
- Black PN, Scragg R**. Relationship between serum 25-hydroxyvitamin d and pulmonary function in the third national health and nutrition examination survey. *Chest*. 2005 Dec;128(6):3792-8.
- Bloomer RJ, Goldfarb AH, McKenzie MJ**, ym. Effects of antioxidant therapy in women exposed to eccentric exercise. *Int J Sport Nutr Exerc Metab*. 2004 Aug;14(4):377-88.
- Blumberg J, Block G**. The Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study in Finland. *Nutr Rev*. 1994 Jul;52(7):242-5.
- Bonke D, Nickel B**. Improvement of fine motoric movement control by elevated dosages of vitamin B1, B6, and B12 in target shooting. *Int J Vitam Nutr Res Suppl*. 1989;30:198-204.
- Borel P, Caillaud D, Cano NJ**. Vitamin D bioavailability: state of the art. *Crit Rev Food Sci Nutr*. 2015;55(9):1193-205.
- Borghi L, Schianchi T, Meschi T**, ym. Comparison of two diets for the prevention of recurrent stones in idiopathic hypercalciuria. *New Engl J Med* 2002;346:77-84.
- Bowtell J, Kelly V**. Fruit-Derived Polyphenol Supplementation for Athlete Recovery and Performance. *Sports Med*. 2019 Feb;49(Suppl 1):3-23.
- Braakhuis AJ, Hopkins WG**, ym. Effects of dietary antioxidants on training and performance in female runners. *Eur J Sport Sci*. 2014;14(2):160-8.

- Brenneisen P, Steinbrenner H, Sies H.** Selenium, oxidative stress, and health aspects. *Mol Aspects Med.* 2005 Aug-Oct;26(4-5):256-67.
- Brilla LR, Conte V.** Effects of a Novel Zinc-Magnesium Formulation on Hormones and Strength. *Journal of Exercise Physiology online.* 2000; 3: 26-36.
- Brink EJ, Beynen AC.** Nutrition and magnesium absorption: a review. *Prog Food Nutr Sci.* 1992;16(2):125-62.
- Brownlie T 4th, Utermohlen V, Hinton PS,** ym. Marginal iron deficiency without anemia impairs aerobic adaptation among previously untrained women. *Am J Clin Nutr.* 2002 Apr;75(4):734-42.
- Brownlie T 4th, Utermohlen V, Hinton PS,** ym. Tissue iron deficiency without anemia impairs adaptation in endurance capacity after aerobic training in previously untrained women. *Am J Clin Nutr.* 2004 Mar;79(3):437-43.
- Brun JE, Bouchahda C, Chaze D,** ym. The paradox of hematocrit in exercise physiology: which is the “normal” range from an hemorheologist’s viewpoint? *Clin Hemorheol Microcirc.* 2000;22(4):287-303.
- Burden** ym. Is iron treatment beneficial in, iron-deficient but non-anaemic (IDNA) endurance athletes? A systematic review and meta-analysis. *Br J Sports Med.* 2015 Nov; 49(21):1389-97.
- Burgi AA** ym. High serum 25-hydroxyvitamin D is associated with a low incidence of stress fractures. *J Bone Miner Res.* 2011 Oct; 26(10):2371-7.
- Calder PC, Ahluwalia N, Brouns F,** ym. Dietary factors and low-grade inflammation in relation to overweight and obesity. *Br J Nutr.* 2011 Dec;106 Suppl 3:S5-78.
- Cannell JJ, Hollis BW, Zasloff M,** ym. Diagnosis and treatment of vitamin D deficiency. *Expert Opin Pharmacother.* 2008 Jan;9(1):107-18.
- Cheng HH, Lai MH, Hou WC,** ym. Antioxidant effects of chromium supplementation with type 2 diabetes mellitus and euglycemic subjects. *J Agric Food Chem.* 2004 Mar 10;52(5):1385-9.
- Chiva-Blanch G, Badimon L.** Effects of Polyphenol Intake on Metabolic Syndrome: Current Evidences from Human Trials. *Oxid Med Cell Longev.* 2017;2017:5812401.
- Chung M, Tang AM, Fu Z,** ym. Calcium Intake and Cardiovascular Disease Risk: An Updated Systematic Review and Meta-analysis. *Ann Intern Med.* 2016 Dec 20;165(12):856-866.
- Clark LC, Combs GF Jr, Turnbull BW,** ym. Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. *Nutritional Prevention of Cancer Study Group. JAMA.* 1996 Dec 25;276(24):1957-63.
- Clark M, Reed DB, Crouse SF,** ym. Pre- and post-season dietary intake, body composition, and performance indices of NCAA division I female soccer players. *Int J Sport Nutr Exerc Metab.* 2003 Sep;13(3):303-19.
- Clarkson PM.** Minerals: exercise performance and supplementation in athletes. *J Sports Sci.* 1991 Summer;9 Spec No:91-116.
- Clarkson PM, Thompson HS.** Antioxidants: what role do they play in physical activity and health? *Am J Clin Nutr.* 2000 Aug;72(2 Suppl):637S-46S.
- Clarys P, Deliens T, Huybrechts I,** ym. Comparison of nutritional quality of the vegan, vegetarian, semi-vegetarian, pesco-vegetarian and omnivorous diet. *Nutrients.* 2014 Mar 24; 6(3):1318-32.
- Clénin GE.** The treatment of iron deficiency without anaemia (in otherwise healthy persons). *Swiss Med Wkly.* 2017 Jun 14;147:w14434.
- Close GL, Ashton T, Cable T,** ym. Ascorbic acid supplementation does not attenuate post-exercise muscle soreness following muscle-damaging exercise but may delay the recovery process. *Br J Nutr.* 2006 May;95(5):976-81.
- Close, G.L.; Russel, J.; Cobley, J.N.;** ym. Assessment of vitamin D concentration in non-supplemented professional athletes and healthy adults during the winter months in the UK: Implications for skeletal muscle function. *J. Sports Sci.* 2013, 31, 344–353.
- Coombes JS, Powers SK, Rowell B,** ym. Effects of vitamin E and alpha-lipoic acid on skeletal muscle contractile properties. *J Appl Physiol (1985).* 2001 Apr;90(4):1424-30.
- Cordova A, Alvarez-Mon M.** Behaviour of zinc in physical exercise: a special reference to immunity and fatigue. *Neurosci Biobehav Rev.* 1995 Fall;19(3):439-45.
- Cordova A, Navas FJ.** Effect of training on zinc metabolism: changes in serum and sweat zinc concentrations in sportsmen. *Ann Nutr Metab.* 1998;42(5):274-82.
- Costello RB, Elin RJ, Rosanoff A,** ym. Perspective: The Case for an Evidence-Based Reference Interval for Serum Magnesium: The Time Has Come. *Adv Nutr.* 2016;7(6):977-993.
- Couzy F, Lafargue P, Guezennec CY.** Zinc metabolism in the athlete: influence of training, nutrition and other factors. *Int J Sports Med.* 1990 Aug;11(4):263-6.
- Crawford V, Scheckenbach R, Preuss HG.** Effects of niacin-bound chromium supplementation on body composition in overweight African-American women. *Diabetes Obes Metab.* 1999 Nov;1(6):331-7.
- Cupisti A, D’Alessandro C, Castrogiovanni S, ym.** Nutrition survey in elite rhythmic gymnasts. *J Sports Med Phys Fitness.* 2000 Dec;40(4):350-5
- Dam BV.** Vitamins and sport. *Br J Sports Med.* 1978 Jun;12(2):74-9.
- Daroghegi Mofrad M, Djafarian K, Mozaffari H,** ym. Effect of magnesium supplementation on endothelial function: A systematic review and meta-analysis of randomized controlled trials. *Atherosclerosis.* 2018 Jun;273:98-105.
- Davies KJ, Quintanilha AT, Brooks GA,** ym. Free radicals and tissue damage produced by exercise. *Biochem Biophys Res Commun.* 1982 Aug 31;107(4):1198-205.
- Deakin V.** Iron depletion in athletes. Kirjassa: Burke L, Deakin V (toim). *Clinical sports nutrition 2nd ed.* McGraw-Hill, Australia, 2002.
- de Oliveira Kde J, Donangelo CM, de Oliveira AV Jr,** ym. Effect of zinc supplementation on the antioxidant, copper, and iron status of physically active adolescents. *Cell Biochem Funct.* 2009 Apr;27(3):162-6.
- DeRuisseau KC, Cheuvront SN, Haymes EM,** ym. Sweat iron and zinc losses during prolonged exercise. *Int J Sport Nutr Exerc Metab.* 2002 Dec;12(4):428-37.
- Deuster PA, Day BA, Singh A,** ym. Zinc status of highly trained women runners and untrained women. *Am J Clin Nutr.* 1989 Jun;49(6):1295-301.
- Dillard CJ, Litov RE, Savin WM,** ym. Effects of exercise, vitamin E, and ozone on pulmonary function and lipid peroxidation. *J Appl Physiol.* 1978 Dec;45(6):927-32.
- Doetsch AM, Faber J, Lynnerup N,** ym. The effects of calcium and vitamin D3 supplementation on the healing of proximal humerus fracture: a randomized placebo-controlled study. *Calcif Tissue Int* 2004; 75:183-188.
- Donaldsson CL, Hullet SB, Vogel JM,** ym. Effect of prolonged bed rest on bone mineral. *Metabolism* 1970;19:1071-84.
- Donangelo CM, Woodhouse LR, King SM,** ym. Supplemental zinc lowers measures of iron status in young women with low iron reserves. *J Nutr.* 2002 Jul;132(7):1860-4.
- Dragan I, Dinu V, Mohora M,** ym. Studies regarding the antioxidant effects of selenium on top swimmers. *Rev Roum Physiol.* 1990 Jan-Mar;27(1):15-20.
- Ducros V.** Chromium metabolism. A literature review. *Biol Trace Elem Res.* 1992 Jan-Mar;32:65-77.
- Edwards W, Pringle D, Palfrey T,** ym. Effects of chromium picolinate supplementation on body composition in in-season division I intercollegiate female swimmers. *Med. Sport.* 2012;16:99-103.
- Elin RJ.** Assessment of magnesium status for diagnosis and therapy. *Magnes Res.* 2010 Dec;23(4):S194-8.
- Elorinne AL, Alftan G, Erlund I,** ym. Food and Nutrient Intake and Nutritional Status of Finnish Vegans and Non-Vegetarians. *PLoS One.* 2016;11(2):e0148235.

- Erdman JW, Jr, Valentine D, Arab L**, ym. Flavonoids and heart health: Proceedings of the ILSI North America Flavonoids Workshop, May 31-June 1, 2005, Washington, DC. *J Nutr.* 2007;137:718S–737.
- Evira**. Research Reports 2/2007 Intake of vitamin A, cadmium and lead via liver foods among Finnish women of fertile age - a quantitative risk assessment.
- Faber M, Benade AJ**. Mineral and vitamin intake in field athletes (discus-, hammer-, javelin-throwers and shotputters). *Int J Sports Med.* 1991 Jun;12(3):324-7.
- Fairbairn KA, Ceelen IJM, Skeaff CM**, ym. Vitamin D3 supplementation does not improve sprint performance in professional rugby players: A randomized, placebo-controlled, double-blind intervention study. *Int J Sport Nutr. Exerc. Metab.* 2018;28:1–9.
- Fallon KE, Sivyer G, Sivyer K, Dare A**. Changes in haematological parameters and iron metabolism associated with a 1 600 kilometre ultramarathon. *Br J Sports Med.* 1999 Feb;33(1):27-31.
- Fallon N, Dillon SA**. Low Intakes of Iodine and Selenium Amongst Vegan and Vegetarian Women Highlight a Potential Nutritional Vulnerability. *Front Nutr.* 2020;7:72.
- Ferraro PM, Bargagli M, Trinchieri A**, ym. Risk of Kidney Stones: Influence of Dietary Factors, Dietary Patterns, and Vegetarian-Vegan Diets. *Nutrients.* 2020 Mar 15;12(3):779.
- Fine KD, Santa Ana CA, Porter JL**, ym. Intestinal absorption of magnesium from food and supplements. *J Clin Invest.* 1991 Aug;88(2):396-402.
- Fisher AE, Naughton DP**. Iron supplements: the quick fix with long-term consequences. *Nutr J.* 2004 Jan 16;3:2.
- Fishman MP, Lombardo SJ, Kharrazi FD**. Vitamin D deficiency among professional basketball players. *Orthop J Sports Med.* 2016 Jul 6;4(7).
- Fogelholm M, Jaakkola L, Lampisjärvi T**. Effects of iron supplementation in female athletes with low serum ferritin concentration. *Int J Sports Med.* 1992 Feb;13(2):158-62.
- Fogelholm M**. Indicators of vitamin and mineral status in athletes' blood: a review. *Int J Sport Nutr.* 1995 Dec;5(4):267-84.
- Fogelholm M**. Vitamin, mineral and antioxidant needs of athletes. Kirjassa: Burke L, Deakin, V (toim.). Clinical sports nutrition 2nd ed. McGraw-Hill, 2002.
- Fogelholm M, Tikkanen H, Naveri H**, ym. High-carbohydrate diet for long distance runners--a practical view-point. *Br J Sports Med.* 1989 Jun;23(2):94-6.
- Fogelholm M, Laakso J, Lehto J**, ym. Dietary intake and indicators of magnesium and zinc status in male athletes. *Nutr Res* 1991;11:1111-8.
- Fogelholm M, Rehunen S, Gref CG**, ym. Dietary intake and thiamin, iron, and zinc status in elite Nordic skiers during different training periods. *Int J Sport Nutr.* 1992 Dec;2(4):351-65.
- Fogelholm GM, Koskinen R, Laakso J**, ym. Gradual and rapid weight loss: effects on nutrition and performance in male athletes. *Med Sci Sports Exerc.* 1993 Mar;25(3):371-7.
- Frank T, Kuhl M, Makowski B**, ym. Does a 100-km walking affect indicators of vitamin status? *Int J Vitam Nutr Res.* 2000 Sep;70(5):238-50.
- Freese, R, Voutilainen E, Mutanen M**. Vitamiinit ja muut orgaaniset yhdisteet. Kirjassa: Mutanen M, Niinikoski H, Schwab U, Uusitupa M (toim.). Ravitsemustiede. Kustannus Oy Duodecim, Helsinki, 2021.
- Gardner GW, Edgerton VR, Barnard RJ**, ym. Cardiorespiratory, hematological and physical performance responses of anemic subjects to iron treatment. *Am J Clin Nutr.* 1975 Sep;28(9):982-8.
- Garrison SR, Korownyk CS, Kolber MR**, ym. Magnesium for skeletal muscle cramps. *Cochrane Database Syst Rev.* 2020 Sep 21;9:CD009402.
- Gleeson M, Lancaster GI, Bishop NC**. Nutritional strategies to minimise exercise-induced immunosuppression in athletes. *Can J Appl Physiol.* 2001;26 Suppl:S23-35.
- Gleeson M**. Nutritional support to maintain proper immune status during intense training. *Nestle Nutr Inst Workshop Ser.* 2013;75:85-97.
- Gohil K, Packer L, de Lumen B**, ym. Vitamin E deficiency and vitamin C supplements: exercise and mitochondrial oxidation. *J Appl Physiol.* 1986 Jun;60(6):1986-91.
- Goldfarb AH, Bloomer RJ, McKenzie MJ**. Combined antioxidant treatment effects on blood oxidative stress after eccentric exercise. *Med Sci Sports Exerc.* 2005 Feb;37(2):234-9.
- Gollnick PD, Armstrong RB, Saltin B**, ym. Effect of training on enzyme activity and fiber composition of human skeletal muscle. *J Appl Physiol.* 1973 Jan;34(1):107-11.
- Gombart AF, Pierre A, Maggini S**. A Review of Micronutrients and the Immune System-Working in Harmony to Reduce the Risk of Infection. *Nutrients.* 2020 Jan 16;12(1):236.
- Gomez-Cabrera MC, Domenech E, Romagnoli M**, ym. Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance. *Am J Clin Nutr.* 2008 Jan;87(1):142-9.
- Grant WB, Lahore H, Rockwell MS**. The Benefits of Vitamin D Supplementation for Athletes: Better Performance and Reduced Risk of COVID-19. *Nutrients.* 2020 Dec 4;12(12):3741.
- Grievink L, Jansen SM, van't Veer P**, ym. Acute effects of ozone on pulmonary function of cyclists receiving antioxidant supplements. *Occup Environ Med.* 1998 Jan;55(1):13-7.
- Grievink L, Zijlstra AG, Ke X**, ym. Double-blind intervention trial on modulation of ozone effects on pulmonary function by antioxidant supplements. *Am J Epidemiol.* 1999 Feb 15;149(4):306-14.
- Guallar E, Stranges S, Mulrow C**, ym. Enough is enough: Stop wasting money on vitamin and mineral supplements. *Ann Intern Med.* 2013 Dec 17;159(12):850-1.
- Guilland JC, Penaranda T, Gallet C**, ym. Vitamin status of young athletes including the effects of supplementation. *Med Sci Sports Exerc.* 1989 Aug;21(4):441-9.
- Hallberg L, Rossander-Hulten L, Brune M**, ym. Bioavailability in man of iron in human milk and cow's milk in relation to their calcium contents. *Pediatr Res.* 1992a May;31(S):S24-7.
- Hallberg L, Rossander-Hulten L, Brune M**, ym. Calcium and iron absorption: mechanism of action and nutritional importance. *Eur J Clin Nutr.* 1992b May;46(5):317-27.
- Handelman GJ, Machlin LJ, Fitch K**, ym. Oral alpha-tocopherol supplements decrease plasma gamma-tocopherol levels in humans. *J Nutr.* 1985 Jun;115(6):807-13.
- Harnly J**. Importance of accurate measurements in nutrition research: dietary flavonoids as a case study. *Adv Nutr* 7: 375– 382, 2016.
- Haymes EM**. Vitamin and mineral supplementation to athletes. *Int J Sport Nutr.* 1991 Jun;1(2):146-69.
- Haymes EM, Lamanca JJ**. Iron loss in runners during exercise. Implications and recommendations. *Sports Med.* 1989 May;7(5):277-85.
- Haytowitz, D.B., Wu, X., Bhagwat, S**. 2018. USDA Database for the Flavonoid Content of Selected Foods, Release 3.3. U.S. Department of Agriculture, Agricultural Research Service. Nutrient Data Laboratory Home Page: <http://www.ars.usda.gov/nutrientdata/flav>.
- He FJ, , S. Pombo-Rodrigues, G.A. MacGregor**. Salt reduction in England from 2003 to 2011: its relationship to blood pressure, stroke and ischaemic heart disease mortality. *BMJ Open*, 4 (2014).
- He FJ, Tan M, Ma Y**, ym. Salt Reduction to Prevent Hypertension and Cardiovascular Disease: JACC State-of-the-Art Review. *J Am Coll Cardiol.* 2020 Feb 18;75(6):632-647.

- Heffernan SM, Horner K, De Vito G**, ym. The Role of Mineral and Trace Element Supplementation in Exercise and Athletic Performance: A Systematic Review. *Nutrients*. 2019 Mar 24;11(3):696.
- Heikura IA, Burke LM, Hawley JA**, ym. A Short-Term Ketogenic Diet Impairs Markers of Bone Health in Response to Exercise. *Front Endocrinol (Lausanne)*. 2020 Jan 21;10:880.
- Helldán A, Raulio S, Kosola M**, ym. Finraavinto 2012 –tutkimus. The National FINDIET 2012 Survey. *THL Raportti 16/2013*.
- Hemilä H**. Zinc lozenges and the common cold: a meta-analysis comparing zinc acetate and zinc gluconate, and the role of zinc dosage. *JRSM Open*. 2017;8(5):2054270417694291.
- Hemila H, Virtamo J, Albanes D**, ym. Physical activity and the common cold in men administered vitamin E and beta-carotene. *Med Sci Sports Exerc*. 2003 Nov;35(11):1815-20.
- Henderson LM, Brewer GJ, Dressman JB**, ym. Effect of intragastric pH on the absorption of oral zinc acetate and zinc oxide in young healthy volunteers. *JPEN J Parenter Enteral Nutr*. 1995 Sep-Oct;19(5):393-7.
- Hennekens CH, Buring JE, Manson JE**, ym. Lack of effect of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *N Engl J Med*. 1996 May 2;334(18):1145-9.
- Heravi AS, Michos ED**. Vitamin D and Calcium Supplements: Helpful, Harmful, or Neutral for Cardiovascular Risk? *Methodist Debakey Cardiovasc J*. 2019 Jul-Sep;15(3):207-213.
- Hickson RC**. Skeletal muscle cytochrome c and myoglobin, endurance, and frequency of training. *J Appl Physiol*. 1981 Sep;51(3):746-9.
- Hickson JF Jr, Schrader J, Trischler LC**. Dietary intakes of female basketball and gymnastics athletes. *J Am Diet Assoc*. 1986 Feb;86(2):251-3.
- Higgins MR, Izadi A, Kaviani M**. Antioxidants and Exercise Performance: With a Focus on Vitamin E and C Supplementation. *Int J Environ Res Public Health*. 2020 Nov 15;17(22):8452.
- Hirohama D, Fujita T**. Evaluation of the pathophysiological mechanisms of salt-sensitive hypertension. *Hypertens Res*. 2019 Dec;42(12):1848-1857.
- Hirvonen T, Pietinen P, Virtanen M**, ym. Nutrient intake and use of beverages and the risk of kidney stones among male smokers. *Am J Epidemiol*. 1999;150:187-194.
- Hoeger WW, Harris C, Long EM**, ym. Four-week supplementation with a natural dietary compound produces favorable changes in body composition. *Adv Ther*. 1998 Sep-Oct;15(5):305-14.
- Holick MF, Matsuoka LY, Wortsman J**. Age, vitamin D, and solar ultraviolet. *Lancet* 1989;2:1104-1105.
- Holick MF**. Environmental factors that affect the cutaneous production of vitamin D. *Am J Clin Nutr* 1995;61:638S-45S.
- Holick MF**. Vitamin D deficiency. *N Engl J Med*. 2007 Jul 19;357(3):266-81.
- Holick MF, Binkley NC, Bischoff-Ferrari HA**, ym. Endocrine Society. Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab*. 2011 Jul;96(7):1911-30.
- Holvik K, Madar AA, Meyer HE**, ym. A randomised comparison of increase in serum 25-hydroxyvitamin D concentration after 4 weeks of daily oral intake of 10 microg cholecalciferol from multivitamin tablets or fish oil capsules in healthy young adults. *Br J Nutr*. 2007 Sep;98(3):620-5.
- Horvath PJ, Eagen CK, Ryer-Calvin SD**, ym. The effects of varying dietary fat on the nutrient intake in male and female runners. *J Am Coll Nutr*. 2000 Feb;19(1):42-51.
- Houston BL, Hurrie D, Graham J**, ym. Efficacy of iron supplementation on fatigue and physical capacity in non-anaemic iron-deficient adults: a systematic review of randomised controlled trials. *BMJ Open*. 2018 Apr 5;8(4):e019240.
- Howlett KF, Spratt LL, Hargreaves M**. Carbohydrate metabolism during exercise in females: effect of reduced fat availability. *Metabolism*. 2001 Apr;50(4):481-7.
- Hua Y, Clark S, Ren J, Sreejayan N**. Molecular mechanisms of chromium in alleviating insulin resistance. *J Nutr Biochem*. 2012 Apr;23(4):313-9.
- Hughes DA, Wright AJ, Finglas PM**, ym. The effect of beta-carotene supplementation on the immune function of blood monocytes from healthy male nonsmokers. *J Lab Clin Med*. 1997 Mar;129(3):309-17.
- Hurrell R, Egli I**. Iron bioavailability and dietary reference values. *Am J Clin Nutr*. 2010 May;91(5):1461S-1467S.
- Hunt JR**. Bioavailability of iron, zinc, and other trace minerals from vegetarian diets. *Am J Clin Nutr*. 2003 Sep;78(3 Suppl):633S-639S.
- Ingles DP, Cruz Rodriguez JB, Garcia H**. Supplemental Vitamins and Minerals for Cardiovascular Disease Prevention and Treatment. *Curr Cardiol Rep*. 2020 Feb 14;22(4):22.
- Ito Y, Wakai K, Suzuki K**, ym. Lung Cancer Mortality and Serum Levels of Carotenoids, Retinol, Tocopherols, and Folic Acid in Men and Women: a Case-Control Study Nested in the JACC Study. *J Epidemiol*. 2005;15 Suppl 2:S140-9.
- Itokawa Y, Kimura M, Nishino K**, ym. Blood levels and urinary excretion of thiamin and riboflavin during oral administration of multivitamin tablets to healthy adults. *J Nutr Sci Vitaminol (Tokyo)*. 1992;Spec No:438-41.
- Jakulj F, Zernicke K, Bacon SL**, ym. A high-fat meal increases cardiovascular reactivity to psychological stress in healthy young adults. *J Nutr*. 2007 Apr;137(4):935-9.
- Jiang Q, Elson-Schwab I, Courtemanche C**, ym. gamma-tocopherol and its major metabolite, in contrast to alpha-tocopherol, inhibit cyclooxygenase activity in macrophages and epithelial cells. *Proc Natl Acad Sci U S A*. 2000 Oct 10;97(21):11494-9.
- Jones DP**. Redefining oxidative stress. *Antioxid Redox Signal*. 2006 Sep-Oct;8(9-10):1865-79.
- Jonnalagadda SS, Ziegler PJ, Nelson JA**. Food preferences, dieting behaviors, and body image perceptions of elite figure skaters. *Int J Sport Nutr Exerc Metab*. 2004 Oct;14(5):594-606.
- Kalkwarf HJ, Specker BL, Henbi JE**, ym. Intestinal calcium absorption of women during lactation. *Am J Clin Nutr* 1996;63:526-31.
- Kalkwarf HJ, Specker BL, Bianchi DC**, ym. The effect of calcium supplementation on bone density during lactation and after weaning. *N Engl J Med* 1997;337:523-8.
- Kanter MM, Nolte LA, Holloszy JO**. Effects of an antioxidant vitamin mixture on lipid peroxidation at rest and postexercise. *J Appl Physiol*. 1993 Feb;74(2):965-9.
- Karppanen H, Mervaala E**. Sodium intake and hypertension. *Prog Cardiovasc Dis*, 49 (2006), pp. 59-75.
- Khaled S, Brun JF, Micallé JP**, ym. Serum zinc and blood rheology in sportsmen (football players). *Clin Hemorheol Microcirc*. 1997 Jan-Feb;17(1):47-58.
- Khaled S, Brun JF, Wagner A**, ym. Increased blood viscosity in iron-depleted elite athletes. *Clin Hemorheol Microcirc*. 1998 Jul;18(4):309-18.
- Khaled S, Brun JF, Cassanas G**, ym. Effects of zinc supplementation on blood rheology during exercise. *Clin Hemorheol Microcirc*. 1999;20(1):1-10.
- Kikukawa A, Kobayashi A**. Changes in urinary zinc and copper with strenuous physical exercise. *Aviat Space Environ Med*. 2002 Oct;73(10):991-5.
- Knekt P, Kumpulainen J, Jarvinen R**, ym. Flavonoid intake and risk of chronic diseases. *Am J Clin Nutr*. 2002 Sep;76(3):560-8.
- Knippen M, Mauri L, Bellushi R**, ym. The action of thiamine on the production of lactic acid in cyclists. *Med Sports* 1986; 39(1):11.
- Koehler K, Parr MK, Geyer H**, ym. Serum testosterone and urinary excretion of steroid hormone metabolites after administration of a high-dose zinc supplement. *Eur J Clin Nutr*. 2009 Jan;63(1):65-70.
- Koivisto AE, Paulsen G, Paur I**, ym. Antioxidant-rich foods and response to altitude training: A randomized controlled trial in elite endurance athletes. *Scand J Med Sci Sports*. 2018 Sep;28(9):1982-1995.
- Korkor AB, Bretzmann C**. Effect of fish oil on vitamin D absorption. *Am J Kidney Dis*. 2009;53:356.

- Kozlovsky AS, Moser PB, Reiser S**, ym. Effects of diets high in simple sugars on urinary chromium losses. *Metabolism*. 1986 Jun;35(6):515-8.
- Kritchevsky SB**. beta-Carotene, carotenoids and the prevention of coronary heart disease. *J Nutr*. 1999 Jan;129(1):5-8.
- Lahti-Koski M, Valsta LM, Alftan G**, ym. Iron status of adults in the capital area of Finland. *Eur J Nutr*. 2003 Oct;42(5):287-92.
- Lamberg-Allardt C, Brustad M, Meyer HE**, ym. Vitamin D - a systematic literature review for the 5th edition of the Nordic Nutrition Recommendations. *Food & Nutrition Research* 2013; 57: 22671.
- Lappe YM**. Calcium and vitamin d supplementation decreases incidence of stress fractures in female navy recruits. *J Bone Miner Res*, 23 (2008), pp. 741-749.
- Larson-Meyer DE**. (2015). The importance of vitamin D for athletes. *GSSE*, 28(148), 1–6.
- LeBlanc A, Schneider W, Evans H**, ym. Bone mineral loss and recovery after 17 weeks of bed rest. *J Bone Miner Res* 1990;5:843-50
- Lee EH, Myung SK, Jeon YJ**, ym. Effects of selenium supplements on cancer prevention: meta-analysis of randomized controlled trials. *Nutr Cancer*. 2011 Nov;63(8):1185-95.
- Leitzmann C**. Vegetarian diets: what are the advantages? *Forum Nutr*. 2005;(57):147-56.
- Leonard SW, Leklem JE**. Plasma B-6 vitamer changes following a 50-km ultra-marathon. *Int J Sport Nutr Exerc Metab*. 2000 Sep;10(3):302-14.
- Lewis RM, Redzic M, Thomas DT**. The effects of season-long vitamin D supplementation on collegiate swimmers and divers. *Int J Sport Nutr Exerc Metab*. 2013 Oct;23(5):431-40.
- Lindberg JS, Zobitz MM, Poindexter JR**, ym. Magnesium bioavailability from magnesium citrate and magnesium oxide. *J Am Coll Nutr*. 1990 Feb;9(1):48-55.
- Litoff D, Scherzer H, Harrison J**. Effects of pantothenic acid supplementation on human exercise. *Med Sci Sports Exerc* 1985; 17:287.
- Liu RH**. Health-promoting components of fruits and vegetables in the diet. *Adv Nutr*. 2013 May 1;4(3):384S-92S.
- Loud KJ, Gordon CNM, Micheli LJ**, ym. Correlates of stress fractures among preadolescent and adolescent girls. *Pediatrics* 2005;115:399-406.
- Lukaski HC**. Magnesium, zinc, and chromium nutriture and physical activity. *Am J Clin Nutr*. 2000 Aug;72(2 Suppl):S85S-93S.
- Lukaski HC**. Vitamin and mineral status: effects on physical performance. *Nutrition*. 2004 Jul-Aug;20(7-8):632-44.
- Machefer G, Groussard C, Zouhal H**, ym. Nutritional and plasmatic antioxidant vitamins status of ultra endurance athletes. *J Am Coll Nutr*. 2007 Aug;26(4):311-6.
- Manore MM**. Vitamin B6 and exercise. *Int J Sport Nutr*. 1994 Jun;4(2):89-103.
- Manore MM, Leklem JE**. Effect of carbohydrate and vitamin B6 on fuel substrates during exercise in women. *Med Sci Sports Exerc*. 1988 Jun;20(3):233-41.
- Manore MM**. Effect of physical activity on thiamine, riboflavin, and vitamin B-6 requirements. *Am J Clin Nutr*. 2000 Aug;72(2 Suppl):S598S-606S.
- Margaritis I, Tessier F, Prou E**, ym. Effects of endurance training on skeletal muscle oxidative capacities with and without selenium supplementation. *J Trace Elem Med Biol*. 1997 Apr;11(1):37-43.
- Marmett B, Nunes R.B.** Effects of chromium picolinate supplementation on control of metabolic variables: A systematic review. *J. Food Nutr. Res.* 2016;4:633-639.
- Maroon JC, Mathyssek CM, Bost JW**, ym. Vitamin D profile in National Football League players. *Am J Sports Med*. 2015 May;43(5):1241-5.
- Marsh** ym. Health implications of a vegetarian diet: a review. *Am J Life Med*. 2012;6:250–267.
- Martin BR, Davis S, Campbell WW**, ym. Exercise and calcium supplementation: effects on calcium homeostasis in sportswomen. *Med Sci Sports Exerc*. 2007 Sep;39(9):1481-6.
- Masharani U, Gjerde C, McCoy S**, ym. Chromium supplementation in non-obese non-diabetic subjects is associated with a decline in insulin sensitivity. *BMC Endocr Disord*. 2012 Nov 30;12:31.
- Matter M, Stittfall T, Graves J, Myburgh K**, ym. The effect of iron and folate therapy on maximal exercise performance in female marathon runners with iron and folate deficiency. *Clin Sci (Lond)*. 1987 Apr;72(4):415-22.
- Maughan RJ**. Fundamentals of Sports Nutrition: Application to Sports Drinks. Kirjassa Sports Drinks – Basic Science and Practical Aspects. Maughan RJ, Murray R (toim.) CRC Press, Boca Raton, Florida: 2001.
- Maughan RJ, Leiper JB**. Sodium intake and post-exercise rehydration in man. *Eur J Appl Physiol Occup Physiol*. 1995;71(4):311-9.
- Maxwell SR, Jakeman P, Thomason H**, ym. Changes in plasma antioxidant status during eccentric exercise and the effect of vitamin supplementation. *Free Radic Res Commun*. 1993;19(3):191-202.
- McAnulty S, McAnulty L, Nieman D**, ym. Effect of NSAID on muscle injury and oxidative stress. *Int J Sports Med*. 2007 Nov;28(11):909-15.
- McBride JM, Kraemer WJ, Triplett-McBride T**, ym. Effect of resistance exercise on free radical production. *Med Sci Sports Exerc*. 1998 Jan;30(1):67-72.
- McGee SR**. Muscle cramps. *Arch Intern Med*. 1990 Mar;150(3):511-8.
- McGinley C, Shafat A, Donnelly AE**. Does antioxidant vitamin supplementation protect against muscle damage? *Sports Med*. 2009;39(12):1011-32.
- Mehran N, Schulz BM, Neri BR**, ym. Prevalence of vitamin D insufficiency in professional hockey players. *Orthop J Sports Med*. 2016 Dec 23;4(12).
- Merry TL, Ristow M**. Do antioxidant supplements interfere with skeletal muscle adaptation to exercise training? *J Physiol*. 2016 Sep 15;594(18):S135-47.
- Meydani M**. Vitamin E. *Lancet*. 1995 Jan 21;345(8943):170-5.
- Meydani M, Evans WJ, Handelman G**, ym. Protective effect of vitamin E on exercise-induced oxidative damage in young and older adults. *Am J Physiol*. 1993 May;264(5 Pt 2):R992-8.
- Micheletti A, Rossi R, Rufini S**. Zinc status in athletes: relation to diet and exercise. *Sports Med*. 2001;31(8):577-82.
- Mickleborough TD, Lindley MR, Ray S**. Dietary salt, airway inflammation, and diffusion capacity in exercise-induced asthma. *Med Sci Sports Exerc*. 2005 Jun;37(6):904-14.
- Monsen ER**. Iron nutrition and absorption: dietary factors which impact iron bioavailability. *J Am Diet Assoc*. 1988 Jul;88(7):786-90.
- Mooren FC, Golf SW, Volker K**. Effect of magnesium on granulocyte function and on the exercise induced inflammatory response. *Magnes Res*. 2003 Mar;16(1):49-58.
- Moran DS, McClung JP, Kohen T**, ym. Vitamin d and physical performance. *Sports Med*. 2013 Jul;43(7):601-11.
- Moretti C, Fabbri A, Gnessi L**, ym. Pyridoxine (B6) suppresses the rise in prolactin and increases the rise in growth hormone induced by exercise. *N Engl J Med*. 1982 Aug 12;307(7):444-5.
- Mulligan GB, Licata A**. Taking vitamin D with the largest meal improves absorption and results in higher serum levels of 25-hydroxyvitamin D. *J Bone Miner Res*. 2010 Apr;25(4):928-30.
- Murphy NM, Carroll P**. The effect of physical activity and its interaction with nutrition on bone health. *Proceedings of the Nutrition* 2003;62:829-838.
- Murray R, Stofan JR**. Formulating Carbohydrate-Electrolyte Drinks for Optimal Efficacy. Kirjassa Sports Drinks – Basic Science and Practical Aspects. Maughan RJ, Murray R (toim.) CRC Press, Boca Raton, Florida: 2001, 206-207.
- Nachtigall D, Nielsen P, Fischer R**, ym. Iron deficiency in distance runners. A reinvestigation using Fe-labelling and non-invasive liver iron quantification. *Int J Sports Med*. 1996 Oct;17(7):473-9.
- Navarro M, Wood RJ**. Plasma changes in micronutrients following a multivitamin and mineral supplement in healthy adults. *J Am Coll Nutr*. 2003 Apr;22(2):124-32.

- Nebel J, Haufe S, Eigendorf J**, ym. Exercise capacity of vegan, lacto-ovo-vegetarian and omnivorous recreational runners. *J Int Soc Sports Nutr.* 2019 May;16(1):23.
- Nielsen P, Nachtgall D**. Iron supplementation in athletes. Current recommendations. *Sports Med.* 1998 Oct;26(4):207-16.
- Nieman DC, Butler JV, Pollett LM**, ym. Nutrient intake of marathon runners. *J Am Diet Assoc.* 1989 Sep;89(9):1273-8.
- Nieman DC, Mitmesser SH**. Potential Impact of Nutrition on Immune System Recovery from Heavy Exertion: A Metabolomics Perspective. *Nutrients.* 2017 May;18(5):513.
- Nieves ym.** Nutritional factors that influence change in bone density and stress fracture risk among young female cross-country runners. *PM R,* 2 (2010), pp. 740-750.
- Nikolaidis MG, Kerksick CM, Lamprecht M**, ym. Does vitamin C and E supplementation impair the favorable adaptations of regular exercise? *Oxid Med Cell Longev.* 2012;2012:707941.
- Nissen SL, Sharp RL**. Effect of dietary supplements on lean mass and strength gains with resistance exercise: a meta-analysis. *J Appl Physiol.* 2003 Feb;94(2):651-9.
- Nordic Council of Ministers** (2014) Nordic Nutrition Recommendations 2012. Integrating nutrition and physical activity. Copenhagen: Norden. Saatavilla: <https://norden.diva-portal.org/smash/get/diva2:704251/FULLTEXT01.pdf>. Viitattu 30.4.2021.
- Nuviala RJ, Lapieza MG, Bernal E**. Magnesium, zinc, and copper status in women involved in different sports. *Int J Sport Nutr.* 1999 Sep;9(3):295-309.
- Ogan D & Pritchett K**. Vitamin D and the Athlete: Risks, Recommendations, and Benefits. *Nutrients* 2013, 5, 1856-1868.
- Ohno H, Yahata T, Sato Y**, ym. Physical training and fasting erythrocyte activities of free radical scavenging enzyme systems in sedentary men. *Eur J Appl Physiol Occup Physiol.* 1988;57(2):173-6.
- Onakpoya I, Posadzki P, Ernst E**. Chromium supplementation in overweight and obesity: a systematic review and meta-analysis of randomized clinical trials. *Obes Rev.* 2013 Jun;14(6):496-507.
- Paakkari I**. D-vitamiini. Lääkärikirja Duodecim 24.9.2020. www.terveyskirjasto.fi
- Pasricha SR, Low M, Thompson J**, ym. Iron supplementation benefits physical performance in women of reproductive age: a systematic review and meta-analysis. *J Nutr.* 2014 Jun;144(6):906-14.
- Pastor R, Tur JA**. Antioxidant Supplementation and Adaptive Response to Training: A Systematic Review. *Curr Pharm Des.* 2019;25(16):1889-1912.
- Pelkonen L**. Kasvisruokavalioit. Lääkärikirja Duodecim. <https://www.terveyskirjasto.fi/dlk01198>. Julkaistu 5.10.2020. Viitattu 2.5.2021.
- Peternelj TT, Coombes JS**. Antioxidant supplementation during exercise training: beneficial or detrimental? *Sports Med.* 2011 Dec 1;41(12):1043-69.
- Peters EM, Cambell A, Pawley L**. Vitamin A fails to increase resistance to upper respiratory tract infection in distance runners. *S Afr J Sports Med* 1992;7:3-7
- Phan MAT, Paterson J, Bucknall M**, ym. Interactions between phytochemicals from fruits and vegetables: Effects on bioactivities and bioavailability. *Crit Rev Food Sci Nutr.* 2018 May 24;58(8):1310-1329.
- Pludowski P, Holick MF, Grant WB**, ym. Vitamin D supplementation guidelines. *J Steroid Biochem Mol Biol.* 2018 Jan;175:125-135.
- Pollock N, Chakraverty R, Taylor I**, ym. An 8-year Analysis of Magnesium Status in Elite International Track & Field Athletes. *J Am Coll Nutr* 2019; Dec 12:1-7.
- Porea TJ, Belmont JW, Mahoney DH Jr**. Zinc-induced anemia and neutropenia in an adolescent. *J Pediatr.* 2000 May;136(5):688-90.
- Powers SK**. Antioxidant supplementaton for athletes: sense or nonsense? IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.
- Powers SK, Ji LL, Leeuwenburgh C**. Exercise training-induced alterations in skeletal muscle antioxidant capacity: a brief review. *Med Sci Sports Exerc.* 1999 Jul;31(7):987-97.
- Powers SK, Jackson MJ**. Exercise-induced oxidative stress: cellular mechanisms and impact on muscle force production. *Physiol Rev.* 2008 Oct;88(4):1243-76.
- Rakhra G, Masih D, Vats A**, ym. Effect of endurance training on copper, zinc, iron and magnesium status. *J Sports Med Phys Fitness.* 2021 Jan 20.
- Rankinen T, Lyytikainen S, Vanninen E**, ym. Nutritional status of the Finnish elite ski jumpers. *Med Sci Sports Exerc.* 1998 Nov;30(11):1592-7.
- Razavi, M.Z., Nazarali, P.; Hanachi, P.** The effect of an exercise programme and consumption of vitamin D on performance and respiratory indicators in patients with asthma. *Sport Sci. Health* 2011, 6, 89–92.
- Reid MB**. Invited Review: redox modulation of skeletal muscle contraction: what we know and what we don't. *J Appl Physiol* (1985). 2001 Feb;90(2):724-31. Review.
- Righi NC, Schuch FB, De Nardi AT**, ym. Effects of vitamin C on oxidative stress, inflammation, muscle soreness, and strength following acute exercise: meta-analyses of randomized clinical trials. *Eur J Nutr.* 2020 Oct;59(7):2827-2839.
- Ristow M, Zarse K, Oberbach A**, ym. Antioxidants prevent health-promoting effects of physical exercise in humans. *Proc Natl Acad Sci U S A.* 2009 May 26;106(21):8665-70.
- Robertson JD, Maughan RJ, Duthie GG**, ym. Increased blood antioxidant systems of runners in response to training load. *Clin Sci (Lond).* 1991 Jun;80(6):611-8.
- Rodenberg RE, Gustafson S**. Iron as an ergogenic aid: ironclad evidence? *Curr Sports Med Rep.* 2007 Jul;6(4):258-64.
- Rokitzki L, Berg A, Keul J**. Blood and serum status of water- and fat-soluble vitamins in athletes and non-athletes. *Int J Vitam Nutr Res Suppl.* 1989;30:192-7.
- Rokitzki L, Logemann E, Sagredos AN**, ym. Lipid peroxidation and antioxidative vitamins under extreme endurance stress. *Acta Physiol Scand.* 1994 Jun;151(2):149-58.
- Rokitzki L, Sagredos AN, Reuss F**, ym. Acute changes in vitamin B6 status in endurance athletes before and after a marathon. *Int J Sport Nutr.* 1994a Jun;4(2):154-65.
- Rokitzki L, Sagredos AN, Reuss F**, ym. Assessment of vitamin B6 status of strength and speedpower athletes. *J Am Coll Nutr.* 1994b Feb;13(1):87-94.
- Rokitzki L, Sagredos A, Keck E**, ym. Assessment of vitamin B2 status in performance athletes of various types of sports. *J Nutr Sci Vitaminol (Tokyo).* 1994c Feb;40(1):11-22.
- Roodenburg AJ, Leenen R, van het Hof KH**, ym. Amount of fat in the diet affects bioavailability of lutein esters but not of alpha-carotene, beta-carotene, and vitamin E in humans. *Am J Clin Nutr.* 2000 May;71(5):1187-93.
- Rothwell JA, Perez-Jimenez J, Neveu V**, ym. Phenol-Explorer 3.0: a major update of the Phenol-Explorer database to incorporate data on the effects of food processing on polyphenol content. *Database (Oxford)*. 2013 Oct 7;2013:bat070.
- Rubear A, Goojha C, Manning J**, ym. Does Iron Supplementation Improve Performance in Iron-Deficient Nonanemic Athletes? *Sports Health.* 2018 Sep/Oct;10(5):400-405.
- Rudzki SJ, Hazard H, Collinson D**. Gastrointestinal blood loss in triathletes: it's etiology and relationship to sports anaemia. *Aust J Sci Med Sport.* 1995 Mar;27(1):3-8.

- Ruohola ym.** Association between serum 25(OH)D concentrations and bone stress fractures in Finnish young men. *J Bone Miner Res.* 2006 Sep; 21(9):1483-8.
- Sale C, Elliott-Sale KJ.** Nutrition and Athlete Bone Health. *Sports Med.* 2019;49(Suppl 2):139-151.
- Salzman MB, Smith EM, Koo C.** Excessive oral zinc supplementation. *J Pediatr Hematol Oncol.* 2002 Oct;24(7):582-4.
- Santos SA, Silva ET, Caris AV, ym.** Vitamin E supplementation inhibits muscle damage and inflammation after moderate exercise in hypoxia. *J Hum Nutr Diet.* 2016 Aug;29(4):516-22.
- Saris NE, Mervaala E, Karppanen H, ym.** Magnesium. An update on physiological, clinical and analytical aspects. *Clin Chim Acta.* 2000 Apr;294(1-2):1-26.
- Scholten SD, Ferley DD, Birger CB, ym.** Physical performance is not improved with vitamin D repletion: a randomized trial. *J Sports Med Phys Fitness.* 2020 Jan;60(1):85-91.
- Schrauzer GN.** Nutritional selenium supplements: product types, quality, and safety. *J Am Coll Nutr.* 2001 Feb;20(1):1-4.
- Schröder H, Navarro E, Mora J, ym.** Effects of alpha-tocopherol, beta-carotene and ascorbic acid on oxidative, hormonal and enzymatic exercise stress markers in habitual training activity of professional basketball players. *Eur J Nutr.* 2001 Aug;40(4):178-84.
- Schwartz AE, Vanagunas A, Kamel PL.** Endoscopy to evaluate gastrointestinal bleeding in marathon runners. *Ann Intern Med.* 1990 Oct 15;113(8):632-3.
- Schwellnus MP, Nicol J, Laubscher R, ym.** Serum electrolyte concentrations and hydration status are not associated with exercise associated muscle cramping (EAMC) in distance runners. *Br J Sports Med.* 2004 Aug;38(4):488-92.
- Sen CK.** Antioxidants in exercise nutrition. *Sports Med.* 2001;31(13):891-908.
- Sen CK, Atalay M, Agren J, Laaksonen DE, ym.** Fish oil and vitamin E supplementation in oxidative stress at rest and after physical exercise. *J Appl Physiol.* 1997 Jul;83(1):189-95.
- Shafat A, Butler P, Jensen RL, ym.** Effects of dietary supplementation with vitamins C and E on muscle function during and after eccentric contractions in humans. *Eur J Appl Physiol.* 2004 Oct;93(1-2):196-202.
- Shaskey DJ, Green GA.** Sports haematology. *Sports Med.* 2000 Jan;29(1):27-38.
- Shea B, Wells G, Cranney A, ym.** Meta-analyses of therapies for postmenopausal osteoporosis. VII. Meta-analysis of calcium supplementation for the prevention of postmenopausal osteoporosis. *Endocr Rev* 2002;23:S52-9.
- Sikora-Klak J, ym.** The Effect of Abnormal Vitamin D Levels in Athletes. *Perm J.* 2018; 22: 17-216.
- Simon-Schnass IM.** Nutrition at high altitude. *J Nutr.* 1992 Mar;122(3 Suppl):778-81.
- Smith JA, Gray AB, Pyne DB, ym.** Moderate exercise triggers both priming and activation of neutrophil subpopulations. *Am J Physiol.* 1996 Apr;270(4 Pt 2):R838-45.
- Smith JK, Grisham MB, Granger DN, ym.** Free radical defense mechanisms and neutrophil infiltration in postischemic skeletal muscle. *Am J Physiol.* 1989 Mar;256(3 Pt 2):H789-93.
- Smyth PP, Duntas LH.** Iodine uptake and loss - can frequent strenuous exercise induce iodine deficiency? *Horm Metab Res.* 2005 Sep;37(9):555-8.
- Somerville VS, Braakhuis AJ, Hopkins WG.** Effect of Flavonoids on Upper Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. *Adv Nutr.* 2016 May 16;7(3):488-97.
- Somerville V, Bringans C, Braakhuis A.** Polyphenols and Performance: A Systematic Review and Meta-Analysis. *Sports Med.* 2017 Aug;47(8):1589-1599.
- Specker BL, Vieira NE, O'Brian KO, ym.** Calcium kinetics in lactating women with low and high calcium intakes. *Am J Clin Nutr.* 1994;59:593-9.
- Srinath Reddy K, Katan MB.** Diet, nutrition and the prevention of hypertension and cardiovascular diseases. *Public Health Nutr.* 2004 Feb;7(1A):167-86.
- Steen SN, Mayer K, Brownell KD, ym.** Dietary intake of female collegiate heavyweight rowers. *Int J Sport Nutr.* 1995 Sep;5(3):225-31.
- Sulzer NU, Schwellnus MP, Noakes TD.** Serum electrolytes in Ironman triathletes with exercise-associated muscle cramping. *Med Sci Sports Exerc.* 2005 Jul;37(7):1081-5.
- Suter PM, Siervo C, Vetter W.** Nutritional factors in the control of blood pressure and hypertension. *Nutr Clin Care.* 2002 Jan-Feb;5(1):9-19.
- Svilas A, Sakhi AK, Andersen LF, ym.** Intakes of antioxidants in coffee, wine, and vegetables are correlated with plasma carotenoids in humans. *J Nutr.* 2004 Mar;134(3):562-7.
- Telford RD, Catchpole EA, Deakin V, ym.** The effect of 7 to 8 months of vitamin/mineral supplementation on the vitamin and mineral status of athletes. *Int J Sport Nutr.* 1992 Jun;2(2):123-34.
- Tenforde ym.** Evaluating the relationship of calcium and vitamin D in the prevention of stress fracture injuries in the young athlete: a review of the literature. *PM R.* 2010 Oct;2(10):945-9.
- Tessier F, Margaritis I, Richard MJ, ym.** Selenium and training effects on the glutathione system and aerobic performance. *Med Sci Sports Exerc.* 1995 Mar;27(3):390-6.
- Theriault A, Chao JT, Wang Q, ym.** Tocotrienol: a review of its therapeutic potential. *Clin Biochem.* 1999 Jul;32(5):309-19.
- Thirupathi A, Wang M, Lin JK, ym.** Effect of Different Exercise Modalities on Oxidative Stress: A Systematic Review. *Biomed Res Int.* 2021 Feb 11;2021:1947928.
- Thompson D, Williams C, Kingsley M, ym.** Muscle soreness and damage parameters after prolonged intermittent shuttle-running following acute vitamin C supplementation. *Int J Sports Med.* 2001a Jan;22(1):68-75.
- Thompson D, Williams C, McGregor SJ, ym.** Prolonged vitamin C supplementation and recovery from demanding exercise. *Int J Sport Nutr Exerc Metab.* 2001b Dec;11(4):466-81.
- Tian H, Guo X, Wang X, ym.** Chromium picolinate supplementation for overweight or obese adults. *Cochrane Database Syst Rev.* 2013 Nov 29;11:CD010063.
- Torre MF, Martinez-Ferran M, Vallecillo N, ym.** Supplementation with Vitamins C and E and Exercise-Induced Delayed-Onset Muscle Soreness: A Systematic Review. *Antioxidants (Basel).* 2021 Feb 12;10(2):279.
- Trang HM, Cole DEC, Rubin LA, ym.** Evidence that vitamin D3 increases serum 25-hydroxy vitamin D more effectively than does vitamin D2. *Am J Clin Nutr.* 1998;68:854-858.
- Tuntawiroon M, Sritongkul N, Brune M, ym.** Dose-dependent inhibitory effect of phenolic compounds in foods on nonheme-iron absorption in men. *Am J Clin Nutr.* 1991 Feb;53(2):554-7.
- Tiilikainen R, Pöllänen K, Lahti-Koski M, ym.** Suomalaisen nuorten urheilijoiden ravinnonsaanti. *Urheilijan ravinto* 2001/1:45-49.
- Valk EE, Hornstra G.** Relationship between vitamin E requirement and polyunsaturated fatty acid intake in man: a review. *Int J Vitam Nutr Res.* 2000 Mar;70(2):31-42.
- Valsta L, Kaartinen N, Tapanainen H, ym.** Ravitsemus Suomessa – FinRavinto 2017 -tutkimus. *Tervyden ja hyvinvoinnin laitos (THL), Raportti 12/2018.*
- van der Beek EJ.** Vitamins and endurance training. Food for running or faddish claims? *Sports Med.* 1985 May-Jun;2(3):175-97.
- van der Beek EJ.** Vitamin supplementation and physical exercise performance. *J Sports Sci.* 1991 Summer;9 Spec No:77-90.

- van der Beek EJ, van Dokkum W, Schrijver J**, ym. Controlled vitamin C restriction and physical performance in volunteers. *J Am Coll Nutr.* 1990 Aug;9(4):332-9.
- van der Beek EJ, van Dokkum W, Wedel M**, ym. Thiamin, riboflavin and vitamin B6: impact of restricted intake on physical performance in man. *J Am Coll Nutr.* 1994 Dec;13(6):629-40.
- van der Velde RY, Brouwers JR, Geusens PP**, ym. Calcium and vitamin D supplementation: state of the art for daily practice. *Food Nutr Res.* 2014 Aug 7;58.
- van Het Hof KH, West CE, Weststrate JA**, ym. Dietary factors that affect the bioavailability of carotenoids. *J Nutr.* 2000 Mar;130(3):503-6.
- Van Loan MD, Sutherland B, Lowe NM**, ym. The effects of zinc depletion on peak force and total work of knee and shoulder extensor and flexor muscles. *Int J Sport Nutr.* 1999 Jun;9(2):125-35.
- Viitala P, Newhouse IJ**. Vitamin E supplementation, exercise and lipid peroxidation in human participants. *Eur J Appl Physiol.* 2004 Oct;93(1-2):108-15.
- Villacis D, Yi A, Jahn R**, ym. Prevalence of abnormal vitamin D levels among Division I NCAA athletes. *Sports Health.* 2014 Jul;6(4):340-7.
- Vincent JB**. The potential value and toxicity of chromium picolinate as a nutritional supplement, weight loss agent and muscle development agent. *Sports Med.* 2003;33(3):213-30.
- Vincent JB**. New Evidence against Chromium as an Essential Trace Element. *J Nutr.* 2017 Dec;147(12):2212-2219.
- Volpe SL**. Magnesium in disease prevention and overall health. *Adv Nutr.* 2013 May 1;4(3):378S-83S.
- VRN**. Valtion ravitsemusneuvottelukunta. Tervettä ruuasta – Suomalaiset ravitsemussuositukset 2014. Juvenes Oy, Helsinki 2014.
- Välimäki V-V, Alftan H, Lehmuskallio E**, ym. Risk factors for clinical stress fractures in male military recruits: A prospective cohort study. *Bone* 2005;37:267-273.
- Walker AF, Marakis G, Christie S**, ym. Mg citrate found more bioavailable than other Mg preparations in a randomised, double-blind study. *Magnes Res.* 2003 Sep;16(3):183-91.
- Watson TA, Blake RJ, Callister R**, ym. Antioxidant-restricted diet reduces plasma nonesterified fatty acids in trained athletes. *Lipids.* 2005 Apr;40(4):433-5.
- Weaver CM, Gordon CM, Janz KF**, ym. The National Osteoporosis Foundation's position statement on peak bone mass development and lifestyle factors: a systematic review and implementation recommendations. *Osteoporos Int.* 2016 Apr;27(4):1281-1386.
- Weber P, Bendich A, Machlin LJ**. Vitamin E and human health: rationale for determining recommended intake levels. *Nutrition.* 1997 May;13(5):450-60.
- Weaver CM, Rajaram S**. Exercise and iron status. *J Nutr.* 1992 Mar;122(3 Suppl):782-7.
- Weaver CM, Williams RP, Heaney R**. Choices for achieving adequate dietary calcium with a vegetarian diet. *Am J Clin Nutr.* 1999;70(suppl):543S-8S.
- Webster MJ**. Physiological and performance responses to supplementation with thiamin and pantothenic acid derivatives. *Eur J Appl Physiol Occup Physiol.* 1998 May;77(6):486-91.
- Webster MJ, Scheett TP, Doyle MR**, ym. The effect of a thiamin derivative on exercise performance. *Eur J Appl Physiol Occup Physiol.* 1997;75(6):520-4.
- Weight LM, Noakes TD, Labadarios D**, ym. Vitamin and mineral status of trained athletes including the effects of supplementation. *Am J Clin Nutr.* 1988 Feb;47(2):186-91.
- Weller E, Bachert P, Meinck HM**, ym. Lack of effect of oral Mg-supplementation on Mg in serum, blood cells, and calf muscle. *Med Sci Sports Exerc.* 1998 Nov;30(11):1584-91.
- Wilborn CD, Kerksick CM, Campbell BI**, ym. Effects of Zinc Magnesium Aspartate (ZMA) Supplementation on Training Adaptations and Markers of Anabolism and Catabolism. *J Int Soc Sports Nutr.* 2004 Dec 31;1(2):12-20.
- Willis WT, Brooks GA, Henderson SA**, ym. Effects of iron deficiency and training on mitochondrial enzymes in skeletal muscle. *J Appl Physiol.* 1987 Jun;62(6):2442-6.
- Wolman R, Wyon MA, Koutedakis Y**, ym. Vitamin D status in professional ballet dancers: Winter vs summer. *J Sci Med Sport.* 2013 Sep;16(5):388-91.
- Wu D, Lewis ED, Pae M**, ym. Nutritional Modulation of Immune Function: Analysis of Evidence, Mechanisms, and Clinical Relevance. *Front Immunol.* 2019 Jan 15;9:3160.
- Zhang L, Quan M, Cao ZB**. Effect of vitamin D supplementation on upper and lower limb muscle strength and muscle power in athletes: A meta-analysis. *PLoS One.* 2019 Apr 30;14(4):e0215826.
- Zheng JJ, Mason JB, Rosenberg IH**, ym. Measurement of zinc bioavailability from beef and a ready-to-eat high-fiber breakfast cereal in humans: application of a whole-gut lavage technique. *Am J Clin Nutr.* 1993 Dec;58(6):902-7.
- Ziegler P, Sharp R, Hughes V**, ym. Nutritional status of teenage female competitive figure skaters. *J Am Diet Assoc.* 2002 Mar;102(3):374-9.
- Zierath J, Kaiserauer S, Snyder AC**. Dietary patterns of amenorrheic and regularly menstruating runners. *Med Sci Sports Exerc.* 196;18(suppl):S55-6.
- Zimmermann MB**. Iodine deficiency. *Endocr Rev.* 2009 Jun;30(4):376-408.
- Zoller H, Vogel W**. Iron supplementation in athletes--first do no harm. *Nutrition.* 2004 Jul-Aug;20(7-8):615-9.

LUKU 11 Nestetasapaino, terveys ja suorituskyky

- Abbey BM, Heelan KA, Brown GA**, ym. Validity of HydraTrend reagent strips for the assessment of hydration status. *J Strength Cond Res.* 2014 Sep;28(9):2634-9.
- Abed MEF, Deshayes TA, Claveau P**, ym. Impact of Mild Hypohydration on 100 m Front Crawl Performance and Starting Block Peak Force Production in Competitive University-Level Swimmers. *Sports (Basel)*. 2020 Oct 14;8(10):133.
- Adams WC**. Influence of exercise mode and selected ambient conditions on skin temperature. *Ann N Y Acad Sci.* 1977;301:110–127.
- Adams WM, Ferraro EM, Huggins RA**, ym. Influence of body mass loss on changes in heart rate during exercise in the heat: a systematic review. *J Strength Cond Res.* 2014 Aug;28(8):2380-9.
- Adams JD, Sekiguchi Y, Suh HG**, ym. Dehydration Impairs Cycling Performance, Independently of Thirst: A Blinded Study. *Med Sci Sports Exerc.* 2018 Aug;50(8):1697-1703.
- Adams JD, Scott DM, Brand NA**, ym. Mild hypohydration impairs cycle ergometry performance in the heat: A blinded study. *Scand J Med Sci Sports.* 2019 May;29(5):686-695.
- Adams JD, Arnaoutis G, Johnson EC**, ym. Combining urine color and void number to assess hydration in adults and children. *Eur J Clin Nutr.* 2021 Jan 18.
- Adan A**. Cognitive performance and dehydration. *J Am Coll Nutr.* 2012 Apr;31(2):71-8.
- Akerman AP, Tipton M, Minson CT**, ym. Heat stress and dehydration in adapting for performance: Good, bad, both, or neither? *Temperature (Austin)*. 2016 Jul 27;3(3):412-436.
- Ali A, Gardiner R, Foskett A, Gant N**. Fluid balance, thermoregulation and sprint and passing skill performance in female soccer players. *Scand J Med Sci Sports.* 2011 Jun;21(3):437-45.
- Allen MD, Springer DA, Burg MB**, ym. Suboptimal hydration remodels metabolism, promotes degenerative diseases, and shortens life. *JCI Insight.* 2019;4(17):e130949.
- American College of Sports Medicine, Sawka MN, Burke LM, Eichner ER**, ym. American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc.* 2007 Feb;39(2):377-90.
- Armstrong LE, Maresh CM, Castellani JW**, ym. Urinary indices of hydration status. *Int J Sport Nutr* 1994;4:265-279.
- Armstrong LE, Soto JA, Hacker FT Jr**, ym. Urinary indices during dehydration, exercise, and rehydration. *Int J Sport Nutr.* 1998 Dec;8(4):345-55.
- Armstrong LE, Whittlesey MJ, Casa DJ**, ym. No effect of 5% hypohydration on running economy of competitive runners at 23 degrees C. *Med Sci Sports Exerc.* 2006 Oct;38(10):1762-9.
- Armstrong LE, Casa DJ**. Methods to evaluate electrolyte and water turnover of athletes. *Athl Train Sports Health Care.* 2009;1:169–179.
- Armstrong LE, Ganio MS, Casa DJ**, ym. Mild dehydration affects mood in healthy young women. *J Nutr.* 2012 Feb;142(2):382-8.
- Armstrong LE, Johnson EC, Ganio MS**, ym. Effective body water and body mass changes during summer ultra-endurance road cycling. *J Sports Sci.* 2014 Jul 3:1-11. (a)
- Armstrong LE, Johnson EC, Kunces LJ**, ym. Drinking to Thirst Versus Drinking Ad Libitum During Road Cycling. *J Athl Train.* 2014 Aug 6. (b)
- Armstrong LE, Johnson EC, Bergeron MF**. COUNTERVIEW: Is Drinking to Thirst Adequate to Appropriately Maintain Hydration Status During Prolonged Endurance Exercise? No. *Wilderness Environ Med.* 2016 Jun;27(2):195-8.
- Armstrong LE, Johnson EC**. Water Intake, Water Balance, and the Elusive Daily Water Requirement. *Nutrients.* 2018;10(12):1928.
- Armstrong LE, Muñoz CX, Armstrong EM**. Distinguishing Low and High Water Consumers-A Paradigm of Disease Risk. *Nutrients.* 2020 Mar 23;12(3):858.
- Arnaoutis G, Kavouras SA, Christaki I**, ym. Water ingestion improves performance compared with mouth rinse in dehydrated subjects. *Med Sci Sports Exerc.* 2012 Jan;44(1):175-9.
- Arnaoutis G, Kavouras SA, Kotsis YP**, ym. Ad libitum fluid intake does not prevent dehydration in suboptimally hydrated young soccer players during a training session of a summer camp. *Int J Sport Nutr Exerc Metab.* 2013 Jun;23(3):245-51.
- Arnaoutis G, Kavouras SA, Angelopoulou A**, ym. Fluid balance during training in elite young athletes of different sports. *J Strength Cond Res.* 2014 Feb 10.
- Backes TP, Fitzgerald K**. Fluid consumption, exercise, and cognitive performance. *Biol Sport.* 2016 Sep;33(3):291-6.
- Backx K, Howatson G, van Someren KA**. Fluid ingestionstrategies of competitive cyclists during 40 km time trial competition. *J Sports Sci Med.* 2007;6(4):572-3.
- Baker LB, Dougherty KA, Chow M**, ym. Progressive dehydration causes a progressive decline in basketball skill performance. *Med Sci Sports Exerc.* 2007 Jul;39(7):1114-23. (a)
- Baker LB, Conroy DE, Kenney WL**. Dehydration impairs vigilance-related attention in male basketball players. *Med Sci Sports Exerc.* 2007 Jun;39(6):976-83. (b)
- Baker LB**. Sweating Rate and Sweat Sodium Concentration in Athletes: A Review of Methodology and Intra/Interindividual Variability. *Sports Med.* 2017 Mar;47(Suppl 1):111-128.
- Bardis CN, Kavouras SA, Adams JD**, ym. Prescribed Drinking Leads to Better Cycling Performance than Ad Libitum Drinking. *Med Sci Sports Exerc.* 2017 Jun;49(6):1244-1251.
- Barnes MJ**. Alcohol: impact on sports performance and recovery in male athletes. *Sports Med.* 2014 Jul;44(7):909-19.
- Barnes KA, Anderson ML, Stofan JR**, ym. Normative data for sweating rate, sweat sodium concentration, and sweat sodium loss in athletes: An update and analysis by sport. *J Sports Sci.* 2019 Oct;37(20):2356-2366.
- Barwood MJ, Gibson OR, Gillis DJ**, ym. Menthol as an Ergogenic Aid for the Tokyo 2021 Olympic Games: An Expert-Led Consensus Statement Using the Modified Delphi Method. *Sports Med.* 2020 Oct;50(10):1709-1727.
- Beis LY, Polyviou T, Malkova D**, ym. The effects of creatine and glycerol hyperhydration on running economy in well trained endurance runners. *J Int Soc Sports Nutr.* 2011 Dec 16;8(1):24.
- Beis LY, Wright-Whyte M, Fudge B**, ym. Drinking behaviors of elite male runners during marathon competition. *Clin J Sport Med.* 2012 May;22(3):254-61.
- Below PR, Mora-Rodriguez R, Gonzalez-Alonso J**, ym. Fluid and carbohydrate ingestion independently improve performance during 1 h of intense exercise. *Med Sci Sports Exerc.* 1995;27(2):200-10
- Belval LN, Hosokawa Y, Casa DJ**, ym. Practical Hydration Solutions for Sports. *Nutrients.* 2019;11(7):1550.
- Best R, Temm D, Hucker H**, ym. Repeated Menthol Mouth Swilling Affects Neither Strength nor Power Performance. *Sports (Basel)*. 2020 Jun 17;8(6):90.
- Best, R.; Spears, I.R.; Hurst, P;** ym. The Development of a Menthol Solution for Use during Sport and Exercise. *Beverages* 2018, 4, 44.

- Bigg JL, Gamble ASD, Vermeulen TF**, ym. Sweat Loss and Fluid Intake of Female Varsity Ice Hockey Players During On-Ice Practices and Games. *J Strength Cond Res.* 2020 Feb;34(2):389-395.
- Blank MC, Bedarf JR, Russ M**, ym. Total body Na(+) depletion without hyponatraemia can trigger overtraining-like symptoms with sleeping disorders and increasing blood pressure: explorative case and literature study. *Med Hypotheses.* 2012 Dec;79(6):799-804.
- Bonilla DA, Pérez-Idárraga A, Odriozola-Martínez A**, ym. The 4R's Framework of Nutritional Strategies for Post-Exercise Recovery: A Review with Emphasis on New Generation of Carbohydrates. *Int J Environ Res Public Health.* 2020 Dec 25;18(1):103.
- Bottin JH, Lemetais G, Poupin M**, ym. Equivalence of afternoon spot and 24-h urinary hydration biomarkers in free-living healthy adults. *Eur J Clin Nutr.* 2016 Aug;70(8):904-7.
- Brade CJ, Dawson BT, Wallman KE**. Effect of pre-cooling on repeat-sprint performance in seasonally acclimatized males during an outdoor simulated team-sport protocol in warm conditions. *J Sports Sci Med.* 2013 Sep 1;12(3):565-70. eCollection 2013.
- Brouns F, Saris W, Schneider H**. Rationale for upper limits of electrolyte replacement during exercise. *Int J Sport Nutr.* 1992 Sep;2(3):229-38.
- Brownbill AL, Miller CL, Braunack-Mayer AJ**. Industry use of 'better-for-you' features on labels of sugar-containing beverages. *Public Health Nutr.* 2018 Dec;21(18):3335-3343.
- Burchfield JM, Ganio MS, Kavouras SA**, ym. 24-h Void number as an indicator of hydration status. *Eur J Clin Nutr.* 2015 May;69(5):638-41.
- Burke LM, Collier GR, Broad EM**, ym. Effect of alcohol intake on muscle glycogen storage after prolonged exercise. *J Appl Physiol (1985).* 2003 Sep;95(3):983-90.
- Burke LM, Jeukendrup AE, Jones AM**, ym. Contemporary Nutrition Strategies to Optimize Performance in Distance Runners and Race Walkers. *Int J Sport Nutr Exerc Metab.* 2019 Mar 1;29(2):117-129.
- Calbet JA, MacLean DA**. Role of caloric content on gastric emptying in humans. *J Physiol.* 1997 Jan 15;498 (Pt 2):553-9.
- Campagnolo, N, Iudakhina, E, Irwin, C**, ym. (2017). Fluid, energy and nutrient recovery via ad libitum intake of different fluids and food. *Physiology & Behavior,* 171, 228–235.
- Casa DJ, Maresh CM, Armstrong LE**, ym. Intravenous versus oral rehydration during a brief period: responses to subsequent exercise in the heat. *Med Sci Sports Exerc.* 2000 Jan;32(1):124-33.
- Casa DJ, Stearns RL, Lopez RM**, ym. Influence of hydration on physiological function and performance during trail running in the heat. *J Athl Train.* 2010 Mar-Apr;45(2):147-56.
- Chapelle L, Tassinon B, Rommers N**, ym. Pre-exercise hypohydration prevalence in soccer players: A quantitative systematic review. *Eur J Sport Sci.* 2020 Jul;20(6):744-755.
- Chen TI, Tsai PH, Lin JH**, ym. Effect of short-term heat acclimation on endurance time and skin blood flow in trained athletes. *Open Access J Sports Med.* 2013 Jun 18;4:161-70.
- Cheung SS, McGarr GW, Mallette MM**, ym. Separate and combined effects of dehydration and thirst sensation on exercise performance in the heat. *Scand J Med Sci Sports.* 2015 Jun;25 Suppl 1:104-11.
- Cheungpasitporn W, Rossetti S, Friend K**, ym. Treatment effect, adherence, and safety of high fluid intake for the prevention of incident and recurrent kidney stones: a systematic review and meta-analysis. *J Nephrol.* 2016;29(2):211-219.
- Cheuvront SN, Carter R 3rd, Castellani JW**, ym. Hypohydration impairs endurance exercise performance in temperate but not cold air. *J Appl Physiol (1985).* 2005 Nov;99(5):1972-6.
- Cheuvront SN, Haymes EM**. Ad libitum fluid intakes and thermoregulatory responses of female distance runners in three environments. *J Sports Sci.* 2001 Nov;19(11):845-54.
- Cheuvront SN, Carter R 3rd, Haymes EM**, ym. No effect of moderate hypohydration or hyperthermia on anaerobic exercise performance. *Med Sci Sports Exerc.* 2006 Jun;38(6):1093-7.
- Cheuvront SN, Sawka MN**. Hydration assessment of athletes. <https://www.gssiweb.org/sports-science-exchange/article/sse-97-hydration-assessment-of-athletes> Julkaista 2006. Viitattu 1.4.2021.
- Cheuvront SN, Kenefick RW, Montain SJ**, ym. Mechanisms of aerobic performance impairment with heat stress and dehydration. *J Appl Physiol (1985).* 2010 Dec;109(6):1989-95.
- Cheuvront SN, Kenefick RW, Ely BR**, ym. Hypohydration reduces vertical ground reaction impulse but not jump height. *Eur J Appl Physiol.* 2010 Aug;109(6):1163-70. (b)
- Cheuvront SN, Kenefick RW**. Dehydration: physiology, assessment, and performance effects. *Compr Physiol.* 2014 Jan;4(1):257-85.
- Cheuvront SN, Kenefick RW**. Am I drinking enough? Yes, no, and maybe. *J Am Coll Nutr.* 2016;35:185-192.
- Chinevere TD, Kenefick RW, Cheuvront SN**, ym. Effect of heat acclimation on sweat minerals. *Med Sci Sports Exerc.* 2008 May;40(5):886-91.
- Chlívková D, Knechtle B, Rosemann T**, ym. Changes in foot volume, body composition, and hydration status in male and female 24-hour ultramarathon bikers. *J Int Soc Sports Nutr.* 2014 Mar 24;11(1):12.
- Clayton DJ, Evans GH, James LJ**. Effect of drink carbohydrate content on postexercise gastric emptying, rehydration, and the calculation of net fluid balance. *Int J Sport Nutr Exerc Metab.* 2014 Feb;24(1):79-89.
- Coles MG, Luetkemeier MJ**. Sodium-facilitated hypervolemia, endurance performance, and thermoregulation. *Int J Sports Med.* 2005 Apr;26(3):182-7.
- Cooper ER, Ferrara MS, Broglie SP**. Exertional heat illness and environmental conditions during a single football season in the southeast. *J Athl Train.* 2006 Jul-Sep;41(3):332-6.
- Cosgrove SD, Black KE**. Sodium supplementation has no effect on endurance performance during a cycling time-trial in cool conditions: a randomised cross-over trial. *J Int Soc Sports Nutr.* 2013 Jun 3;10:30.
- Costa RJS, Knechtle B, Tarnopolsky M**, ym. Nutrition for Ultramarathon Running: Trail, Track, and Road. *Int J Sport Nutr Exerc Metab.* 2019 Mar 1;29(2):130-140.
- Cotter JD, Thornton SN, Lee JK**, ym. Are we being drowned in hydration advice? Thirsty for more? *Extrem Physiol Med.* 2014 Oct 29;3:18.
- Coyle EF**. Fluid and fuel intake during exercise. *J Sports Sci.* 2004 Jan;22(1):39-55. Review.
- Del Coso J, González C, Abian-Vicen J**, ym. Relationship between physiological parameters and performance during a half-ironman triathlon in the heat. *J Sports Sci.* 2014;32(18):1680-7.
- de Melo-Marins D, Souza-Silva AA, da Silva-Santos GLL**, ym. Personalized Hydration Strategy Attenuates the Rise in Heart Rate and in Skin Temperature Without Altering Cycling Capacity in the Heat. *Front Nutr.* 2018 Apr 12;5:22.
- de Oliveira EP, Burini RC**. The impact of physical exercise on the gastrointestinal tract. *Curr Opin Clin Nutr Metab Care.* 2009 Sep;12(5):533-8.
- Desbrow B, Cecchin D, Jones A**, ym. Manipulations to the alcohol and sodium content of beer for postexercise rehydration. *Int J Sport Nutr Exerc Metab.* 2015; 26: 262-270, 2015.
- Deshayes TA, Jeker D, Goulet EDB**. Impact of Pre-exercise Hypohydration on Aerobic Exercise Performance, Peak Oxygen Consumption and Oxygen Consumption at Lactate Threshold: A Systematic Review with Meta-analysis. *Sports Med.* 2020 Mar;S0(3):581-596.
- Devlin LH, Fraser SF, Barras NS**, ym. Moderate levels of hypohydration impairs bowling accuracy but not bowling velocity in skilled cricket players. *J Sci Med Sport.* 2001 Jun;4(2):179-87.

- Dion T, Savoie FA, Asselin A**, ym. Half-marathon running performance is not improved by a rate of fluid intake above that dictated by thirst sensation in trained distance runners. *Eur J Appl Physiol.* 2013 Dec;113(12):3011-20.
- Donahue PT, Wilson SJ, Williams CC**, ym. Impact of Hydration Status on Jump Performance in Recreationally Trained Males. *Int J Exerc Sci.* 2020;13(4):826-836.
- Dougherty KA, Baker LB, Chow M**, ym. Two percent dehydration impairs and six percent carbohydrate drink improves boys basketball skills. *Med Sci Sports Exerc.* 2006 Sep;38(9):1650-8.
- Dugas JP, Oosthuizen U, Tucker R**, ym. Rates of fluid ingestion alter pacing but not thermoregulatory responses during prolonged exercise in hot and humid conditions with appropriate convective cooling. *Eur J Appl Physiol.* 2009 Jan;105(1):69-80.
- Duquette PP, Bissonnette P, Lapointe JY**. Local osmotic gradients drive the water flux associated with Na(+) /glucose cotransport. *Proc Natl Acad Sci U S A.* 2001 Mar 27;98(7):3796-801.
- EFSA Panel on Dietetic Products, Nutrition, and Allergies (NDA)** Scientific opinion on dietary reference values for water. *EFSA J.* 2010;8:1459-1507.
- Ely MR, Cheuvront SN, Roberts WO**, ym. Impact of weather on marathon-running performance. *Med Sci Sports Exerc.* 39, 487-493. (2007).
- Ely BR, Cheuvront SN, Kenefick RW**, ym. Aerobic performance is degraded, despite modest hyperthermia, in hot environments. *Med Sci Sports Exerc.* 2010 Jan;42(1):135-41.
- Evans GH, Shirreffs SM, Maughan RJ**. Postexercise rehydration in man: the effects of osmolality and carbohydrate content of ingested drinks. *Nutrition.* 2009 Sep;25(9):905-13.
- Evans GH, Shirreffs SM, Maughan RJ**. The effects of repeated ingestion of high and low glucose-electrolyte solutions on gastric emptying and blood 2H2O concentration after an overnight fast. *Br J Nutr.* 2011 Dec;106(11):1732-9.
- Evans GH, James LJ, Shirreffs SM**, ym. Optimizing the restoration and maintenance of fluid balance after exercise-induced dehydration. *J Appl Physiol.* (1985). 2017 Apr 1;122(4):945-951.
- Fernández-Elías VE, Ortega JF, Nelson RK**, ym. Relationship between muscle water and glycogen recovery after prolonged exercise in the heat in humans. *Eur J Appl Physiol.* 2015 Sep;115(9):1919-26.
- Fleming J, James LJ**. Repeated familiarisation with hypohydration attenuates the performance decrement caused by hypohydration during treadmill running. *Appl Physiol Nutr Metab.* 2014 Feb;39(2):124-9.
- Flores-Salamanca R, Aragón-Vargas LF**. Postexercise rehydration with beer impairs fluid retention, reaction time, and balance. *Appl Physiol Nutr Metab* 39: 1175-1181, 2014.
- Funnell MP, Mears SA, Bergin-Taylor K**, ym. Blinded and unblinded hypohydration similarly impair cycling time trial performance in the heat in trained cyclists. *J Appl Physiol (1985).* 2019 Apr 1;126(4):870-879.
- Galloway SD, Maughan RJ**. Effects of ambient temperature on the capacity to perform prolonged cycle exercise in man. *Med Sci Sports Exerc.* 1997 Sep;29(9):1240-9.
- Ganio MS, Wingo JE, Carroll CE**, ym. Fluid ingestion attenuates the decline in VO₂peak associated with cardiovascular drift. *Med Sci Sports Exerc.* 2006 May;38(5):901-9.
- García-Berger D, Mackay K, Monsalves-Alvarez M**, ym. Effects of skim milk and isotonic drink consumption before exercise on fluid homeostasis and time-trial performance in cyclists: a randomized cross-over study. *J Int Soc Sports Nutr.* 2020;17(1):17.
- Garrett AT, Goosens NG, Rehrer NJ**, ym. Short-term heat acclimation is effective and may be enhanced rather than impaired by dehydration. *Am J Hum Biol.* 2014 May-Jun;26(3):311-20.
- Garrison SR, Korownyk CS, Kolber MR**, ym. Magnesium for skeletal muscle cramps. *Cochrane Database Syst Rev.* 2020 Sep 21;9:CD009402.
- Garth AK, Burke LM**. What do athletes drink during competitive sporting activities? *Sports Med.* 2013 Jul;43(7):539-64.
- Gigou PY, Dion T, Asselin A**, ym. Pre-exercise hyperhydration-induced bodyweight gain does not alter prolonged treadmill running time-trial performance in warm ambient conditions. *Nutrients.* 2012 Aug;4(8):949-66.
- Gisolfi CV, Summers RD, Schedl HP**, ym. Effect of sodium concentration in a carbohydrate-electrolyte solution on intestinal absorption. *Med Sci Sports Exerc.* 1995;27:1414-1420
- Gisolfi CV, Lambert GP, Summers RW**. Intestinal fluid absorption during exercise: role of sport drink osmolality and [Na⁺] *Med Sci Sports Exerc.* 2001;33:907-915.
- Giuriato G, Pedrinolla A, Schena F**, ym. Muscle cramps: A comparison of the two-leading hypothesis. *J Electromyogr Kinesiol.* 2018 Aug;41:89-95.
- Godek SF, Bartolozzi AR, Godek JJ**. Sweat rate and fluid turnover in American football players compared with runners in a hot and humid environment. *Br J Sports Med.* 2005 Apr;39(4):205-11; discussion 205-11.
- Godek SF, Peduzzi C, Burkholder R**, ym. Sweat rates, sweat sodium concentrations, and sodium losses in 3 groups of professional football players. *J Athl Train.* 2010 Jul-Aug;45(4):364-71.
- Gomes LH, Carneiro-Júnior MA, Marins JC**. Thermoregulatory responses of children exercising in a hot environment. *Rev Paul Pediatr.* 2013 Jan-Mar;31(1):104-10.
- González-Alonso J**. Human thermoregulation and the cardiovascular system. *Exp Physiol.* 2012 Mar;97(3):340-6.
- Goulet ED**. Effect of exercise-induced dehydration on time-trial exercise performance: a meta-analysis. *Br J Sports Med.* 2011 Nov;45(14):1149-56.
- Goulet ED**. Dehydration and endurance performance in competitive athletes. *Nutr Rev.* 2012 Nov;70 Suppl 2:S132-6.
- Goulet ED**. Effect of exercise-induced dehydration on endurance performance: evaluating the impact of exercise protocols on outcomes using a meta-analytic procedure. *Br J Sports Med.* 2013 Jul;47(11):679-86.
- Goulet EDB, Gosselin J, Hoffman MD**. Improper Assessment of the Effect of Ad Libitum Drinking on Cycling Performance. *Med Sci Sports Exerc.* 2017 Jul;49(7):1493.
- Goulet EDB, De La Flore A, Savoie FA**, ym. Salt + Glycerol-Induced Hyperhydration Enhances Fluid Retention More Than Salt- or Glycerol-Induced Hyperhydration. *Int J Sport Nutr Exerc Metab.* 2018 May 1;28(3):246-252.
- Greenleaf JE**. Problem: thirst, drinking behavior, and involuntary dehydration. *Med Sci Sports Exerc.* 1992 Jun;24(6):645-56.
- Guelinckx I, Vecchio M, Perrier ET**, ym. Fluid intake and vasopressin: connecting the dots. *Ann Nutr Metab.* 2016;68(suppl 2):6-11.
- Guest, S., Grabenhorst, F., Essick, G.**, ym. (2007). Human cortical representation of oral temperature. *Physiology & Behavior.* 92(5), 975-984.
- Hamouti N, Fernández-Elías VE, Ortega JF**, ym. Ingestion of sodium plus water improves cardiovascular function and performance during dehydrating cycling in the heat. *Scand J Med Sci Sports.* 2014 Jun;24(3):507-18.
- Heffernan SM, Horner K, De Vito G**, ym. The Role of Mineral and Trace Element Supplementation in Exercise and Athletic Performance: A Systematic Review. *Nutrients.* 2019;11(3):696.
- Hew-Butler T, Verbalis JG, Noakes TD**; International Marathon Medical Directors Association. Updated fluid recommendation: position statement from the International Marathon Medical Directors Association (IMMDA). *Clin J Sport Med.* 2006 Jul;16(4):283-92.
- Hew-Butler TD, Sharwood K, Collins M**, ym. Sodium supplementation is not required to maintain serum sodium concentrations during an Ironman triathlon. *Br J Sports Med.* 2006 Mar;40(3):255-9.

- Hew-Butler T, Collins M, Bosch A**, ym. Maintenance of plasma volume and serum sodium concentration despite body weight loss in ironman triathletes. *Clin J Sport Med.* 2007 Mar;17(2):116-22.
- Hew-Butler T, Rosner MH, Fowkes-Godek S**, ym. Statement of the Third International Exercise-Associated Hyponatremia Consensus Development Conference, Carlsbad, California, 2015. *Clin J Sport Med.* 2015 Jul;25(4):303-20.
- Hobson RM, Maughan RJ**. Hydration status and the diuretic action of a small dose of alcohol. *Alcohol Alcohol.* 2010 Jul-Aug;45(4):366-73.
- Hobson R, James L**. The addition of whey protein to a carbohydrate-electrolyte drink does not influence post-exercise rehydration. *J Sports Sci.* 2014 Jul 17:1-8.
- Hoffman MD, Hew-Butler T, Stuempfle KJ**. Exercise-associated hyponatremia and hydration status in 161-km ultramarathoners. *Med Sci Sports Exerc.* 2013 Apr;45(4):784-91
- Hoffman MD, Stuempfle KJ, Valentino T**. Sodium intake during an ultramarathon does not prevent muscle cramping, dehydration, hyponatremia, or nausea. *Sports Med. Open.* 2015;1:39.
- Hoffman MD, Cotter JD, Goulet ÉD**, ym. VIEW: Is Drinking to Thirst Adequate to Appropriately Maintain Hydration Status During Prolonged Endurance Exercise? Yes. *Wilderness Environ Med.* 2016 Jun;27(2):192-5.
- Hoffman MD, Snipe RMJ, Costa RJS**. Ad libitum drinking adequately supports hydration during 2 h of running in different ambient temperatures. *Eur J Appl Physiol.* 2018 Dec;118(12):2687-2697.
- Hoffman MD, Stellingwerff T, Costa RJS**. Considerations for ultra-endurance activities: part 2 - hydration. *Res Sports Med.* 2019 Apr-Jun;27(2):182-194.
- Hoffman MD, White MD**. Belief in the need for sodium supplementation during ultramarathons remains strong: findings from the Ultrarunners Longitudinal TRacking (ULTRA) study. *Appl Physiol Nutr Metab.* 2020 Feb;45(2):118-122.
- Hooton TM, Vecchio M, Iroz A**, ym. Effect of Increased Daily Water Intake in Premenopausal Women with Recurrent Urinary Tract Infections: A Randomized Clinical Trial. *JAMA Intern Med.* 2018 Nov;178(11):1509-15.
- Hosseiniou A, Khamnei S, Zamanlu M**. The effect of water temperature and voluntary drinking on the post rehydration sweating. *Int J Clin Exp Med.* 2013 Sep 1;6(8):683-7.
- Houmard JA, Egan PC, Johns RA**, ym. Gastric emptying during 1 h of cycling and running at 75% VO_{2max}. *Med Sci Sports Exerc.* 1991 Mar;23(3):320-5.
- Hue O, Chabert C, Collado A**, ym. Menthol as an Adjuvant to Help Athletes Cope with a Tropical Climate: Tracks From Heat Experiments With Special Focus on Guadeloupe Investigations. *Front Physiol.* 2019 Oct 31;10:1360.
- Hustrini NM, Siregar P, Nainggolan G**, ym. Diagnostic Performance of Afternoon Urine Osmolality to Assess Optimal Hydration Status in an Adult Healthy Population. *Acta Med Indones.* 2017 Apr;49(2):112-117.
- Hunt JN, Smith JL, Jiang CL**. Effect of meal volume and energy density on the gastric emptying of carbohydrates. *Gastroenterology.* 1985 Dec;89(6):1326-30.
- Ihsan M, Landers G, Brearley M**, ym. Beneficial effects of ice ingestion as a precooling strategy on 40-km cycling time-trial performance. *Int J Sports Physiol Perform.* 2010;5:140-151.
- IOC**. Nutrition Working Group of the International Olympic Committee. Nutrition for Athletes. A practical guide to eating for health and performance. Revised and updated 2012.
- IOM; Institute of Medicine**. Dietary reference intakes for water, potassium, sodium, chloride, and sulfate. Institute of Medicine; Washington, DC, USA: 2004.
- Ismail I, Singh R, Sirisinghe RG**. Rehydration with sodium-enriched coconut water after exercise-induced dehydration. *Southeast Asian J Trop Med Public Health.* 2007;13:769-785
- Jahic D, Begic E**. Exercise-Associated Muscle Cramp-Doubts About the Cause. *Mater Sociomed.* 2018 Mar;30(1):67-69.
- James LJ, Gingell R, Evans GH**. Whey protein addition to a carbohydrate-electrolyte rehydration solution ingested after exercise in the heat. *J Athl Train.* 2012 Jan-Feb;47(1):61-6.
- James LJ, Shirreffs SM**. Fluid and electrolyte balance during 24-hour fluid and/or energy restriction. *Int J Sport Nutr Exerc Metab.* 2013 Dec;23(6):545-53.
- James LJ, Evans GH, Madin J**, ym. Effect of varying the concentrations of carbohydrate and milk protein in rehydration solutions ingested after exercise in the heat. *Br J Nutr.* 2013 Oct;110(7):1285-91.
- James LJ, Mattin L, Aldiss P**, ym. Effect of whey protein isolate on rehydration after exercise. *Amino Acids.* 2014 May;46(5):1217-24.
- James LJ, Moss J, Henry J**, ym. Hypohydration impairs endurance performance: a blinded study. *Physiol Rep.* 2017 Jun;5(12):e13315.
- James LJ, Funnell MP, James RM**, ym. Does Hypohydration Really Impair Endurance Performance? Methodological Considerations for Interpreting Hydration Research. *Sports Med.* 2019;49(Suppl 2):103-114.
- Jay, O., & Morris, N.B. (2018)**. Does cold water or ice slurry ingestion during exercise elicit a net body cooling effect in the heat? *Sports Medicine*, 48(Suppl. 1), 17-29.
- Jeffries O, Waldron M**. The effects of menthol on exercise performance and thermal sensation: A meta-analysis. *J Sci Med Sport.* 2019 Jun;22(6):707-715.
- Jeukendrup AE, Currell K, Clarke J**, ym. Effect of beverage glucose and sodium content on fluid delivery. *Nutr Metab (Lond).* 2009 Feb 20;6:9.
- Jeukendrup AE, Moseley L**. Multiple transportable carbohydrates enhance gastric emptying and fluid delivery. *Scand J Med Sci Sports.* 2010 Feb;20(1):112-21
- Johnson EC, Muñoz CX, Jimenez L**, ym. Hormonal and Thirst Modulated Maintenance of Fluid Balance in Young Women with Different Levels of Habitual Fluid Consumption. *Nutrients.* 2016 May;8(5):302.
- Jones EJ, Bishop PA, Green JM**, ym. Effects of metered versus bolus water consumption on urine production and rehydration. *Int J Sport Nutr Exerc Metab.* 2010 Apr;20(2):139-44.
- Jones PR, Barton C, Morrissey D**, ym. Pre-cooling for endurance exercise performance in the heat: a systematic review. *BMC Med.* 2012 Dec 18;10:166.
- Jones BL, O'Hara JP, Till K**, ym. Dehydration and hyponatremia in professional rugby union players: a cohort study observing english premiership rugby union players during match play, field, and gym training in cool environmental conditions. *J Strength Cond Res.* 2015 Jan;29(1):107-15.
- Judelson DA, Maresh CM, Anderson JM**, ym. Hydration and muscular performance: does fluid balance affect strength, power and high-intensity endurance? *Sports Med.* 2007;37(10):907-21. Review. (a)
- Judelson DA, Maresh CM, Farrell MJ**, ym. Effect of hydration state on strength, power, and resistance exercise performance. *Med Sci Sports Exerc.* 2007 Oct;39(10):1817-24. (b)
- Judelson DA, Maresh CM, Yamamoto LM**, ym. Effect of hydration state on resistance exercise-induced endocrine markers of anabolism, catabolism, and metabolism. *J Appl Physiol (1985).* 2008 Sep;105(3):816-24.
- Kao WF, Shyu CL, Yang XW**, ym. Athletic performance and serial weight changes during 12- and 24-hour ultra-marathons. *Clin J Sport Med.* 2008 Mar;18(2):155-8.
- Kenefick RW, Cheuvront SN, Palombo LJ**, ym. Skin temperature modifies the impact of hypohydration on aerobic performance. *J Appl Physiol (1985).* 2010 Jul;109(1):79-86.

- Keneffick RW, Cheuvront SN.** Hydration for recreational sport and physical activity. *Nutr Rev*. 2012;70:S137–42.
- Keneffick RW.** Drinking Strategies: Planned Drinking Versus Drinking to Thirst. *Sports Med*. 2018 Mar;48(Suppl 1):31-37.
- Kerlinger P, Farkas N, Gede N, ym.** Menthol can be safely applied to improve thermal perception during physical exercise: a meta-analysis of randomized controlled trials. *Sci Rep*. 2020 Aug 12;10(1):13636.
- Khamnei S, Hosseiniou A, Zamanlu M.** Water temperature, voluntary drinking and fluid balance in dehydrated taekwondo athletes. *J Sports Sci Med*. 2011 Dec 1;10(4):718-24.
- Killer SC, Blannin AK, Jeukendrup AE.** No evidence of dehydration with moderate daily coffee intake: a counterbalanced cross-over study in a free-living population. *PLoS One*. 2014 Jan 9;9(1):e84154.
- Killer SC, Svendsen IS, Gleeson M.** The influence of hydration status during prolonged endurance exercise on salivary antimicrobial proteins. *Eur J Appl Physiol*. 2015 Sep;115(9):1887-95.
- Knechtle B, Knechtle P, Wirth A, ym.** A faster running speed is associated with a greater body weight loss in 100-km ultra-marathoners. *J Sports Sci*. 2012;30(11):1131-40.
- Koehler K, Thevis M, Schaezner W.** Meta-analysis: Effects of glycerol administration on plasma volume, haemoglobin, and haematocrit. *Drug Test Anal*. 2013 Nov-Dec;5(11-12):896-9. doi: 10.1002/dta.1580.
- Koenders EE, Franken CPG, ym.** Restricting dietary sodium reduces plasma sodium response to exercise in the heat. *Scand J Med Sci Sports*. 2017 Nov;27(11):1213-1220.
- Kovacs EM, Schmahl RM, Senden JM, ym.** Effect of high and low rates of fluid intake on post-exercise rehydration. *Int J Sport Nutr Exerc Metab*. 2002 Mar;12(1):14-23.
- Kreider RB.** Physiological considerations of ultraendurance performance. *Int J Sport Nutr*. 1991 Mar;1(1):3-27.
- Kumar A, Baitha U, Aggarwal P, ym.** A fatal case of menthol poisoning. *Int J Appl Basic Med Res*. 2016 Apr-Jun;6(2):137-9.
- Lambert GP, Chang RT, Xia T, ym.** Absorption from different intestinal segments during exercise. *J Appl Physiol* (1985). 1997 Jul;83(1):204-12.
- Lambert GP, Lang J, Bull A, ym.** Fluid tolerance while running: effect of repeated trials. *Int J Sports Med*. 2008 Nov;29(11):878-82.
- Lara B, Gallo-Salazar C, Puente C, ym.** Interindividual variability in sweat electrolyte concentration in marathoners. *J Int Soc Sports Nutr*. 2016 Jul 29;13:31.
- Lara B, Salinero JJ, Areces F, ym.** J. Sweat sodium loss influences serum sodium concentration in a marathon. *Scand J Med Sci Sports*. 2017 Feb;27(2):152-160.
- Latzka WA, Sawka MN.** Hyperhydration and glycerol: thermoregulatory effects during exercise in hot climates. *Can J Appl Physiol*. 2000 Dec;25(6):536-45. Review.
- Lau WY, Kato H, Nosaka K.** Effect of oral rehydration solution versus spring water intake during exercise in the heat on muscle cramp susceptibility of young men. *J Int Soc Sports Nutr*. 2021 Mar 15;18(1):22.
- Lavoué C, Siracusa J, Chalchat É, ym.** Analysis of food and fluid intake in elite ultra-endurance runners during a 24-h world championship. *J Int Soc Sports Nutr*. 2020;17(1):36.
- Lee JK, Shirreffs SM.** The influence of drink temperature on thermoregulatory responses during prolonged exercise in a moderate environment. *J Sports Sci*. 2007 Jul;25(9):975-85.
- Lee JK, Shirreffs SM, Maughan RJ.** Cold drink ingestion improves exercise endurance capacity in the heat. *Med Sci Sports Exerc*. 2008 Sep;40(9):1637-44.
- Lee JB, Kim TW, Min YK, ym.** Long distance runners present upregulated sweating responses than sedentary counterparts. *PLoS One*. 2014 Apr 7;9(4):e93976.
- Leiper JB, Broad NP, Maughan RJ.** Effect of intermittent high-intensity exercise on gastric emptying in man. *Med Sci Sports Exerc*. 2001 Aug;33(8):1270-8.
- Lemetais G, Melander O, Vecchio M, ym.** Effect of increased water intake on plasma copeptin in healthy adults. *Eur J Nutr*. 2018 Aug;57(5):1883-1890.
- Levine L, Rose MS, Francesconi P, ym.** Fluid replacement during sustained activity in the heat: nutrient solution vs. water. *Aviat Space Environ Med*. 1991 Jun;62(6):559-64.
- Lo JA, Kim JS, Jo MJ, ym.** Impact of water consumption on renal function in the general population: a cross-sectional analysis of KNHANES data (2008-2017). *Clin Exp Nephrol*. 2021;25(4):376-384.
- Lopez RM, Casa DJ, Jensen KA, ym.** Examining the influence of hydration status on physiological responses and running speed during trail running in the heat with controlled exercise intensity. *J Strength Cond Res*. 2011 Nov;25(11):2944-54.
- Luetkemeier MJ, Coles MG, Askew EW.** Dietary sodium and plasma volume levels with exercise. *Sports Med*. 1997 May;23(5):279-86. Review.
- MacLeod H, Sunderland C.** Previous-day hypohydration impairs skill performance in elite female field hockey players. *Scand J Med Sci Sports*. 2012 Jun;22(3):430-8.
- Manjra S, Schwellnus MP, Noakes TD.** Risk factors for exercise associated muscle cramping (EAMC) in marathoners. *Med Sci Sports Exerc*. 1996;28(S Suppl):S167
- Maresh CM, Whittlesey MJ, Armstrong LE, ym.** Effect of hydration state on testosterone and cortisol responses to training-intensity exercise in collegiate runners. *Int J Sports Med*. 2006 Oct;27(10):765-70.
- Marino F.** Evidence for anticipatory regulation mediated by drink temperature during fixed intensity exercise in the heat. *Exp Physiol*. 2007 Mar;92(2):467-8; author reply 469.
- Martens M.P., Watson J.C., Royland E.M., ym.** Development of the athlete drinking scale. *Psychol. Addict. Behav*. 2005;19:158–164
- Martínez-Navarro I, Montoya-Vieco A, Collado E, ym.** Muscle Cramping in the Marathon: Dehydration and Electrolyte Depletion vs. Muscle Damage. *J Strength Cond Res*. 2020 Aug 12.
- Maughan RJ.** Exercise-induced muscle cramp: a prospective biochemical study in marathon runners. *J Sports Sci*. 1986 Spring;4(1):31-4.
- Maughan RJ, Owen JH, Shirreffs SM, ym.** Post-exercise rehydration in man: effects of electrolyte addition to ingested fluids. *Eur J Appl Physiol Occup Physiol*. 1994;13:209–215
- Maughan RJ, Leiper JB.** Sodium intake and post-exercise rehydration in man. *Eur J Appl Physiol Occup Physiol*. 1995;71(4):311-9.
- Maughan RJ, Leiper JB, Shirreffs SM.** Restoration of fluid balance after exercise-induced dehydration: effects of food and fluid intake. *Eur J Appl Physiol Occup Physiol*. 1996;73(3-4):317-25. (b)
- Maughan RJ, Leiper JB.** Limitations to fluid replacement during exercise. *Can J Appl Physiol*. 1999 Apr;24(2):173-87. Review.
- Maughan RJ.** Impact of mild dehydration on wellness and on exercise performance. *Eur J Clin Nutr*. 2003 Dec;57 Suppl 2:S19-23.
- Maughan RJ, Griffin J.** Caffeine ingestion and fluid balance: a review. *J Hum Nutr Diet*. 2003 Dec;16(6):411-20.
- Maughan RJ, Shirreffs SM, Merson SJ, ym.** Fluid and electrolyte balance in elite male football (soccer) players training in a cool environment. *J Sports Sci*. 2005 Jan;23(1):73-9.
- Maughan RJ, Watson P, Evans GH, ym.** Water balance and salt losses in competitive football. *Int J Sport Nutr Exerc Metab*. 2007 Dec;17(6):583-94.

- Maughan RJ, Dargavel LA, Hares R**, ym. Water and salt balance of well-trained swimmers in training. *Int J Sport Nutr Exerc Metab.* 2009 Dec;19(6):598-606.
- Maughan RJ, Otani H, Watson P**. Influence of relative humidity on prolonged exercise capacity in a warm environment. *Eur J Appl Physiol.* 2012 Jun;112(6):2313-21.
- Maughan RJ, Meyer NL**. Hydration during intense exercise training. *Nestle Nutr Inst Workshop Ser.* 2013;76:25-37.
- Maughan RJ, Watson P, Cordery PA**, ym. A randomized trial to assess the potential of different beverages to affect hydration status: development of a beverage hydration index. *Am J Clin Nutr.* 2016 Mar;103(3):717-23.
- Maughan RJ, Shirreffs SM**. Muscle Cramping During Exercise: Causes, Solutions, and Questions Remaining. *Sports Med.* 2019 Dec;49(Suppl 2):115-124.
- McCartney, D., Irwin, C., Cox, G.R.**, ym. (2019). The effect of different post-exercise beverages with food on ad libitum fluid recovery, nutrient provision, and subsequent athletic performance. *Physiology & Behavior*, 201, 22–30.
- McCubbin, A.J., & Costa, R.J.S.** (2018). Impact of sodium ingestion during exercise on endurance performance: A systematic review. *International Journal of Sports Science*, 8(3), 97–107.
- McCubbin AJ, Allanson BA, Caldwell Odgers JN**, ym. Sports Dietitians Australia Position Statement: Nutrition for Exercise in Hot Environments. *Int J Sport Nutr Exerc Metab.* 2020 Dec 31:1-16.
- McDermott BP, Anderson SA, Armstrong LE**, ym. National Athletic Trainers' Association Position Statement: Fluid Replacement for the Physically Active. *J Athl Train.* 2017 Sep;52(9):877-895.
- McGregor SJ, Nicholas CW, Lakomy HK**, ym. The influence of intermittent high-intensity shuttle running and fluid ingestion on the performance of a soccer skill. *J Sports Sci.* 1999 Nov;17(11):895-903.
- Merry TL, Ainslie PN, Walker R**, ym. Fitness alters fluid regulatory but not behavioural responses to hypohydrated exercise. *Physiol Behav.* 2008 Oct 20;95(3):348-52.
- Merry TL, Ainslie PN, Cotter JD**. Effects of aerobic fitness on hypohydration-induced physiological strain and exercise impairment. *Acta Physiol (Oxf).* 2010 Feb;198(2):179-90.
- Merson SJ, Maughan RJ, Shirreffs SM**. Rehydration with drinks differing in sodium concentration and recovery from moderate exercise-induced hypohydration in man. *Eur J Appl Physiol.* 2008 Jul;103(5):585-94.
- Meyer N**. Nutrition for winter sports. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010
- Minehan MR, Riley MD, Burke LM**. Effect of flavor and awareness of kilojoule content of drinks on preference and fluid balance in team sports. *Int J Sport Nutr Exerc Metab.* 2002;12:81-92
- Miller KC, Stone MS, Huxel KC**, ym. Exercise-associated muscle cramps: causes, treatment, and prevention. *Sports Health.* 2010 Jul;2(4):279-83.
- Mitchell JB, Voss KW**. The influence of volume on gastric emptying and fluid balance during prolonged exercise. *Med Sci Sports Exerc.* 1991 Mar;23(3):314-9. Review.
- Mitchell JB, Grandjean PW, Pizza FX**, ym. The effect of volume ingested on rehydration and gastric emptying following exercise-induced dehydration. *Med Sci Sports Exerc.* 1994 Sep;26(9):1135-43.
- Moran DS, Montain SJ, Pandolf KB**. Evaluation of different levels of hydration using a new physiological strain index. *Am J Physiol.* 1998 Sep;275(3 Pt 2):R854-60.
- Mora-Rodriguez R, Hamouti N**. Salt and fluid loading: effects on blood volume and exercise performance. *Med Sport Sci.* 2012;59:113-9.
- Muñoz CX, Johnson EC, McKenzie AL**, ym. Habitual total water intake and dimensions of mood in healthy young women. *Appetite.* 2015 Sep;92:81-6.
- Murray R**. The effects of consuming carbohydrate-electrolyte beverages on gastric emptying and fluid absorption during and following exercise. *Sports Med.* 1987;4:322-351.
- Mündel T, King J, Collacott E**, ym. Drink temperature influences fluid intake and endurance capacity in men during exercise in a hot, dry environment. *Exp Physiol.* 2006 Sep;91(5):925-33. Epub 2006 Jun 15.
- Nielsen B**. Heat acclimation--mechanisms of adaptation to exercise in the heat. *Int J Sports Med.* 1998 Jun;19 Suppl 2:S154-6.
- Nikolaidis PT, Veniamakis E, Rosemann T**, ym. Nutrition in Ultra-Endurance: State of the Art. *Nutrients.* 2018 Dec 16;10(12):1995.
- Noakes TD**. Fluid and electrolyte disturbances in heat illness. *Int J Sports Med.* 1998 Jun;19 Suppl 2:S146-9.
- Noakes T; IMMAD**. Fluid replacement during marathon running. *Clin J Sport Med.* 2003 Sep;13(5):309-18.
- Noakes TD**. Is drinking to thirst optimum? *Ann Nutr Metab.* 2010;57 Suppl 2:9-17.
- Noakes TD**. Time to move beyond a brainless exercise physiology: the evidence for complex regulation of human exercise performance. *Appl Physiol Nutr Metab.* 2011 Feb;36(1):23-35.
- Noakes TD**. Fatigue is a Brain-Derived Emotion that Regulates the Exercise Behavior to Ensure the Protection of Whole Body Homeostasis. *Front Physiol.* 2012 Apr 11;3:82.
- Noakes TD, Sharwood K, Collins M**, ym. The dipsomania of great distance: water intoxication in an Ironman triathlete. *Br J Sports Med.* 2004 Aug;38(4):E16.
- Noakes TD, Sharwood K, Speedy D**, ym. Three independent biological mechanisms cause exercise-associated hyponatremia: evidence from 2,135 weighed competitive athletic performances. *Proc Natl Acad Sci U S A.* 2005 Dec 20;102(51):18550-5.
- Nuccio RP, Barnes KA, Carter JM**, ym. Fluid Balance in Team Sport Athletes and the Effect of Hypohydration on Cognitive, Technical, and Physical Performance. *Sports Med.* 2017 Oct;47(10):1951-1982.
- Nybo L**. Exercise and heat stress: cerebral challenges and consequences. *Prog Brain Res.* 2007;162:29-43. Review.
- O'Brien C, Young AJ, Sawka MN**. Bioelectrical impedance to estimate changes in hydration status. *Int J Sports Med.* 2002 Jul;23(5):361-6.
- O'Brien WJ, Rowlands DS**. Fructose-maltodextrin ratio in a carbohydrate-electrolyte solution differentially affects exogenous carbohydrate oxidation rate, gut comfort, and performance. *Am J Physiol Gastrointest Liver Physiol.* 2011 Jan;300(1):G181-9.
- Osterberg KL, Horswill CA, Baker LB**. Pregame urine specific gravity and fluid intake by National Basketball Association players during competition. *J Athl Train.* 2009 Jan-Feb;44(1):53-7.
- Osterberg KL, Pallardy SE, Johnson RJ**, ym. Carbohydrate exerts a mild influence on fluid retention following exercise-induced dehydration. *J Appl Physiol (1985)*. 2010 Feb;108(2):245-50.
- Owen JA, Kehoe SJ, Oliver SJ**. Influence of fluid intake on soccer performance in a temperate environment. *J Sports Sci.* 2013 ;31(1):1-10.
- Palmer MS, Spriet LL**. Sweat rate, salt loss, and fluid intake during an intense on-ice practice in elite Canadian male junior hockey players. *Appl Physiol Nutr Metab.* 2008 Apr;33(2):263-71.
- Palmer MS, Logan HM, Spriet LL**. On-ice sweat rate, voluntary fluid intake, and sodium balance during practice in male junior ice hockey players drinking water or a carbohydrate-electrolyte solution. *Appl Physiol Nutr Metab.* 2010 Jun;35(3):328-35.
- Peacock OJ, Stokes K, Thompson D**. Initial hydration status, fluid balance, and psychological affect during recreational exercise in adults. *J Sports Sci.* 2011 Jun;29(9):897-904.

- Pérez-Idárraga A, Aragón-Vargas LF.** Postexercise rehydration: potassium-rich drinks versus water and a sports drink. *Appl Physiol Nutr Metab*. 2014 May;9:1-8.
- Perrier E, Vergne S, Klein A**, ym. Hydration biomarkers in free-living adults with different levels of habitual fluid consumption. *Br J Nutr*. 2013 May;109(9):1678-87.
- Perrier ET.** Shifting Focus: From Hydration for Performance to Hydration for Health. *Ann Nutr Metab*. 2017;70 Suppl 1:4-12.
- Perrier ET, Bottin JH, Vecchio M**, ym. Criterion values for urine-specific gravity and urine color representing adequate water intake in healthy adults. *Eur J Clin Nutr*. 2017 Apr;71(4):561-563.
- Perrier ET.** Hydration for Health: So What? Ten Advances in Recent Hydration History. *Ann Nutr Metab* 2019;74(suppl 3):4-10.
- Pfeiffer B, Stellingwerff T, Hodgson AB**, ym. Nutritional intake and gastrointestinal problems during competitive endurance events. *Med Sci Sports Exerc*. 2012 Feb;44(2):344-51.
- Pross N, Demazières A, Girard N**, ym. Effects of changes in water intake on mood of high and low drinkers. *PLoS One*. 2014 Apr;9(4):e94754.
- Quiterio AL, Silva AM, Minderico CS**, ym. Total body water measurements in adolescent athletes: a comparison of six field methods with deuterium dilution. *J Strength Cond Res*. 2009 Jul;23(4):1225-37.
- Racinais S, Ihsan M, Taylor L**, ym. Hydration and cooling in elite athletes: relationship with performance, body mass loss and body temperatures during the Doha 2019 IAAF World Athletics Championships. *Br J Sports Med*. 2021 Feb 12:bjspor-2020-103613.
- Ranchordas MK, Tiller NB, Ramchandani G**, ym. Normative data on regional sweat-sodium concentrations of professional male team-sport athletes. *J Int Soc Sports Nutr*. 2017 Oct 30;14:40.
- Rehrer NJ.** The maintenance of fluid balance during exercise. *Int J Sports Med*. 1994 Apr;15(3):122-5.
- Riera F, Trong TT, Sinnapah S**, ym. Physical and perceptual cooling with beverages to increase cycle performance in a tropical climate. *PLoS One*. 2014;9(8):e103718.
- Rodríguez MÁ, Piedra JV, Sánchez-Fernández M**, ym. A Matter of Degrees: A Systematic Review of the Ergogenic Effect of Pre-Cooling in Highly Trained Athletes. *Int J Environ Res Public Health*. 2020 Apr 24;17(8):2952.
- Ross ML, Garvican LA, Jeacocke NA**, ym. Novel precooling strategy enhances time trial cycling in the heat. *Med Sci Sports Exerc*. 2011;43:123-133.
- Roussel R, El Boustany R, Bouby N**, ym. Plasma copeptin, AVP gene variants, and incidence of type 2 diabetes in a cohort from the community. *J Clin Endocrinol Metab* 2016;101:2432-2439.
- Rowland T.** Fluid replacement requirements for child athletes. *Sports Med*. 2011 Apr 1;41(4):279-88.
- Rüst CA, Knechtle B, Knechtle P**, ym. Body mass change and ultraendurance performance: a decrease in body mass is associated with an increased running speed in male 100-km ultramarathoners. *J Strength Cond Res*. 2012 Jun;26(6):1505-16.
- Saini J, Boisvert P, Spiegel K**, ym. Influence of alcohol on the hydromineral hormone responses to exercise in a warm environment. *Eur J Appl Physiol Occup Physiol*. 1995;72(1-2):32-6.
- Savoie FA, Dion T, Asselin A**, ym. Sodium-induced hyperhydration decreases urine output and improves fluid balance compared with glycerol- and water-induced hyperhydration. *Appl Physiol Nutr Metab*. 2015 Jan;40(1):51-8. (a)
- Savoie FA, Kenefick RW, Ely BR**, ym. Effect of Hypohydration on Muscle Endurance, Strength, Anaerobic Power and Capacity and Vertical Jumping Ability: A Meta-Analysis. *Sports Med*. 2015 Aug;45(8):1207-27.
- Sawka MN.** Physiological consequences of hydration: exercise performance and thermoregulation. *Med Sci Sports Exerc*. 1992;24:657-670.
- Sawka MN, Montain SJ, Latzka WA**. Hydration effects on thermoregulation and performance in the heat. *Comp Biochem Physiol A Mol Integr Physiol*. 2001;128:679-690.
- Sawka MN, Cheuvront SN, Carter R 3rd.** Human water needs. *Nutr Rev*. 2005 Jun;63(6 Pt 2):S30-9.
- Sawka MN, Burke LM, Eichner ER**, ym. American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc* 2007;39:377-390.
- Sawka MN, Cheuvront SN, Kenefick RW.** High skin temperature and hypohydration impair aerobic performance. *Exp Physiol*. 2012 Mar;97(3):327-32.
- Sawka MN, Cheuvront SN, Kenefick RW.** Hypohydration and Human Performance: Impact of Environment and Physiological Mechanisms. *Sports Med*. 2015 Nov;45 Suppl 1(Suppl 1):S51-60.
- Schwabe K, Schwellnus M, Derman W**, ym. Medical complications and deaths in 21 and 56 km road race runners: a 4-year prospective study in 65 865 runners--SAFER study I. *Br J Sports Med*. 2014 Jun;48(11):912-8.
- Schwellnus MP, Nicol J, Laubscher R**, ym. Serum electrolyte concentrations and hydration status are not associated with exercise associated muscle cramping (EAMC) in distance runners. *Br J Sports Med*. 2004 Aug;38(4):488-92.
- Schwellnus MP.** Cause of exercise associated muscle cramps (EAMC)--altered neuromuscular control, dehydration or electrolyte depletion? *Br J Sports Med*. 2009 Jun;43(6):401-8.
- Schwellnus MP, Drew N, Collins M.** Increased running speed and previous cramps rather than dehydration or serum sodium changes predict exercise-associated muscle cramping: a prospective cohort study in 210 Ironman triathletes. *Br J Sports Med*. 2011 Jun;45(8):650-6.
- Schwellnus MP, Allie S, Derman W**, ym. Increased running speed and pre-race muscle damage as risk factors for exercise-associated muscle cramps in a 56 km ultra-marathon: a prospective cohort study. *Br J Sports Med*. 2011 Nov;45(14):1132-6. (a)
- Schwellnus MP, Swanevelder S, Jordaan E**, ym. Underlying chronic disease, medication use, history of running injuries and being a more experienced runner are independent factors associated with exercise-associated muscle cramping: a cross-sectional study in 15778 distance runners. *Clin J Sport Med*. 2018;28(3):289-298.
- Seifert J, Harmon J, DeClercq P.** Protein added to a sports drink improves fluid retention. *Int J Sport Nutr Exerc Metab*. 2006;13:420-429.
- Sekiguchi Y, Benjamin CL, Butler CR**, ym. The Relationship between %BML, Urine Color, Thirst Level and Urine Indices of Hydration Status. *Ann Nutr Metab*. 2021 Mar 29.
- Shang G, Collins M, Schwellnus MP.** Factors associated with a self-reported history of exercise-associated muscle cramps in Ironman triathletes: a case-control study. *Clin J Sport Med*. 2011 May;21(3):204-10.
- Sharp RL.** Role of whole foods in promoting hydration after exercise in humans. *J Am Coll Nutr*. 2007 Oct;26(5 Suppl):592S-596S. Review.
- Sharwood K, Collins M, Goedecke J**, ym. Weight changes, sodium levels, and performance in the South African Ironman Triathlon. *Clin J Sport Med*. 2002 Nov;12(6):391-9.
- Sharwood KA, Collins M, Goedecke JH**, ym. Weight changes, medical complications, and performance during an Ironman triathlon. *Br J Sports Med*. 2004 Dec;38(6):718-24.
- Shephard RJ.** Is it time to retire the 'central governor'? *Sports Med*. 2009;39(9):709-21.
- Shirreffs SM, Taylor AJ, Leiper JB**, ym. Post-exercise rehydration in man: effects of volume consumed and drink sodium content. *Med Sci Sports Exerc*. 1996 Oct;28(10):1260-71.
- Shirreffs SM, Maughan RJ.** Restoration of fluid balance after exercise-induced dehydration: effects of alcohol consumption. *J Appl Physiol* (1985). 1997 Oct;83(4):1152-8.

- Shirreffs SM, Merson SJ, Fraser SM**, ym. The effects of fluid restriction on hydration status and subjective feelings in man. *Br J Nutr.* 2004 Jun;91(6):951-8.
- Shirreffs SM, Aragon-Vargas LF, Chamorro M**, ym. The sweating response of elite professional soccer players to training in the heat. *Int J Sports Med.* 2005 Mar;26(2):90-5.
- Shirreffs SM, Maughan RJ**. The effect of alcohol on athletic performance. *Curr Sports Med Rep.* 2006 Jun;5(4):192-6.
- Shirreffs SM, Aragon-Vargas LF, Keil M**, ym. Rehydration after exercise in the heat: a comparison of 4 commonly used drinks. *nt J Sport Nutr Exerc Metab.* 2007 Jun;17(3):244-58. (a)
- Shirreffs SM, Watson P, Maughan RJ**. Milk as an effective post-exercise rehydration drink. *Br J Nutr.* 2007 Jul;98(1):173-80. (b)
- Shirreffs SM**. Fluid and electrolyte needs for training, competition and recovery. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010
- Shirreffs SM, Sawka MN**. Fluid and electrolyte needs for training, competition, and recovery. *J Sports Sci.* 2011;29 Suppl 1:S39-46.
- Siegel R, Maté J, Brearley MB**, ym. Ice slurry ingestion increases core temperature capacity and running time in the heat. *Med Sci Sports Exerc.* 2010;42:717-725.
- Siegel R, Laursen PB**. Keeping your cool: possible mechanisms for enhanced exercise performance in the heat with internal cooling methods. *Sports Med.* 2012 Feb 1;42(2):89-98.
- Siegel R, Maté J, Watson G**, ym. Pre-cooling with ice slurry ingestion leads to similar run times to exhaustion in the heat as cold water immersion. *J Sports Sci.* 2012;30:155-165.
- Silva AM, Júdice PB, Matias CN**, ym. Total body water and its compartments are not affected by ingesting a moderate dose of caffeine in healthy young adult males. *Appl Physiol Nutr Metab.* 2013 Jun;38(6):626-32.
- Sims ST, Rehrer NJ, Bell ML**, ym. Preexercise sodium loading aids fluid balance and endurance for women exercising in the heat. *J Appl Physiol.* 2007;10:534-541. (a)
- Sims ST, van Vliet L, Cotter JD**, ym. Sodium loading aids fluid balance and reduces physiological strain of trained men exercising in the heat. *Medicine and Science in Sports and Exercise.* 2007;10:123-130. (b)
- Smyth PP, Duntas LH**. Iodine uptake and loss - can frequent strenuous exercise induce iodine deficiency? *Horm Metab Res.* 2005 Sep;37(9):555-8.
- Snipe, R.M.J., & Costa, R.J.S.** (2018). Does the temperature of water ingested during exertional-heat stress influence gastrointestinal injury, symptoms, and systemic inflammatory profile? *Journal of Science and Medicine in Sport*, 21(8), 771-776.
- Speedy DB, Thompson J, Rodgers I**, ym. Oral salt supplementation during ultradistance exercise. *Clin J Sport Med.* 2002;10:279.
- Stachenfeld NS**. The interrelationship of research in the laboratory and the field to assess hydration status and determine mechanisms involved in water regulation during physical activity. *Sports Med.* 2014 May;44 Suppl 1:S97-104.
- St Clair Gibson A, Lambert EV, Rauch LH**, ym. The role of information processing between the brain and peripheral physiological systems in pacing and perception of effort. *Sports Med.* 2006;36(8):705-22.
- Stellingwerff T**. Contemporary nutrition approaches to optimize elite marathon performance. *Int J Sports Physiol Perform.* 2013 Sep;8(5):573-8.
- Stevens CJ, Best R**. Menthol: A Fresh Ergogenic Aid for Athletic Performance. *Sports Med.* 2017 Jun;47(6):1035-1042.
- Stevens CJ, Taylor L, Dascombe BJ**. Cooling During Exercise: An Overlooked Strategy for Enhancing Endurance Performance in the Heat. *Sports Med.* 2017 May;47(5):829-841.
- Stevens CJ, Ross MLR, Vogel RM**. Development of a "Cooling" Menthol Energy Gel for Endurance Athletes: Effect of Menthol Concentration on Acceptability and Preferences. *Int J Sport Nutr Exerc Metab.* 2020 Nov 27;31(1):40-45.
- Stookey JD, Kavouras SA, Sub H**, ym. Underhydration Is Associated with Obesity, Chronic Diseases, and Death Within 3 to 6 Years in the U.S. Population Aged 51-70 Years. *Nutrients.* 2020 Mar 26;12(4):905.
- Suh H, Summers LG, Seal AD**, ym. Afternoon urine osmolality is equivalent to 24 h for hydration assessment in healthy children. *Eur J Clin Nutr.* 2020 Jun;74(6):884-890.
- Suzuki K, Hashimoto H, Oh T**, ym. The effects of sports drink osmolality on fluid intake and immunoendocrine responses to cycling in hot conditions. *J Nutr Sci Vitaminol (Tokyo).* 2013;59(3):206-12.
- Svendsen IS, Killer SC, Gleeson M**. Influence of Hydration Status on Changes in Plasma Cortisol, Leukocytes, and Antigen-Stimulated Cytokine Production by Whole Blood Culture following Prolonged Exercise. *ISRN Nutr.* 2014 Mar 12;2014:561401.
- Swanevelder S, Schwellnus M, Jordaan E**. Novel risk factors associated with more severe exercise associated muscle cramping (EAMC): a prospective cohort study of 41 698 distance runners. *Br J Sports Med.* 2017;51:393-394.
- Swash M, Czesnik D, de Carvalho M**. Muscular cramp: causes and management. *Eur J Neurol.* 2019 Feb;26(2):214-221.
- Tai CY, Joy JM, Falcone PH**, ym. An amino acid-electrolyte beverage may increase cellular rehydration relative to carbohydrate-electrolyte and flavored water beverages. *Nutr J.* 2014 May 26;13:47.
- Takamata A, Ito T, Yaegashi K**, ym. Effect of an exercise-heat acclimation program on body fluid regulatory responses to dehydration in older men. *Am J Physiol.* 1999 Oct;277(4):R1041-50.
- Tam N, Nolte HW, Noakes TD**. Changes in total body water content during running races of 21.1 km and 56 km in athletes drinking ad libitum. *Clin J Sport Med.* 2011 May;21(3):218-25.
- Tan PM, Lee JK**. The role of fluid temperature and form on endurance performance in the heat. *Scand J Med Sci Sports.* 2015 Jun;25 Suppl 1:39-51.
- Thomas DT, Erdman KA, Burke LM**. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and Athletic Performance. *J Acad Nutr Diet.* 2016 Mar;116(3):S501-S28.
- Thompson CJ, Burd JM, Baylis PH**. Acute suppression of plasma vasopressin and thirst after drinking in hypernatremic humans. *Am J Physiol.* 1987 Jun;252(6 Pt 2):R1138-42.
- Tiller NB, Roberts JD, Beasley L**, ym. International Society of Sports Nutrition Position Stand: nutritional considerations for single-stage ultra-marathon training and racing. *J Int Soc Sports Nutr.* 2019;16(1):50.
- Trangmar SJ, González-Alonso J**. Heat, Hydration and the Human Brain, Heart and Skeletal Muscles. *Sports Med.* 2019 Feb;49(Suppl 1):69-85.
- Trong, T.T., Riera, F., Rinaldi, K., ym.** (2015). Ingestion of a cold temperature/menthol beverage increases outdoor exercise performance in a hot, humid environment. *PLoS One.* 10(4), e0123815.
- Tucker MA, Ganio MS, Adams JD**, ym. Hydration Status over 24-H Is Not Affected by Ingested Beverage Composition. *J Am Coll Nutr.* 2015;34(4):318-27.
- Turner MJ, Avolio AP**. Does Replacing Sodium Excreted in Sweat Attenuate the Health Benefits of Physical Activity? *Int J Sport Nutr Exerc Metab.* 2016 Aug;26(4):377-89.
- Twerenbold R, Knechtle B, Kakebeeke TH**, ym. Effects of different sodium concentrations in replacement fluids during prolonged exercise in women. *Br J Sports Med.* 2003 Aug;37(4):300-3; discussion 303.
- Valsta L, Kaartinen N, Tapanainen H**, ym. Ravitsemus Suomessa – FinRavinto 2017 -tutkimus. Terveyden ja hyvinvoinnin laitos (THL), Raportti 12/2018.

- van Nieuwenhoven MA, Vriens BE, Brummer RJ**, ym. Effect of dehydration on gastrointestinal function at rest and during exercise in humans. *Eur J Appl Physiol*. 2000 Dec;83(6):578-84.
- van Rosendal SP, Osborne MA, Fassett RG**, ym. Guidelines for glycerol use in hyperhydration and rehydration associated with exercise. *Sports Med*. 2010 Feb 1;40(2):113-29.
- van Rosendal SP, Coombes JS**. Glycerol use in hyperhydration and rehydration: scientific update. *Med Sport Sci*. 2012;59:104-12.
- Velho G, Ragot S, El Boustany R**, ym. Plasma copeptin, kidney disease, and risk for cardiovascular morbidity and mortality in two cohorts of type 2 diabetes. *Cardiovasc Diabetol*. 2018 Aug 2;17(1):110. doi: 10.1186/s12933-018-0753-5. PMID: 30071874; PMCID: PMC6071392.
- Vella LD, Cameron-Smith D**. Alcohol, athletic performance and recovery. *Nutrients*. 2010 Aug;2(8):781-9.
- Volpe SL, Poule KA, Bland EG**. Estimation of prepractice hydration status of National Collegiate Athletic Association Division I athletes. *J Athl Train*. 2009 Nov-Dec;44(6):624-9.
- VRN**. Terveytä ruuasta – Suomalaiset ravitsemussuositukset 2014. Juvenes Oy, Helsinki 2014.
- Wall BA, Watson G, Peiffer JJ**, ym. Current hydration guidelines are erroneous: dehydration does not impair exercise performance in the heat. *Br J Sports Med*. 2015 Aug;49(16):1077-83.
- Wardenaar FC, Thompsett D, Vento KA**, ym. A lavatory urine color (LUC) chart method can identify hypohydration in a physically active population. *Eur J Nutr*. 2021 Jan 8.
- Watson P, Love TD, Maughan RJ**, ym. A comparison of the effects of milk and a carbohydrate-electrolyte drink on the restoration of fluid balance and exercise capacity in a hot, humid environment. *Eur J Appl Physiol*. 2008 Nov;104(4):633-42.
- Wegmann M, Faude O, Poppendieck W**, ym. Pre-cooling and sports performance: a meta-analytical review. *Sports Med*. 2012 Jul 1;42(7):545-64.
- Wijnen AH, Steennis J, Catoire M**, ym. Post-Exercise Rehydration: Effect of Consumption of Beer with Varying Alcohol Content on Fluid Balance after Mild Dehydration. *Front Nutr*. 2016;3:45.
- Xu H, Zisman AL, Coe FL**, ym. Kidney stones: an update on current pharmacological management and future directions. *Expert Opin Pharmacother*. 2013 Mar;14(4):435-47.
- Yong JW, Ge L, Ng YF**, ym. The chemical composition and biological properties of coconut (*Cocos nucifera L.*) water. *Molecules*. 2009;14(12):5144-5164. Published 2009 Dec 9. doi:10.3390/molecules14125144
- Zimmermann M, Landers G, Wallman K**, ym. Precooling with Crushed Ice: As Effective as Heat Acclimation at Improving Cycling Time-Trial Performance in the Heat. *Int J Sports Physiol Perform*. 2018 Feb 1;13(2):228-234.
- Zouhal H, Groussard C, Minter G**, ym. Inverse relationship between percentage body weight change and finishing time in 643 forty-two-kilometre marathon runners. *Br J Sports Med*. 2011 Nov;45(14):1101-5.

LUKU 12 Hoppo-emästasapaino liikunnassa ja urheilussa

- Abramowitz MK, Hostetter TH, Melamed ML.** Association of serum bicarbonate levels with gait speed and quadriceps strength in older adults. *Am J Kidney Dis.* 2011;58(1):29-38.
- Abshirini M, Bagheri F, Mahaki B, ym.** The dietary acid load is higher in subjects with prediabetes who are at greater risk of diabetes: a case-control study. *Diabetol Metab Syndr.* 2019;11:52.
- Adeva MM, Souto G.** Diet-induced metabolic acidosis. *Clin Nutr.* 2011;30(4):416-21.
- Adrogue HE, Adrogue HJ.** Acid-base physiology. *Respir Care.* 2001;46(4):328-41.
- Aerenhouts D, Deriemaeker P, Hebbelinck M, ym.** Dietary acid-base balance in adolescent sprint athletes: a follow-up study. *Nutrients.* 2011;3(2):200-11.
- Applegate C, Mueller M, Zuniga KE.** Influence of Dietary Acid Load on Exercise Performance. *Int J Sport Nutr Exerc Metab.* 2017;27(3):213-219.
- Baranauskas M, Jablonskiene V, Abaravicius JA, ym.** Dietary Acid-Base Balance in High-Performance Athletes. *Int J Environ Res Public Health.* 2020;17(15):5332.
- Bolignano D, Mattace-Raso F, Sijbrands EJ, ym.** The aging kidney revisited: a systematic review. *Ageing Res Rev.* 2014;14:65-80.
- Brooks GA.** Lactate as a fulcrum of metabolism. *Redox Biol.* 2020;35:101454.
- Burke LM.** Practical considerations for bicarbonate loading and sports performance. *Nestle Nutr Inst Workshop Ser.* 2013;75:15-26.
- Cairns SP.** Lactic acid and exercise performance - culprit or friend? *Sports Medicine.* 2006;36(4):279-291.
- Carnauba RA, Baptista AB, Paschoal V, ym.** Diet-Induced Low-Grade Metabolic Acidosis and Clinical Outcomes: A Review. *Nutrients.* 2017;9(6):538.
- Carr AJ, Hopkins WG, Gore CJ.** Effects of acute alkalosis and acidosis on performance: a meta-analysis. *Sports Med.* 2011;41(10):801-14.
- Cases A, Cigarrán-Guldris S, Mas S, ym.** Vegetable-Based Diets for Chronic Kidney Disease? It Is Time to Reconsider. *Nutrients.* 2019;11(6):1263.
- Dawson-Hughes B.** Acid-base balance of the diet-implications for bone and muscle. *Eur J Clin Nutr.* 2020;74(Suppl 1):7-13.
- Dawson-Hughes B, Harris SS, Ceglia L.** Alkaline diets favor lean tissue mass in older adults. *Am J Clin Nutr.* 2008;87(3):662-5.
- Dutka TL, Lamboley CR, McKenna MJ, ym.** Effects of carnosine on contractile apparatus Ca²⁺ sensitivity and sarcoplasmic reticulum Ca²⁺ release in human skeletal muscle fibers. *J Appl Physiol.* 1985;112(5):728-36.
- Fitts RH.** The Role of Acidosis in Fatigue: Pro Perspective. *Med Sci Sports Exerc.* 2016;48(11):2335-2338.
- Frassetto L, Sebastian A.** Age and systemic acid-base equilibrium: analysis of published data. *J Gerontol A Biol Sci Med Sci.* 1996;51(1):B91-9.
- Goraya N, Simoni J, Jo C, Wesson DE.** Dietary acid reduction with fruits and vegetables or bicarbonate attenuates kidney injury in patients with a moderately reduced glomerular filtration rate due to hypertensive nephropathy. *Kidney Int.* 2012;81(1):86-93.
- Gough LA, Rimmer S, Sparks SA, ym.** Post-exercise Supplementation of Sodium Bicarbonate Improves Acid Base Balance Recovery and Subsequent High-Intensity Boxing Specific Performance. *Front Nutr.* 2019;6:155.
- Grgic J, Rodriguez RF, Garofolini A, ym.** Effects of Sodium Bicarbonate Supplementation on Muscular Strength and Endurance: A Systematic Review and Meta-analysis. *Sports Med.* 2020;50(7):1361-1375.
- Han E, Kim G, Hong N, ym.** Association between dietary acid load and the risk of cardiovascular disease: nationwide surveys (KNHANES 2008-2011). *Cardiovasc Diabetol.* 2016;15(1):122.
- Hargreaves M, Spriet LL.** Skeletal muscle energy metabolism during exercise. *Nat Metab.* 2020;2(9):817-828.
- Harris RC, Stellingwerff T.** Effect of β-alanine supplementation on high-intensity exercise performance. *Nestle Nutr Inst Workshop Ser.* 2013;76:61-71.
- Harris RC, Tallon MJ, Dunnett M, ym.** The absorption of orally supplied beta-alanine and its effect on muscle carnosine synthesis in human vastus lateralis. *Amino Acids.* 2006;30(3):279-89.
- Hietavala EM, Stout JR, Frassetto LA, ym.** Dietary acid load and renal function have varying effects on blood acid-base status and exercise performance across age and sex. *Appl Physiol Nutr Metab.* 2017;42(12):1330-1340.
- Hollidge-Horvat MG, Parolin ML, Wong D, ym.** Effect of induced metabolic alkalosis on human skeletal muscle metabolism during exercise. *Am J Physiol Endocrinol Metab.* 2000;278(2):E316-29.
- Hostrup M, Bangsbo J.** Limitations in intense exercise performance of athletes - effect of speed endurance training on ion handling and fatigue development. *J Physiol.* 2017;595(9):2897-2913.
- Hotfiel T, Freiwald J, Hoppe MW, ym.** Advances in Delayed-Onset Muscle Soreness (DOMS): Part I: Pathogenesis and Diagnostics. *Sportverletz Sportschaden.* 2018;32(4):243-250.
- Jayedi A, Shab-Bidar S.** Dietary acid load and risk of type 2 diabetes: A systematic review and dose-response meta-analysis of prospective observational studies. *Clin Nutr ESPEN.* 2018;23:10-18.
- Ko GJ, Rheem CM, Kalantar-Zadeh K, ym.** The Effects of High-Protein Diets on Kidney Health and Longevity. *J Am Soc Nephrol.* 2020;31(8):1667-1679.
- Krustrup P, Ermidis G, Mohr M.** Sodium bicarbonate intake improves high-intensity intermittent exercise performance in trained young men. *J Int Soc Sports Nutr.* 2015;12:25.
- Lancha Junior AH, Painelli Vde S, Saunders B, ym.** Nutritional Strategies to Modulate Intracellular and Extracellular Buffering Capacity During High-Intensity Exercise. *Sports Med.* 2015;45 Suppl 1:S71-81.
- Limmer M, Sonntag J, de Marées M, ym.** Effects of an Alkalizing or Acidizing Diet on High-Intensity Exercise Performance under Normoxic and Hypoxic Conditions in Physically Active Adults: A Randomized, Crossover Trial. *Nutrients.* 2020;12(3):688.
- Lindinger MI, Heigenhauser GJ.** Acid-base systems in skeletal muscle and their response to exercise. In: Taylor AW, Gollnick PD, Green HJ, ym. Biochemistry of exercise VII. International Series on Sport Sciences. 1990 Volume 21: 341-358.
- Marcora SM, Staiano W.** The limit to exercise tolerance in humans: mind over muscle? *Eur J Appl Physiol.* 2010;109(4):763-70.
- Maughan RJ, Burke LM, Dvorak J, ym.** IOC consensus statement: dietary supplements and the high-performance athlete. *Br J Sports Med.* 2018;52(7):439-455.
- McKenna MJ, Bangsbo J, Renaud JM.** Muscle K+, Na+, and Cl disturbances and Na+-K+ pump inactivation: implications for fatigue. *J Appl Physiol.* 1985;1985;104(1):288-95.
- McNaughton L, Dalton B, Palmer G.** Sodium bicarbonate can be used as an ergogenic aid in high-intensity, competitive cycle ergometry of 1 h duration. *Eur J Appl Physiol Occup Physiol.* 1999;80(1):64-9.
- McNaughton LR, Gough L, Deb S, ym.** Recent Developments in the Use of Sodium Bicarbonate as an Ergogenic Aid. *Curr Sports Med Rep.* 2016;15(4):233-44.
- Mohammadpour S, Djafari F, Davarzani S, ym.** The association between dietary acid load and muscle strength among Iranian adults. *BMC Res Notes.* 2020;13(1):476.
- Moore DR, Lysecki P, Breen L, ym.** Chronic alterations in blood pH affect fasting-state amino acid oxidation and myofibrillar and albumin protein synthesis in healthy young men. *The FASEB Journal.* 2017;31:1036.14-1036.14.

- Morales AP, Sampaio-Jorge F, da Cruz Rangel LF, ym.** Cardiopulmonary Performance During Maximal Exercise in Soccer Players with Alterations in Renal Function. *J Hum Kinet.* 2017;57:107-115.
- Nieman DC, Mitmesser SH.** Potential Impact of Nutrition on Immune System Recovery from Heavy Exertion: A Metabolomics Perspective. *Nutrients.* 2017;9(5):513.
- Passey C.** Reducing the Dietary Acid Load: How a More Alkaline Diet Benefits Patients with Chronic Kidney Disease. *J Ren Nutr.* 2017;27(3):151-160.
- Posterino GS, Dutka TL, Lamb GD.** L(+)-lactate does not affect twitch and tetanic responses in mechanically skinned mammalian muscle fibres. *Pflugers Arch.* 2001;442(2):197-203.
- Posterino GS, Fryer MW.** Effects of high myoplasmic L-lactate concentration on E-C coupling in mammalian skeletal muscle. *J Appl Physiol.* (1985). 2000;89(2):517-28.
- Potteiger JA, Webster MJ, Nickel GL, ym.** The effects of buffer ingestion on metabolic factors related to distance running performance. *Eur J Appl Physiol Occup Physiol.* 1996;72(4):365-71.
- Poupin N, Calvez J, Lassale C, ym.** Impact of the diet on net endogenous acid production and acid-base balance. *Clin Nutr.* 2012;31(3):313-21.
- Price M, Moss P, Rance S.** Effects of sodium bicarbonate ingestion on prolonged intermittent exercise. *Med Sci Sports Exerc.* 2003;35(8):1303-8.
- Price MJ, Singh M.** Time course of blood bicarbonate and pH three hours after sodium bicarbonate ingestion. *Int J Sports Physiol Perform.* 2008;3:24Y242.
- Remer T.** Influence of nutrition on acid-base balance--metabolic aspects. *Eur J Nutr.* 2001;40(5):214-20.
- Remer T, Dimitriou T, Manz F.** Dietary potential renal acid load and renal net acid excretion in healthy, free-living children and adolescents. *Am J Clin Nutr.* 2003;77(5):1255-60.
- Robergs RA.** Competitive cation binding computations of proton balance for reactions of the phosphagen and glycolytic energy systems within skeletal muscle. *PLoS One.* 2017;12(12):e0189822.
- Robergs RA, Ghiasvand F, Parker D.** Biochemistry of exercise-induced metabolic acidosis. *Am J Physiol Regul Integr Comp Physiol.* 2004;287(3):R502-16.
- Sahlin K.** Muscle energetics during explosive activities and potential effects of nutrition and training. *Sports Med.* 2014;44(Suppl 2):S167-73.
- Sale C, Artioli GG, Gualano B, ym.** Carnosine: from exercise performance to health. *Amino Acids.* 2013;44(6):1477-91.
- Saunders B, Elliott-Sale K, Artioli GG, ym.** β -alanine supplementation to improve exercise capacity and performance: a systematic review and meta-analysis. *Br J Sports Med.* 2017;51(8):658-669.
- Saunders B, Oliveira LF, Dolan E, ym.** Sodium bicarbonate supplementation and the female athlete: A brief commentary with small scale systematic review and meta-analysis. *Eur J Sport Sci.* 2021;28:1-10.
- Scialla JJ, Appel LJ, Astor BC, ym.** Net endogenous acid production is associated with a faster decline in GFR in African Americans. *Kidney Int.* 2012;82(1):106-12.
- Siegle JC, Marshall PW, Bishop D, ym.** Mechanistic Insights into the Efficacy of Sodium Bicarbonate Supplementation to Improve Athletic Performance. *Sports Med Open.* 2016;2(1):41.
- So R, Song S, Lee JE, ym.** The Association between Renal Hyperfiltration and the Sources of Habitual Protein Intake and Dietary Acid Load in a General Population with Preserved Renal Function: The KoGES Study. *PLoS One.* 2016;11(11):e0166495.
- Street D, Nielsen J, Bangsbo J, ym.** Metabolic alkalosis reduces exercise-induced acidosis and potassium accumulation in human skeletal muscle interstitium. *J Physiol.* 2005;566(2):481-489.
- Sundberg CW, Fitts RH.** Bioenergetic basis of skeletal muscle fatigue. *Curr Opin Physiol.* 2019;10:118-127.
- Suvi S, Mooses M, Timpmann S, ym.** Influence of Sodium Citrate Supplementation after Dehydrating Exercise on Responses of Stress Hormones to Subsequent Endurance Cycling Time-Trial in the Heat. *Medicina (Kaunas).* 2019;55(4):103.
- Unger M, Debolt EP.** Acidosis decreases the Ca⁺⁺-sensitivity of thin filaments by preventing the first actomyosin interaction. *Am J Physiol Cell Physiol.* 2019;317(4):C714-C718.
- Welch AA, MacGregor AJ, Skinner J, ym.** A higher alkaline dietary load is associated with greater indexes of skeletal muscle mass in women. *Osteoporos Int.* 2013;24(6):1899-908.
- Westerblad H.** Acidosis Is Not a Significant Cause of Skeletal Muscle Fatigue. *Med Sci Sports Exerc.* 2016;48(11):2339-2342.
- Westerblad H, Allen DG, Lannergren J.** Muscle fatigue: lactic acid or inorganic phosphate the major cause? *News Physiol Sci.* 2002;17:17-21.
- Wilkes D, Gledhill N, Smyth R.** Effect of acute induced metabolic alkalosis on 800-m racing time. *Med Sci Sports Exerc.* 1983;15(4):277-80.
- Woodward M, Debolt EP.** Acidosis and phosphate directly reduce myosin's force-generating capacity through distinct molecular mechanisms. *Front Physiol.* 2018;9:862.
- Yenchek R, Ix JH, Rifkin DE, ym.** Association of serum bicarbonate with incident functional limitation in older adults. *Clin J Am Soc Nephrol.* 2014;9(12):2111-6.
- Yucha C.** Renal regulation of acid-base balance. *Nephrol Nurs J.* 2004;31(2):201-6.
- Ööpik V, Saaremets I, Medijainen L, ym.** Effects of sodium citrate ingestion before exercise on endurance performance in well trained college runners. *Br J Sports Med.* 2003;37(6):485-9.

LUKU 13 Ravintolisät ja suorituskyky

- Abel T, Knechtle B, Perret C**, ym. Influence of chronic supplementation of arginine aspartate in endurance athletes on performance and substrate metabolism - a randomized, double-blind, placebo-controlled study. *Int J Sports Med.* 2005 Jun;26(5):344-9.
- Alvares TS, Oliveira GV, Volino-Souza M**, ym. Effect of dietary nitrate ingestion on muscular performance: a systematic review and meta-analysis of randomized controlled trials. *Crit Rev Food Sci Nutr.* 2021 Feb 8:1-23.
- American College of Sport Medicine.** Round Table, the physiological and health effects of oral creatine supplementation. *Med Sci Sports Exerc.* 2000;32:706-717.
- Antonio J, Ciccone V.** The effects of pre versus post workout supplementation of creatine monohydrate on body composition and strength. *J Int Soc Sports Nutr.* 2013 Aug 6;10(1):36.
- Anomasirip W, Sanguarungsirikul S, Saichandee P.** Low dose creatine supplementation enhances sprint phase of 400 meters swimming performance. *J Med Assoc Thai.* 2004 Sep;87 Suppl 2:S228-32.
- Armstrong LE.** Caffeine, body fluid-electrolyte balance, and exercise performance. *Int J Sport Nutr Exerc Metab.* 2002 Jun;12(2):189-206.
- Armstrong LE, Pumerantz AC, Roti MW**, ym. Fluid, electrolyte, and renal indices of hydration during 11 days of controlled caffeine consumption. *Int J Sport Nutr Exerc Metab.* 2005 Jun;15(3):252-65.
- Astorino TA, Roberson DW.** Efficacy of acute caffeine ingestion for short-term high-intensity exercise performance: a systematic review. *J Strength Cond Res.* 2010 Jan;24(1):257-65.
- Avelar-Escobar G, Méndez-Navarro J, Ortiz-Olvera NX**, ym. Hepatotoxicity associated with dietary energy supplements: use and abuse by young athletes. *Ann Hepatol.* 2012 Jul-Aug;11(4):564-9.
- Backhouse, S.H., Whitaker, L., & Petróczi, A.** (2013). Gateway to doping? Supplement use in the context of preferred competitive situations, doping attitude, beliefs, and norms. *Scandinavian Journal of Medicine & Science in Sports,* 23(2), 244–252.
- Balsom PD, Soderlund K, Ekblom B.** Creatine in humans with special reference to creatine supplementation. *Sports Med.* 1994 Oct;18(4):268-80.
- Barkoukis, V., Lazaras, L., Lucidi, F.** (2015). Nutritional supplement and doping use in sport: Possible underlying social cognitive processes. *Scandinavian Journal of Medicine & Science in Sports,* 25(6), 582–588.
- Bazzucchi I, Felici F, Sacchetti M.** Effect of short-term creatine supplementation on neuromuscular function. *Med Sci Sports Exerc.* 2009 Oct;41(10):1934-41.
- Bell DG, McLellan TM.** Exercise endurance 1, 3, and 6 h after caffeine ingestion in caffeine users and nonusers. *J Appl Physiol.* 2002 Oct;93(4):1227-34.
- Birnbaum LJ, Herbst JD.** Physiologic effects of caffeine on cross-country runners. *J Strength Cond Res.* 2004 Aug;18(3):463-5.
- Bizzarini E, De Angelis L.** Is the use of oral creatine supplementation safe? *J Sports Med Phys Fitness.* 2004 Dec;44(4):411-6.
- Black CD, Waddell DE, Gonglach AR.** Caffeine's ergogenic effects on cycling: neuromuscular and perceptual factors. *Med Sci Sports Exerc.* 2015;47(6):1145-58.
- Branch JD.** Effect of creatine supplementation on body composition and performance: a meta-analysis. *Int J Sport Nutr Exerc Metab.* 2003 Jun;13(2):198-226.
- Bruce CR, Anderson ME, Fraser SF**, ym. Enhancement of 2000-m rowing performance after caffeine ingestion. *Med Sci Sports Exerc.* 2000 Nov;32(11):1958-63.
- Burke L, Desbrow B, Minehan M.** Dietary supplements and nutritional ergogenic aids. In: *Clinical Sports Nutrition* (2nd ed.), edited by L. Burke and V. Deakin. Sydney: McGraw-Hill, 2000, p. 455-528.
- Burke DG, Chilibeck PD, Parise G**, ym. Effect of creatine and weight training on muscle creatine and performance in vegetarians. *Med Sci Sports Exerc.* 2003 Nov;35(11):1946-55.
- Burke DG, Candow DG, Chilibeck PD**, ym. Effect of creatine supplementation and resistance-exercise training on muscle insulin-like growth factor in young adults. *Int J Sport Nutr Exerc Metab.* 2008 Aug;18(4):389-98.
- Burke LM.** Practical considerations for bicarbonate loading and sports performance. *Nestle Nutr Inst Workshop Ser.* 2013;75:15-26.
- Cermak NM, Gibala MJ, van Loon LJ.** Nitrate supplementation's improvement of 10-km time-trial performance in trained cyclists. *Int J Sport Nutr Exerc Metab.* 2012;22:64-71.
- Chwalbinska-Moneta J.** Effect of creatine supplementation on aerobic performance and anaerobic capacity in elite rowers in the course of endurance training. *Int J Sport Nutr Exerc Metab.* 2003 Jun;13(2):173-83.
- Cole KJ, Costill DL, Starling RD**, ym. Effect of caffeine ingestion on perception of effort and subsequent work production. *Int J Sport Nutr.* 1996 Mar;6(1):14-23.
- Collomp K, Ahmadi S, Chatard JC**, ym. Benefits of caffeine ingestion on sprint performance in trained and untrained swimmers. *Eur J Appl Physiol Occup Physiol.* 1992;64(4):377-80.
- Colombani PC, Bitzi R, Frey-Rindova P**, ym. Chronic arginine aspartate supplementation in runners reduces total plasma amino acid level at rest and during a marathon run. *Eur J Nutr.* 1999 Dec;38(6):263-70.
- Cook CJ, Crewther BT, Kilduff LP**, ym. Skill execution and sleep deprivation: effects of acute caffeine or creatine supplementation - a randomized placebo-controlled trial. *J Int Soc Sports Nutr.* 2011 Feb 16;8:2.
- Cooper R, Naclerio F, Allgrove J**, ym. Creatine supplementation with specific view to exercise/sports performance: an update. *J Int Soc Sports Nutr.* 2012; 9: 33.
- Cox G, Mujika I, Tumilty D**, ym. Acute creatine supplementation and performance during a field test simulating match play in elite female soccer players. *Int J Sport Nutr Exerc Metab.* 2002 Mar;12(1):33-46.
- Dalbo VJ, Roberts MD, Stout JR**, ym. Putting to rest the myth of creatine supplementation leading to muscle cramps and dehydration. *Br J Sports Med.* 2008; 42: 567-73.
- Denadai BS, Denadai ML.** Effects of caffeine on time to exhaustion in exercise performed below and above the anaerobic threshold. *Braz J Med Biol Res.* 1998 Apr;31(4):581-5.
- de Salles Painelli V, Saunders B, Sale C**, ym. Influence of training status on high-intensity intermittent performance in response to β-alanine supplementation. *Amino Acids.* 2014 May;46(5):1207-15.
- Doherty M, Smith PM, Davison RC**, ym. Caffeine is ergogenic after supplementation of oral creatine monohydrate. *Med Sci Sports Exerc.* 2002 Nov;34(11):1785-92.
- Doherty M, Smith P, Hughes M**, ym. Caffeine lowers perceptual response and increases power output during high-intensity cycling. *J Sports Sci.* 2004 Jul;22(7):637-43.
- Doherty M, Smith PM.** Effects of caffeine ingestion on rating of perceived exertion during and after exercise: a meta-analysis. *Scand J Med Sci Sports.* 2005 Apr;15(2):69-78.

- Earnest CP, Almada AL, Mitchell TL.** Effects of creatine monohydrate ingestion upon intermediate length anaerobic treadmill running to exhaustion. *J Strength Cond Res* 1997;4:234-238.
- Engelhardt M, Neumann G, Berbalk A, ym.** Creatine supplementation in endurance sports. *Med Sci Sports Exerc*. 1998 Jul;30(7):1123-9.
- Eto B, Peres G, Le Moel G.** Effects of an ingested glutamate arginine salt on ammonemia during and after long lasting cycling. *Arch Int Physiol Biochim Biophys*. 1994 May-Jun;102(3):161-2.
- Ferreira TT, da Silva JVF, Bueno NB.** Effects of caffeine supplementation on muscle endurance, maximum strength, and perceived exertion in adults submitted to strength training: a systematic review and meta-analyses. *Crit Rev Food Sci Nutr*. 2020 Jun 18:1-14. doi: 10.1080/10408398.2020.1781051.
- Ganio MS, Klau JF, Casa DJ, ym.** Effect of caffeine on sport-specific endurance performance: a systematic review. *J Strength Cond Res*. 2009 Jan;23(1):315-24.
- Garthe I, Maughan RJ.** Athletes and Supplements: Prevalence and Perspectives. *Int J Sport Nutr Exerc Metab*. 2018 Mar 1;28(2):126-138.
- Geller, A.I., Shehab, N., Weidle, N.J., ym.** (2015). Emergency department visits for adverse events related to dietary supplements. *The New England Journal of Medicine*, 373(16), 1531-1540.
- Geyer H, Parr MK, Mareck U, ym.** Analysis of non-hormonal nutritional supplements for anabolic-androgenic steroids - results of an international study. *Int J Sports Med*. 2004 Feb;25(2):124-9.
- Graham TE, Spriet LL.** Performance and metabolic responses to a high caffeine dose during prolonged exercise. *J Appl Physiol*. 1991 Dec;71(6):2292-8.
- Graham TE, Hibbert E, Sathasivam P.** Metabolic and exercise endurance effects of coffee and caffeine ingestion. *J Appl Physiol*. 1998 Sep;85(3):883-9.
- Greenhaff PL, Bodin K, Soderlund K, ym.** Effect of oral creatine supplementation on skeletal muscle phosphocreatine resynthesis. *Am J Physiol*. 1994 May;266(5 Pt 1):E725-30.
- Greenwood M, Kreider RB, Greenwood L, ym.** Cramping and Injury Incidence in Collegiate Football Players Are Reduced by Creatine Supplementation. *J Athl Train*. 2003 Sep;38(3):216-219.
- Guest NS, VanDusseldorp TA, Nelson MT, ym.** International society of sports nutrition position stand: caffeine and exercise performance. *J Int Soc Sports Nutr*. 2021 Jan 2;18(1):1.
- de Guingand DL, Palmer KR, Snow RJ, ym.** Risk of Adverse Outcomes in Females Taking Oral Creatine Monohydrate: A Systematic Review and Meta-Analysis. *Nutrients*. 2020 Jun 15;12(6):1780.
- Harris RC, Soderlund K, Hultman E.** Elevation of creatine in resting and exercised muscle of normal subjects by creatine supplementation. *Clin Sci (Lond)*. 1992 Sep;83(3):367-74.
- Harris RC, Stellingwerff T.** Effect of β -alanine supplementation on high-intensity exercise performance. *Nestle Nutr Inst Workshop Ser*. 2013;76:61-71.
- Heikkinen A, Alaranta A, Helenius I, ym.** Use of dietary supplements in Olympic athletes is decreasing: a follow-up study between 2002 and 2009. *J Int Soc Sports Nutr*. 2011 Feb 4;8(1):1.
- Hickner RC, Dyck DJ, Sklar J, ym.** Effect of 28 days of creatine ingestion on muscle metabolism and performance of a simulated cycling road race. *J Int Soc Sports Nutr*. 2010 Jul 7;7:26.
- Hobson RM, Saunders B, Ball G, ym.** Effects of β -alanine supplementation on exercise performance: a meta-analysis. *Amino Acids*. 2012 Jul;43(1):25-37.
- Hobson RM, Harris RC, Martin D, ym.** Effect of Beta-Alanine With and Without Sodium Bicarbonate on 2,000-m Rowing Performance. *Int J Sport Nutr Exerc Metab*. 2013 Oct;23(5):480-7.
- Hoon MW, Johnson NA, Chapman PG, ym.** The effect of nitrate supplementation on exercise performance in healthy individuals: a systematic review and meta-analysis. *Int J Sport Nutr Exerc Metab*. 2013 Oct;23(S):S22-32.
- Hultman E, Soderlund K, Timmons JA, ym.** Muscle creatine loading in men. *J Appl Physiol*. 1996 Jul;81(1):232-7.
- Hursel R, Westerterp-Plantenga MS.** Green tea catechin plus caffeine supplementation to a high-protein diet has no additional effect on body weight maintenance after weight loss. *Am J Clin Nutr*. 2009; 89: 822-30.
- Hämeen-Anttila KP, Niskala UR, Siponen SM, ym.** The use of complementary and alternative medicine products in preceding two days among Finnish parents - a population survey. *BMC Complement Altern Med*. 2011 Nov 4;11:107.
- ISSN; Buford T, Kreider R, Stout J, ym.** International Society of Sports Nutrition position stand: creatine supplementation and exercise. *J Int Soc Sports Nutr*. 2007;4:6.
- ISSN; Goldstein ER, Ziegenfuss T, Kalman D, ym.** International society of sports nutrition position stand: caffeine and performance. *J Int Soc Sports Nutr*. 2010 Jan 27;7(1):5.
- Jagim AR, Oliver JM, Sanchez A, ym.** A buffered form of creatine does not promote greater changes in muscle creatine content, body composition, or training adaptations than creatine monohydrate. *J Int Soc Sports Nutr*. 2012; 9:43.
- Jakubowski JS, Nunes EA, Teixeira FJ, ym.** Supplementation with the Leucine Metabolite beta-hydroxy-beta-methylbutyrate (HMB) does not Improve Resistance Exercise-Induced Changes in Body Composition or Strength in Young Subjects: A Systematic Review and Meta-Analysis. *Nutrients*. 2020 May 23;12(5):1523.
- Jones AM, Atter T, Georg KP.** Oral creatine supplementation improves multiple sprint performance in elite ice-hockey players. *J Sports Med Phys Fitness*. 1999 Sep;39(3):189-96.
- Jones AM, Bailey SJ, Vanhatalo A, ym.** Reply to Lundberg, Larsen, and Weitzberg. *J Appl Physiol* (1985). 2011 Aug;111(2):619.
- Jones AM, Vanhatalo A, Bailey SJ.** Influence of dietary nitrate supplementation on exercise tolerance and performance. *Nestle Nutr Inst Workshop Ser*. 2013;75:27-40.
- Jones AM.** Dietary nitrate supplementation and exercise performance. *Sports Med*. 2014 May;44 Suppl 1:S35-45.
- Jówko E, Ostaszewski P, Jank M, ym.** Creatine and beta-hydroxy-beta-methylbutyrate (HMB) additively increase lean body mass and muscle strength during a weight-training program. *Nutrition*. 2001 Jul-Aug;17(7-8):558-66.
- Juhn MS, Tarnopolsky M.** Potential side effects of oral creatine supplementation: a critical review. *Clin J Sport Med*. 1998 Oct;8(4):298-304.
- Jäger R, Metzger J, Lautmann K, ym.** The effects of creatine pyruvate and creatine citrate on performance during high intensity exercise. *J Int Soc Sports Nutr*. 2008 Feb 13;5:4.
- Kalmar JM, Cafarelli E.** Caffeine: a valuable tool to study central fatigue in humans? *Exerc Sport Sci Rev*. 2004 Oct;32(4):143-7.
- Kaviani M, Shaw K, Chilibeck PD.** Benefits of Creatine Supplementation for Vegetarians Compared to Omnivorous Athletes: A Systematic Review. *Int J Environ Res Public Health*. 2020 Apr 27;17(9):3041.
- Killer SC, Blannin AK, Jeukendrup AE.** No evidence of dehydration with moderate daily coffee intake: a counterbalanced cross-over study in a free-living population. *PLoS One*. 2014 Jan 9;9(1):e84154.
- Kim HJ, Kim CK, Carpenter A, Poortmans JR.** Studies on the safety of creatine supplementation. *Amino Acids*. 2011 May;40(5):1409-18.
- Knapik, J.J., Steelman, R.A., Hoedebecke, S.S., ym.** (2016). Prevalence of dietary supplement use by athletes: Systematic review and meta-analysis. *Sports Medicine*, 46(1), 103-123.
- Knitter AE, Panton L, Rathmacher JA, ym.** Effects of beta-hydroxy-beta-methylbutyrate on muscle damage after a prolonged run. *J Appl Physiol*. 2000 Oct;89(4):1340-4.
- Kreider RB.** Dietary supplements and the promotion of muscle growth with resistance exercise. *Sports Med*. 1999 Feb;27(2):97-110.

- Kreider RB, Ferreira M, Wilson M**, ym. Effects of calcium beta-hydroxy-beta-methylbutyrate (HMB) supplementation during resistance-training on markers of catabolism, body composition and strength. *Int J Sports Med.* 1999 Nov;20(8):503-9.
- Kreider RB, Ferreira MP, Greenwood M**, ym. Effects of conjugated linoleic acid supplementation during resistance training on body composition, bone density, strength, and selected hematological markers. *J Strength Cond Res.* 2002 Aug;16(3):325-34.
- Kreider RB**. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem.* 2003 Feb;244(1-2):89-94.
- Kreider RB, Wilborn CD, Taylor L**, ym. ISSN exercise & sport nutrition review: research & recommendations. *J Int Soc Sports Nutr.* 2010; 7: 7.
- Kreider RB, Kalman DS, Antonio J**, ym. International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr.* 2017 Jun 13;14:18.
- Lago-Rodríguez Á, Domínguez R, Ramos-Álvarez JJ**, ym. The Effect of Dietary Nitrate Supplementation on Isokinetic Torque in Adults: A Systematic Review and Meta-Analysis. *Nutrients.* 2020 Oct 2;12(10):3022.
- Lambert EV, Goedecke JH, Bluett K**, ym. Conjugated linoleic acid versus high-oleic acid sunflower oil: effects on energy metabolism, glucose tolerance, blood lipids, appetite and body composition in regularly exercising individuals. *Br J Nutr.* 2007 May;97(5):1001-11.
- Lanhers C, Pereira B, Naughton G**, ym. Creatine Supplementation and Lower Limb Strength Performance: A Systematic Review and Meta-Analyses. *Sports Med.* 2015 Sep;45(9):1285-1294.
- Lanhers C, Pereira B, Naughton G**, ym. Creatine Supplementation and Upper Limb Strength Performance: A Systematic Review and Meta-Analysis. *Sports Med.* 2017 Jan;47(1):163-173.
- Laurent D, Schneider KE, Prusaczyk WK**, ym. Effects of caffeine on muscle glycogen utilization and the neuroendocrine axis during exercise. *J Clin Endocrinol Metab.* 2000 Jun;85(6):2170-5
- Lee CL, Lin JC, Cheng CF**. Effect of caffeine ingestion after creatine supplementation on intermittent high-intensity sprint performance. *Eur J Appl Physiol.* 2011 Aug;111(8):1669-77
- Lopez RM, Casa DJ, McDermott BP**, ym. Does creatine supplementation hinder exercise heat tolerance or hydration status? A systematic review with meta-analyses. *J Athl Train.* 2009 Mar-Apr;44(2):215-23.
- Lovell, G.P., Parker, J.K., & Slater, G.J.** (2013). Influence of female sports dietitians' physical characteristics on athlete perception of effectiveness. *International Journal of Sport Nutrition and Exercise Metabolism*, 23(3), 282–286.
- Lun, V., Erdman, K.A., Fung, T.S.**, ym. (2012). Dietary supplementation practices in Canadian high-performance athletes. *International Journal of Sport Nutrition and Exercise Metabolism*, 22(1), 31–37
- Lundberg JO, Larsen FJ, Weitzberg E**. Supplementation with nitrate and nitrite salts in exercise: a word of caution. *J Appl Physiol (1985)*. 2011 Aug;111(2):616-7.
- Marik, P.E., & Flemmer, M.** (2012). Do dietary supplements have beneficial health effects in industrialized nations: What is the evidence? *Journal of Parenteral and Enteral Nutrition*, 36(2), 159–168.
- Martinez-Sanz, J.M., Sospedra, I., Ortiz, C.M.**, ym. (2017). Intended or unintended doping? A review of the presence of doping substances in dietary supplements used in sports. *Nutrients*, 9(10).
- Maughan RJ**. Creatine supplementation and exercise performance. *Int J Sport Nutr.* 1995 Jun;5(2):94-101
- Maughan RJ**. Risks and rewards of dietary supplement use by athletes. IOC Consensus In Sports Nutrition Conference Lausanne, Switzerland 25th - 27th October 2010.
- Maughan RJ, Burke LM, Dvorak J**, ym. IOC Consensus Statement: Dietary Supplements and the High-Performance Athlete. *Int J Sport Nutr Exerc Metab.* 2018 Mar 1;28(2):104-125.
- Metzl JD, Small E, Levine SR**, ym. Creatine use among young athletes. *Pediatrics.* 2001;108:421–425.
- Mielgo-Ayuso J, Calleja-Gonzalez J, Marqués-Jiménez D**, ym. Effects of Creatine Supplementation on Athletic Performance in Soccer Players: A Systematic Review and Meta-Analysis. *Nutrients.* 2019 Mar 31;11(4):757.
- Motl RW, O'Connor PJ, Dishman RK**. Effect of caffeine on perceptions of leg muscle pain during moderate intensity cycling exercise. *J Pain.* 2003 Aug;4(6):316-21
- Mujika I, Padilla S, Ibanez J**, ym. Creatine supplementation and sprint performance in soccer players. *Med Sci Sports Exerc.* 2000 Feb;32(2):518-25.
- Nieper, A.** (2005). Nutritional supplement practices in UK junior national track and field athletes. *The British Journal of Sports Medicine*, 39(9), 645–649.
- Nikolaidis MG, Kerksick CM, Lamprecht M**, ym. Does vitamin C and E supplementation impair the favorable adaptations of regular exercise? *Oxid Med Cell Longev.* 2012;2012:707941.
- Nissen SL ja Sharp RL**. Effect of dietary supplements on lean mass and strength gains with resistance exercise: a meta-analysis. *J Appl Physiol.* 2003 Feb;94(2):651-9.
- Norris LE, Collene AL, Asp ML**, ym. Comparison of dietary conjugated linoleic acid with safflower oil on body composition in obese postmenopausal women with type 2 diabetes mellitus. *Am J Clin Nutr.* 2009 Sep;90(3):468-76.
- O'Connor DM, Crowe MJ**. Effects of beta-hydroxy-beta-methylbutyrate and creatine monohydrate supplementation on the aerobic and anaerobic capacity of highly trained athletes. *J Sports Med Phys Fitness.* 2003 Mar;43(1):64-8.
- Onakpoya IJ, Posadzki PP, Watson LK**, ym. The efficacy of long-term conjugated linoleic acid (CLA) supplementation on body composition in overweight and obese individuals: a systematic review and meta-analysis of randomized clinical trials. *Eur J Nutr.* 2012 Mar;51(2):127-34.
- Ostojic SM**. Creatine supplementation in young soccer players. *Int J Sport Nutr Exerc Metab.* 2004 Feb;14(1):95-103.
- Pasman WJ, van Baak MA, Jeukendrup AE**, ym. The effect of different dosages of caffeine on endurance performance time. *Int J Sports Med.* 1995 May;16(4):225-30.
- Peeters BM, Lantz CD, Mayhew JL**. Effects of oral creatine monohydrate and creatine phosphate supplementation on maximal strength indices, body composition and blood pressure. *J Strength Cond Res* 1998;13:3-9.
- Persky AM ja Brazeau GA**. Clinical pharmacology of the dietary supplement creatine monohydrate. *Pharmacol Rev.* 2001 Jun;53(2):161-76.
- Poortmans JR, Francaux M**. Adverse effects of creatine supplementation: fact or fiction? *Sports Med.* 2000 Sep;30(3):155-70.
- Portal S, Zadik Z, Rabinowitz J**, ym. The effect of HMB supplementation on body composition, fitness, hormonal and inflammatory mediators in elite adolescent volleyball players: a prospective randomized, double-blind, placebo-controlled study. *Eur J Appl Physiol.* 2011; 111: 2261-9.
- Preen D, Dawson B, Goodman C**, ym. Creatine supplementation: a comparison of loading and maintenance protocols on creatine uptake by human skeletal muscle. *Int J Sport Nutr Exerc Metab.* 2003 Mar;13(1):97-111.
- Rainer L ja Heiss CJ**. Conjugated linoleic acid: health implications and effects on body composition. *J Am Diet Assoc.* 2004 Jun;104(6):963-8,
- Rawson ES, Volek JS**. Effects of creatine supplementation and resistance training on muscle strength and weightlifting performance. *J Strength Cond Res.* 2003 Nov;17(4):822-31.
- Reinert, A., Rohrmann, S., Becker, N.** (2007). Lifestyle and diet in people using dietary supplements: A German cohort study. *The European Journal of Nutrition*, 46(3), 165–173.
- Risérus U, Vessby B, Arner P**, ym. Supplementation with trans10cis12-conjugated linoleic acid induces hyperinsulinaemia in obese men: close association with impaired insulin sensitivity. *Diabetologia.* 2004; 47: 1016-9.

- Salas-Salvadó J, Márquez-Sandoval F, Bulló M.** Conjugated linoleic acid intake in humans: a systematic review focusing on its effect on body composition, glucose, and lipid metabolism. *Crit Rev Food Sci Nutr.* 2006; 46: 479-88.
- Saunders B, Virgile A, Elliott-Sale KJ, ym.** Infographic. A systematic review and meta-analysis of the effect of beta-alanine supplementation on exercise capacity and performance. *Br J Sports Med.* 2020 Aug;54(15):925-926.
- Selsby JT, Beckett KD, Kern M, ym.** Swim performance following creatine supplementation in Division III athletes. *J Strength Cond Res.* 2003 Aug;17(3):421-4.
- Schilling B, Stone M, Utter A, ym.** Creatine supplementation and health variables: a retrospective study. *Med Sci Sports Exerc.* 2001;33:183-188.
- Shen JG, Brooks MB, Cincotta J, ym.** Establishing a relationship between the effect of caffeine and duration of endurance athletic time trial events: a systematic review and meta-analysis. *J Sci Med Sport.* 2019 Feb;22(2):232-238.
- Siervo M, Lara J, Ogbonmwan I, ym.** Inorganic nitrate and beetroot juice supplementation reduces blood pressure in adults: a systematic review and meta-analysis. *J Nutr.* 2013 Jun;143(6):818-26.
- Skare OC, Skadberg, Wisnes AR.** Creatine supplementation improves sprint performance in male sprinters. *Scand J Med Sci Sports.* 2001 Apr;11(2):96-102.
- Slater GJ, Jenkins D.** Beta-hydroxy-beta-methylbutyrate (HMB) supplementation and the promotion of muscle growth and strength. *Sports Med.* 2000 Aug;30(2):105-16.
- Smith JC, Stephens DP, Hall EL, ym.** Effect of oral creatine ingestion on parameters of the work rate-time relationship and time to exhaustion in high-intensity cycling. *Eur J Appl Physiol Occup Physiol.* 1998 Mar;77(4):360-5.
- Sneddon AA, Tsouliou F, Fyfe CL, ym.** Effect of a conjugated linoleic acid and omega-3 fatty acid mixture on body composition and adiponectin. *Obesity (Silver Spring).* 2008; 16: 1019-24.
- Southward K, Rutherford-Markwick KJ, Ali A.** The effect of acute caffeine ingestion on endurance performance: a systematic review and meta-analysis. *Sports Med.* 2018;48(8):1913-28.
- Spriest LL, MacLean DA, Dyck DJ, ym.** Caffeine ingestion and muscle metabolism during prolonged exercise in humans. *Am J Physiol.* 1992 Jun;262(6 Pt 1):E891-8
- Syrotuik DG, Bell GJ.** Acute creatine monohydrate supplementation: a descriptive physiological profile of responders vs. nonresponders. *J Strength Cond Res.* 2004 Aug;18(3):610-7.
- Tarnopolsky MA.** Caffeine and endurance performance. *Sports Med.* 1994 Aug;18(2):109-25
- Tarnopolsky M, Cupido C.** Caffeine potentiates low frequency skeletal muscle force in habitual and nonhabitual caffeine consumers. *J Appl Physiol.* 2000 Nov;89(5):1719-24.
- Terjung RL, Clarkson P, Eichner ER, ym.** American College of Sports Medicine roundtable. The physiological and health effects of oral creatine supplementation. *Med Sci Sports Exerc.* 2000 Mar;32(3):706-17.
- Terpstra AHM.** Effect of conjugated linoleic acid on body composition and plasma lipids in humans: an overview of the literature. *Am J Clin Nutr.* 2004 Mar;79(3):352-61.
- Tomcik KA, Camera DM, Bone JL, ym.** Effects of Creatine and Carbohydrate Loading on Cycling Time Trial Performance. *Med Sci Sports Exerc.* 2018 Jan;50(1):141-150.
- Unnithan VB, Veehof SH, Vella CA, ym.** Is there a physiologic basis for creatine use in children and adolescents? *J Strength Cond Res.* 2001;15:524-528.
- Vandenberghé K, Gillis N, Van Leemputte M, ym.** Caffeine counteracts the ergogenic action of muscle creatine loading. *J Appl Physiol.* 1996 Feb;80(2):452-7.
- Vandenberghé K, Goris M, Van Hecke P, ym.** Long-term creatine intake is beneficial to muscle performance during resistance training. *J Appl Physiol.* 1997; 83: 2055-63.
- van Gammeren D.** Endurance performance. Kirjassa: Antonio J, Stout JR (toim): Sports Supplements. Lippincott Williams & Wilkins 2001.
- Vanhalatalo A, Bailey SJ, Blackwell JR, ym.** Acute and chronic effects of dietary nitrate supplementation on blood pressure and the physiological responses to moderate-intensity and incremental exercise. *Am J Physiol.* 2010;299:1121-1131.
- van Loon LJ, Oosterlaar AM, Hartgens F, ym.** Effects of creatine loading and prolonged creatine supplementation on body composition, fuel selection, sprint and endurance performance in humans. *Clin Sci (Lond).* 2003 Feb;104(2):153-62.
- van Nieuwenhoven MA, Brummer RM, Brouns F.** Gastrointestinal function during exercise: comparison of water, sports drink, and sports drink with caffeine. *J Appl Physiol.* 2000 Sep;89(3):1079-85.
- van Nieuwenhoven MA, Brouns F, Kovacs EM.** The effect of two sports drinks and water on GI complaints and performance during an 18-km run. *Int J Sports Med.* 2005 May;26(4):281-5.
- Voevodin M, Sinclair A, Gibson R, Makrides M.** The effect of CLA on body composition in humans: systematic review and meta-analysis. *Asia Pac J Clin Nutr.* 2005;14 Suppl:S55.
- Wald A, Back C, Bayless TM.** Effect of caffeine on the human small intestine. *Gastroenterology.* 1976 Nov;71(5):738-42.
- Watson P, Judkins C, Houghton E, ym.** Urinary nandrolone metabolite detection after ingestion of a nandrolone precursor. *Med Sci Sports Exerc.* 2009 Apr;41(4):766-72.
- Wiens K, Erdman, K.A., Stadnyk, M., ym.** (2014). Dietary supplement usage, motivation, and education in young, Canadian athletes. *International Journal of Sport Nutrition and Exercise Metabolism,* 24(6), 613-622.
- Wilkinson DJ, Hossain T, Hill DS, ym.** Effects of leucine and its metabolite β -hydroxy- β -methylbutyrate on human skeletal muscle protein metabolism. *J Physiol.* 2013 Jun 1;591(Pt 1):2911-23.
- Williams MH.** Facts and fallacies of purported ergogenic amino acid supplements. *Clin Sports Med.* 1999 Jul;18(3):633-49
- Wilson JM, Fitschen PJ, Campbell B, ym.** International Society of Sports Nutrition Position Stand: beta-hydroxy-beta-methylbutyrate (HMB). *J Int Soc Sports Nutr.* 2013 Feb 2;10(1):6.
- Wilson JM, Lowery RP, Joy JM, ym.** β -Hydroxy- β -methylbutyrate free acid reduces markers of exercise-induced muscle damage and improves recovery in resistance-trained men. *Br J Nutr.* 2013 Aug 28;110(3):538-44.
- Zhu Q, Yue X, Tian QY, ym.** Effect of L-arginine supplementation on blood pressure in pregnant women: a meta-analysis of placebo-controlled trials. *Hypertens Pregnancy.* 2013;32(1):32-41.
- Ziegenfuss T, Gales D, Felix S, ym.** Performance benefits following a five day creatine loading procedure persist for at least four weeks. *Med Sci Sports Exerc* 1998;30(Suppl):265

LUKU 15 Ravitsemusvalmennus osana kestävää elämäntapamuutosta

Itani O, Jike M, Watanabe N, ym. Short sleep duration and health outcomes: a systematic review, meta-analysis, and meta-regression. *Sleep Med.* 2017;32:246-256.